View NSN Online: https://aerobasegroup.tw/nsn/6850-00-014-3914

Product ID:TURCO 4217 MSDS Date:06/23/1986 FSC:6850 NIIN:00-014-3914 MSDS Number: BCVJC === Responsible Party === Company Name: TURCO PRODUCTS INC., SUB. OF PENNWALT CORP. Address:24700 S. MAIN ST. Box:6200 City:CARSON State:CA ZIP:90749 Country:US Info Phone Num:213-835-1394 Emergency P hone Num:714-890-3600 Preparer's Name:C.A.EISENHARD CAGE:61102 === Contractor Identification === Company Name: CHEMICAL COMMODITIES AGENCY, INC. Address:27447 PACIFIC STREET Box:City:HIGHLAND State:CA ZIP:92346-2640 Country:US Phone:909-864-2310 CAGE:60777 Company Name: TURCO PRODUCTS Address:ST RD 95 WEST Box:City:MARION State:OH ZIP:43302 Country:US CAGE:95510 Company Name: TURCO PRODUCTS, INC. DIVISON OF ELF ATOCHEM NORTH AMERICA Address:2000 MARKET ST Box:City:PHILADELPHIA State:PA ZIP:19103-32

22 Country:US Phone:215-419-7890 CAGE:61102

Ingred Name:ISOPROPYL ALCOHOL (SARA III) CAS:67-63-0 RTECS #:NT8050000 Fraction by Wt: 50.0% OSHA PEL:400 PPM/500 STEL ACGIH TLV:400 PPM/500STEL;9192

Effects of Overexposure:INHAL:HEADACHE,NOSE & THROAT IRRIT.SKIN:IRRITATES,DEFAT.EYES:SEVERE IRRITATION.

=============

First Aid:INHAL:MOVE TO FRESH AIR.GIVE O*2 IF BREATH DIFFICULT/ART RESPIR IF BREATH STOPPED.EYES:FLUSH W/WATER FOR 15 MIN.SKIN:REMOVE CONTAM CLOTHING.WASH SKIN W/SOAP & WATER.INGEST:DILUTE W/LGE VOL MILK OR WAT ER.DO NOT GIVE IF UNCONSCIOUS. CONTACT DR.

Flash Point:70F,21C,TCC Lower Limits:2.5 Extinguishing Media:CO*2,WATER,CHEMICAL FOAM. Fire Fighting Procedures:NONE Unusual Fire/Explosion Hazard: NONE

Spill Release Procedures: ELIMINATE IGNITION SOURCES. CONTAIN SPILLAGE. VENTILATE AREA. WIPE UP OR ABSORB ONTO ABSORBENT MATERIAL, RECOVER IN DRUMS FOR DISPOSAL.

Handling and Storage Precautions: USE CARE IN OPENING TO AVOID
 SPURTING.DRUMS & METALLIC HANDLING EQUIPMENT SHOULD BE GROUND TO
 AVOID STATIC CHARGING.
 Other Precautions: VAPOR HEAV THA

N AIR.COLLECTS IN LOW AREAS. PROVIDE PERSONNEL W/RESPIRATORY PROTECTION & SAFETY LINE.KEEP UNDER OBSERVATION.EMPTY DRUMS MAY CONTAIN FLAM VAPORS.KEEP SEALED.STORE IN FLAM AREA.

Respiratory Protection:SELF CONTAINED GEAR IF TLV IS EXCEEDED;SULL FACE W/POS PRESS MODE
Ventilation:LOCAL RECOMMENDED
Protective Gloves:NEOPRENE
Eye Protection:RUBBER FRAMED GOGGLES
Other Protective Equipment:SOLVENT RESISTANT BOOTS & A
PRON (NEOPRENE)
Supplemental Safety and Health
MSDS DATED 6-23-86.

HCC:F2 Boiling Pt:=82.2C, 180.F Vapor Pres:30 Vapor Density:>1.0 Spec Gravity:0.90 Evaporation Rate & amp; Reference:>1.0(BU ACETATE) Solubility in Water:COMPLETE Appearance and Odor:CLEAR LIGHT YELLOW LIQD,ALCOHOL ODOR Percent Volatiles by Volume:50

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING & CORROSIVE MATL Stability Condition to Avoid:SOURCE IGN,OPEN FLAME,HEAT. Hazardous Decomposition Products:CARBON MONOXIDE,CARBON DIOXIDE

Waste Disposal Methods: POSSIBLE METHODS 1:LANDFILL UNDER APPLICABLE LOCAL, STATE, FED REGS.2:BURN IN CHEMICAL FURNACE W/APPROPRIATE FUME SCRUBBING SYSTEM.3:TRANSFER TO RECLAIMING CENTER FOR SOLVENT RECOVERY.

Disclaimer (provided with this information by the comp

iling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.