

ROYAL LUBRICANTS COMPANY INC. -- ROYCO 751 -- 9150-00-111-6254

=====
Product Identification
=====

Product ID:ROYCO 751

MSDS Date:01/01/1985

FSC:9150

NIIN:00-111-6254

MSDS Number: BCZCQ

=== Responsible Party ===

Company Name:ROYAL LUBRICANTS COMPANY INC.

Box:518

City:EAST HANOVER

State:NJ

ZIP:07936

Country:US

Info Phone Num:201-887-7410

Emergency Phone Num:201-887-7411

CAGE:07950

=== Contractor Id

entification ===

Company Name:ROYAL LUBRICANTS COMPANY INC.

Address:215 MERRY LN

Box:518

City:EAST HANOVER

State:NJ

ZIP:07936

Country:US

Phone:973-887-7411/7410

CAGE:07950

=====
Composition/Information on Ingredients
=====

Ingred Name:SYNTHETIC OIL

Fraction by Wt: 70%

Ingred Name:ESTER

Fraction by Wt: 28%

Ingred Name:TRICRESYL PHOSPHATE

CAS:1330-78-5

RTECS #:TD0175000

Fraction by Wt: 1%

Ingred Name:METHYLENE BUTYL PHENOL

CAS:88-24-4

RTECS #:SL9800000

Fraction by Wt: 18%

=

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Explanation of Carcinogenicity:DATA PER MGF MSDS.
Effects of Overexposure:ORAL-SLIGHTLY TOXIC;EYE;SLIGHTLY
IRRITATING;SKIN:NORMALLY LITTLE OR NO IRRITATION
Medical Cond Aggravated by Exposure:PRE-EXISTING CONDITIONS MAY BE
WORSEN.

=====
First Aid Measures
=====

First Aid:O
RAL:DO NOT INDUCE VOMITING.CONSULT PHYSICIAN.EYES:FLUSH WITH
LARGE QUANTITES OF WATER. SKIN:REMOVE BY WIPING FOLLOWED BY WASHING
WITH SOAP & WATER

=====
Fire Fighting Measures
=====

Flash Point Method:COC
Flash Point:440F,227C
Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY
CHEMICAL.
Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA &
FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER
SPRAY
TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.
Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE
PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

=====
Accidental Release Measures
=====

Spill Release Procedures:ABSORB WITH CLAY, DIATOMACEOUS EARTH OR OTHER
INERT ABSORBENT

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN COOL,DRY AND WELL VENTILATED
AREA.KEEP CONTAINER CLOSED WHEN NOT
IN USE.
Other Precautions:AVOID BREATHING OF OIL MIST & DO NOT HANDLE FOODS
UNTIL HANDS ARE WASHED WITH SOAP & WATER.IF CLOTHING BECOMES SOAKED
WITH OIL-REMOVE WET CLOTHING & SHOWER

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NOT NORMALLY REQUIRED
Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV.
Protective Gloves:IMPERVIOUS
Eye Protection:SAFETY GLASSES/GOGGLES
Other Protective Equipment:PROTECTIVE CLOTHINGS.EYE-WASH
FACILITIES,SAFETY SH

OWER.

Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN;DO NOT BREATHE VAPORS/MIST/DUST.WASH THOROUGHLY AFTER EACH USE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:500F,260C

Spec Gravity:0.861

Solubility in Water:INSOLUBLE

Appearance and Odor:AMBER OIL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

LIQUID OXYGEN & OTHER STRONG OXIDIZING AGENTS

Stability Condition to Avoid:HIGH TEMPERATURES, SPARKS, AND OPEN FLAMES

Hazardous Decomposition Products:CARBON MONOXIDE COULD FORM DURING COMBUSTION

===== Disposal Considerations =====

Waste Disposal Methods:CONSULT LOCAL AUTHORITIES;DISPOSAL MUST BE IN ACCORDANCE WITH LOCAL,STATE AND FEDERAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.