View NSN Online: https://aerobasegroup.tw/nsn/6505-00-114-3010

MEER CORP (TITE PAK INC-DISTR,9K580) -- COAL TAR SOLUTION, USP -- 6505-00-114-3010

Product ID:COAL TAR SOLUTION, USP

MSDS Date:01/01/1987

FSC:6505

NIIN:00-114-3010

MSDS Number: BCZJW === Responsible Party ===

Company Name: MEER CORP (TITE PAK INC-DISTR, 9K580)

Address:319 W POPLAR ST

City:NORRISTOWN

State:PA

ZIP:19401-3236 Country:US

Emergency Phone Num:NONE

CAGE:K O126

=== Contractor Identification ===

Company Name: MEER CORP (TITE PAK INC-DISTR, 9K580)

Address:319 W POPLAR ST Box:City:NORRISTOWN

State:PA

ZIP:19401-3236 Country:US CAGE:KO126

Company Name:TITE PAK INC Address:319 W POPLAR ST Box:City:NORRISTOWN

State:PA

ZIP:19401-3236 Country:US CAGE:9K580

======= Composition/Information on Ingredients ========

Ingred Name: ETHYL ALCOHOL (ETHANOL)

CAS:64-17-5

RTECS #:KQ6300000 Fraction by Wt: 70.4% OSHA PEL:1000 PPM

ACGIH TLV:1000 PPM; 9192

In

gred Name:COAL TAR PITCH VOLATILES (BENZENE SOLUBLE FRACTION), ANTHRACENE, BAP, PHENANTRACENE, ACRIDINE, CHRYSENE, PYRENE. CAS:65996-93-2 RTECS #:GF8655000 Fraction by Wt: 23.7% OSHA PEL:0.2 MG/M3 ACGIH TLV:0.2 MG/M3, A1; 9192
Ingred Name:POLYSORBATE 80, CAS 9005-65-6 CAS:9005-65-6 RTECS #:WG2932500 Fraction by Wt: 5.9%
========== Hazards Identification ============
Effects of Overexposure:EYE:IRRT.SKN:IRRT.INHL:IRRT,ASPHYX.INGEST:GI IRRT,DEPRESS,DIZZ,STUPOR,NARC .
Etad At I Marana
======================================
First Aid:EYE:FLUSH 15 MIN W/AMPLE WATER.SKN:WASH SOAP & WATER.INHL:REMOVE TO FRESH AIR,ART RESP OR OXYGEN.INGEST:GIVE TWO GLASSES MILK OR ACT CHARCOAL SOLN,INDUCE VOMIT,IF CONSCIOUS,CALL PHYSICIAN ALL CASES IF SYMPTOMS PERSIST.
======================================
Flash Point:63F/17C CC Extinguishing Media:STEAM,WATER FOG,CO*2,FOAM,DRY CHEM. Fire Fighting Procedures:NONE Unusu al Fire/Explosion Hazard:NONE
========= Accidental Release Measures ==========
Spill Release Procedures:AVOID CONTACT & INHAL FUMES.ELIMINATE SOURCES OF IGNITION.COLLECT SPILL W/ABSORBENT & PLACE IN CLOSED CONTAINER.
======================================
Handling and Storage Precautions:KEEP CONTAINERS CLOSED & AWAY FROM IGNITION SOURCES.AVOID INHL VAPORS OR SKN & EYE CONTACT. Other Precautions:COAL TAR IS KNOWN HUMAN CARCINOGEN.AVOID

Supplemental Safety and Health
ENTRY PER NON-OSHA MSDS DTD 25FEB85 BY TITE-PAK INC.(DISTR).(TLV FOR INGR 2 IS FOR BENZENE SOLUBLE COAL TAR PITCH VOLATILES,ACGIH).FDA OTC PANEL SAYS THIS MATL UNSAFE FOR TOPICAL APPLIC

======== Physical/Chemical Properties ===========

HCC:F2
Boiling Pt:B.P. Text:78F
Spec Gravity:0.845
Appearance and Odor:BROWN LIQUID,AROMATIC ODOR
Percent Volatiles by Volume:>90

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES SOLVENTS Stability Condition to Avoid:NONE Hazardous Decompos ition Products:CARBON OXIDES,AROMATIC VAPORS,MISTS

======= Disposal Considerations =============

Waste Disposal Methods:INCINERATE IN APPROVED FACILITY IAW ALL LAWS & REGS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liabi

lity for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.