

BATTENFIELD AMERICA,INC. -- WAY OIL -- 9150-00-145-0112

===== Product Identification =====

Product ID:WAY OIL

MSDS Date:01/01/1987

FSC:9150

NIIN:00-145-0112

MSDS Number: BDCCW

=== Responsible Party ===

Company Name:BATTENFIELD AMERICA,INC.

Address:1575 CLINTON ST

City:BUFFALO

State:NY

ZIP:14200

Info Phone Num:716-822-8410

Emergency Phone Num:716-822-8410

Preparer's Name:THOMAS G. MUSILLI

CAGE:KO10

5

=== Contractor Identification ===

Company Name:BATTENFELD AMERICA INC

Address:1575 CLINTON ST

Box:City:BUFFALO

State:NY

ZIP:14206

Country:US

Phone:716-822-8410

CAGE:61808

Company Name:BATTENFIELD AMERICA,INC.

Address:1575 CLINTON ST

City:BUFFALO

State:NY

ZIP:14206

Country:US

Phone:716-822-8410

CAGE:KO105

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

Box:City:EDGEWATER

State:NJ

ZIP:07020

Country:US

Phone:201-945-9400

CAGE:82925

===== Composition/Information on Ingredients

=====

Ingred Name:MINERAL OIL  
CAS:64742-65-0  
RTECS #:PY8038500  
Fraction by Wt: 50%  
Other REC Limits:5 MG/M3

Ingred Name:MINERAL OIL  
CAS:72623-83-7  
Fraction by Wt: 44%

Ingred Name:POLYISOBUTYLENE  
CAS:9003-27-4  
RTECS #:UD1010000  
Fraction by Wt: 2.0%

Ingred Name:SULFURIZED ISOBUTYLENE  
CAS:68511-50-2  
Fraction by Wt: 1.0%

Ingred Name:LEAD METHYL ESTER  
CAS:68082-78-0  
Fraction by Wt: 3.0%

===== Hazards Identification =====

Routes of Entry: Inhalation:NO  
Skin:NO Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:PRODUCT IS A MILD IRRITANT AND DOES  
NOT SENSITIZE. VAPOR PRESSURE IS LOW ENOUGH TO BE NON-HAZARDOUS BY  
INHALATION. TOXICITY IS LOW BY INGESTION.  
Explanation of Carcinogenicity:MFR CLAIMS NO CARCINOGENITY  
Effects of Overexposure:EYE/SKIN:IRRITATION. INHALED:NONE REPORTED.  
INGESTION:NONE REPORTED.  
Medical Cond Aggravated by Exposure:NONE

===== First Aid Measures =====

First Aid:EYE:FLUSH WITH WATER 15 MIN. SKIN:WASH WITH SOAP & WATER.  
REMOVE CONTAMINATED CLOTHING & LAUNDER BEFORE REUSE. INHALED:NONE  
REPORTED. INGESTED:DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:COC  
Flash Point:360F/182C  
Autoignition Temp:Autoignition Temp Text:400F  
Extinguishing Media:WATER FOG,CARBON DIOXIDE,DRY  
CHEMICAL,FOAM,EARTH/SAND  
Fire Fighting Procedur

es:WATER MAY CAUSE FROTHING.  
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB WITH INERT MATERIAL.  
Neutralizing Agent:NONE

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN LOW FIRE RISK AREA AWAY FROM  
OXIDIZERS AND IGNITION SOURCES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE EXPECTED TO BE  
NEEDED.

Ventilation:NO SPECIAL VENTILATION NECESSARY

Protective Gloves:NEOPRENE,POLYETHYLENE

Eye Protection:FACE SHIELD IF SPLASH HAZARD IS HIGH

Work Hygienic Practices:USE GOOD INDUSTRIAL HYGIENE PRACTICE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:700F/371C

Spec Gravity:0.89

Solubility in Water:NIL

Appearance and Odor:FATTY,FLUID,OIL

===== Stability and Reactivity Data =====

Stab

ility Indicator/Materials to Avoid:YES

STRONG OXIDIZERS

Stability Condition to Avoid:NONE REPORTED

Hazardous Decomposition Products:NORMAL PRODUCTS OF COMBUSTION.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE I/A/W FEDERAL,STATE,LOCAL REGULATIONS.  
MFR SUGGESTS INCINERATE.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United

States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.