AUTHUR C. WITHROW CO. -- 3V3 SAE 30 -- 9150-00-186-6681 ============= Product Identification ======================== Product ID:3V3 SAE 30 MSDS Date:01/01/1985 FSC:9150 NIIN:00-186-6681 MSDS Number: BDHBY === Responsible Party === Company Name: AUTHUR C. WITHROW CO. Emergency Phone Num:213-771-7000 CAGE:3R443 === Contractor Identification === Company Name: AUTHUR C. WITHROW CO. Address:5511 DISTRICT BLVD Box:City:LOS ANGELE S State:CA ZIP:90040-2817 Country:US Phone:213-771-7000 CAGE:3R443 ======= Composition/Information on Ingredients ======== Ingred Name: ORGANIC ADDITIVES Ingred Name:PETROLEUM OIL Effects of Overexposure:EYE: IRRIT. AVOID SKIN CNTCT. LOW ORDER OF TOXICITY & IRRIT. First Aid:EYES: IF LIQ CNTCTS EYES, FLUSH PROMPTLY W/PLENTY WATER UNTIL

View NSN Online: https://aerobasegroup.com/nsn/9150-00-186-6681

ANY IRRIT SUBSIDES. GET MD. SKIN: WASH THOROUGHLY W/SOAP & WATER.
======================================
Flash Point:435F OC Extinguishing Media:FOAM, DRY CHEM, CO*2, WATER SPRAY, WATER FOG Fire Fighting Procedures:USE WATER SPRAY TO COOL EXPOSED SURFACES & PROT PERSONNEL
========= Accidental Release Measures ============
Spill Release Procedures:KEEP PUBLIC AWAY. SHUT OFF SOURCE W/O DELAY & W/PROPER CARE. RECOVER FREE LIQ BY PUMPING & /OR CONTAIN & ABSORB SPILLED MATL W/OIL ABSORBENT, SAND OR EARTH, & SWEEP.
======================================
Handling and Storage Precautions:KEEP CNTNR CLOSED WHEN NOT IN USE. DO NOT STORE NEAR FLAME, HEAT, STRONG OXIDANTS. Other Precautions:AVOID PROLONGED/REPEATED SKIN CNTCT. AVOID BRTHNG OIL MISTS. WASH THOROUGHLY AFTER HANDLING.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:USUALLY NOT NEEDED. IF NEC, USE NIOSH/MSHA APPRVD RESP DEVICE. Ventilation:MFR STATES USUALLY NOT NEEDED IN OPEN, UNCONFINED AREAS Protective Gloves:OIL RESIST Eye Protection:SAFETY GOGGLES/GLASSES Other Protective Equipment:USUALLY NOT NEEDED Supplemental Safety and Health % VOLATILE BY VOLUME:NEGLIGIBLE.BOILING PT. NOT DETERMINED.
========= Physical/Chemical Properties ===========
HCC:V6 Spec Gravity:0.892 Evaporation Rate & Reference:NEGLIGIBLE Solubility in Water:NEGLIGIBLE Appearance a

======================================
Stability Indicator/Materials to Avoid:YES CONC FORMS OF OXIDIZING AGENTS
========= Disposal Considerations =============
Waste Disposal Methods:INCINERATE OR USE APPRVD LANDFILL IF IAW FED, STATE, LOCAL REG
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The U nited States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.

 ${\sf nd\ Odor:OILY\ BROWN\ LIQ,\ MILD\ ODOR}$