

OCTAGON PROCESS INC. -- MIL-C-372C AM 2 RIFLE BORE CLEANER -- 6850-00-224-6657
===== Product Identification =====

Product ID:MIL-C-372C AM 2 RIFLE BORE CLEANER

MSDS Date:12/04/1991

FSC:6850

NIIN:00-224-6657

MSDS Number: BDKKW

=== Responsible Party ===

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

City:EDGEWATER

State:NJ

ZIP:07020

Country:US

Info Phone Num:201-945-9400

Emergency Phone N

um:201-945-9400(CHEMTREC 800-424-9300)

Preparer's Name:J.J BURGARD

CAGE:82925

=== Contractor Identification ===

Company Name:AMERICAN INK AND OIL CORP

Address:33 ENDICOTT STREET

Box:City:NORWOOD

State:MA

ZIP:02062-3006

Country:US

Phone:781-762-0026 / FAX: 781-762-1617

CAGE:82956

Company Name:HASKON CORPORATION AIRCRAFT PRODUCT SALES

Address:336 WAIR ST

Box:City:TAUNTON

State:MA

ZIP:02780-4234

Country:US

Phone:508-824-4011

CAGE:11960

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

Box:Ci

ty:EDGEWATER
State:NJ
ZIP:07020
Country:US
Phone:201-945-9400
CAGE:82925

=====
Composition/Information on Ingredients
=====

Ingred Name:MINERAL OIL MIST
Fraction by Wt: 100%
Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: INHALATION OF VAPOR OR MIST MAY
CAUSE REPIRATORY
IRRITATION OR CENTRAL NERVOUS SYTEM EFFECTS.
CONTACT WITH SKIN AND EYES MAY CAUSE IRRITATION. INGESTION MAY
CAUSE IRRITATION O FDIGESTIVE TRACT. CHRONIC: NONE SPECIFIED BY
MANUFACTURER.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:INHALED: HEADACHE, DROWSINESS, DIZZINESS,
NAUSEA, VOMITING, SHORTNESS OF BREATH. EYES: STINGING SENSATION,
BLURRED VISION, TEARING. SKIN: REDNESS, RASH, DISCOMFORT. INGESTED:
NAUSEA, VOMITING, DIARRHE A.

Medical Cond Aggravated

by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
First Aid Measures
=====

First Aid:INHALED: MOVE TO FRSH AIR. GIVE ARTIFICIAL RESPIRATION IF
BREATHING STOPPED. GIVE OXYGEN IF BREATHING DIFFICULT. SEE DOCTOR.
EYES: FLUSH WITH LOTS OF WATER FOR 15 MINUTES, HOLD LIDS OPEN. SEE
DOCTOR. SKIN: REMOVE CONTAMINATED CLOTHES. WASHWITH SOAP AND
WATER. INGESTED: DO NOT INDUCE VOMITING! IF CONSCIOUS, GIVE WATER
TO DILUTE. GET IMMEDIATE MEDICAL AT
TENTION.

=====
Fire Fighting Measures
=====

Flash Point Method:PMCC

Flash Point:152F,67C

Lower Limits:0.7

Upper Limits:5.0

Extinguishing Media:FOAM, CARBON DIOXIDE, DRY CHEMICAL, & WATER FOG.

Fire Fighting Procedures:KEEP FIRE EXPOSED CONTAINERS COOL WITH WATER
SPRAY. WATER SPRAY CAN BE USED TO DISPERSE ANY VAPORS. WEAR
SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:NONE EXPECTEED.

=====
Accidental Release Measures
=====

=====

Spill Release Procedures:CONTAIN SPILL. ELIMINATE ALL SOURCES OF IGNITION. DO NOT ALLOW MATERIAL TO ENTER SEWER OR WATERWAYS. ABSORB WITH INERT MATERIAL AND PLACE IN A CLEAN, LABELLED CONTAINER FOR LATER DISPOSAL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE. KEEP AWAY FROM OPEN FLAMES, HIGH HEAT, SPARKS OR OTHER IGNITION SOURCE

S;
STRONG OXIDIZING AGENTS.

Other Precautions:KEEP CONTAINERS CLOSED WHEN NOT IN USE. DO NOT ALLOW TO ENTER DRAINS, SEWERS, OR OTHER WATERCOURSES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF WORKING IN A CONFINED AREA, IF HEAVY MISTING IS EXPECTED OR IF ENGINEERING CONTROLS FAIL; USE NIOSH/MSHA APPROVED RESPIRATOR, OR SUPPLIED AIR RESPIRATOR, OR SCBA AS REQUIRED. USE IN ACCORDANCE WITH 29 CFR 1910.134.

Ventilation:USE EXPLORATION-PROOF LOCAL EXHAUST TO MAINTAIN AIRBORN CONCENTRATIONS BELOW REGULATORY LIMITS.

Protective Gloves:RUBBER OR NEOPRENE

Eye Protection:SAFETY GLASSES/CHEMICAL SPLASH GOGGLES

Other Protective Equipment:RUBBER APRON. EYE WASH FOUNTAIN. SAFETY SHOWER. (AS REQUIRED FOR TASK AT HAND)

Work Hygienic Practices:WASH HANDS & FACE AFTER USING PRODUCT.LAUNDER CONTAMINATED CLOTHING BEFORE RE-USE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

=

HCC:V4

Boiling Pt:B.P. Text:338F,170C

Vapor Density:4.5(AIR=1)

Spec Gravity:0.9 (WATER=1)

Solubility in Water:NEGLIGIBLE

Appearance and Odor:CLEAR LIQUID, SLIGHT OILY ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE SPECIFIED BY MANUFACTURER. HMIS: STRONG OXIDIZING AGENTS

Stability Condition to Avoid:HIGH HEAT,OPEN FLAME, ARC WELDING

Hazardous Decomposition Products:MFR'S MSDS STATES: NONE. HMIS- CARBON MONOXIDE AND

CARBON DIOXIDE

===== Disposal Considerations =====

Waste Disposal Methods: MATERIAL CAN BE INCINERATED. DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims

all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.