

TRUETECH INC -- O-C-114,CALCIUM HYPOCHLORATE,TECHNICAL -- 6810-00-255-0471  
===== Product Identification =====

Product ID:O-C-114,CALCIUM HYPOCHLORATE,TECHNICAL

MSDS Date:01/01/1985

FSC:6810

NIIN:00-255-0471

MSDS Number: BDPCF

=== Responsible Party ===

Company Name:TRUETECH INC

Address:680 ELTON AVE

City:RIVERHEAD

State:NY

ZIP:11901-2555

Country:US

Info Phone Num:516-727-8600

Emergency Phone Num:5

16-727-8600

CAGE:06421

=== Contractor Identification ===

Company Name:TRUETECH INC

Address:680 ELTON AVE

Box:City:RIVERHEAD

State:NY

ZIP:11901-2555

Country:US

Phone:516-727-8600

CAGE:06421

===== Composition/Information on Ingredients =====

Ingred Name:CALCIUM HYPOCHLORITE MIXTURES,MORE THAN 39 PERCENT  
AVAILABLE CHLORINE

CAS:22464-76-2

RTECS #:NH3485500

Fraction by Wt: 70.0%

ACGIH TLV:N.A.

===== Hazards Identification =====

Effects of Ov

ereposure:PRODUCE SEVERE CHEMICAL BURNS.DO NOT ALLOW CONTACT WITH EYES,SKIN,MUCOUS MEMBRANES OR CLOTHING.

=====  
First Aid Measures  
=====

First Aid:EXTERNAL:FLOOD SKIN OR EYES WITH WATER FOR 15 MINUTES.IF IRRITATION TO SKIN PERSISTS,GET MEDICAL ATTENTION.FOR EYES. CALL PHYSICIAN.INTERNAL-DRINK LARGE QUANTITIES OF WATER OR MILK.FOLLOW WITH MILK OF MAGNESIA,VEGETABLE OIL,OR BEATEN EGGS.CALL DOCTOR

=====  
Fire Fighting Measures  
=====

Flash Point:N.A.

Extinguishing Media:WATER,PREFERABLE SPRAY.

Fire Fighting Procedures:DRENCH WITH WATER,WEAR GOGGLES & SELF CONTAINED BREATHER.

Unusual Fire/Explosion Hazard:CONTAMINATION OR MIXING WITH ANY FOREIGN MATERIAL MAY RESULT IN FIRE & THE FIRE CAN BE OF GREAT SIZE

=====  
Accidental Release Measures  
=====

Spill Release Procedures:COVER WITH WEAK REDUCING AGENTS SUCH AS HYPO,BISULFITES OR FERROUS SALTS NEED ADDITIONAL PROMOTER OF SOME 3M- H2SO4 FOR RAPID REACTION.TRANSFER THE SLURRY(OR SLUDGE) INTO A LARGE CONTAINER OF WATER & NEUTRALIZE WITH SODA ASH.AVOID SKIN CONTACT.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:MIX ONLY WITH WATER.ITEM IS A POWERFUL OXIDANT.KEEP AWAY FROM COMBUSTIBLE ORGANIC MATERIAL.DO NOT CONTAMINATE WITH ANY FOREIGN MATERIAL

Other Precautions:USE ONLY A CLEAN,DRY CONTAINER TO MEASURE OR CARRY DRY CHLORINE.D

DO NOT DROP,ROLL OR SKID CONTAINER.DO NOT TAKE INTERNALLY.AVOID CONTACT WITH EYES,SKIN,MUCOUS MEMBRANES OR CLOTHING

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:DUST MASK OR SELF CONTAINED BREATHING APPARATUS

Ventilation:N.A.

Protective Gloves:NEOPRENE

Eye Protection:SAFETY GLASSES OR GOGGLES

Other Protective Equipment:PROTECTIVE OUTERWEAR,SAFETY SHOWER & SAFETY EYEBATH..

Supplemental Safety and Health

=====  
Physical/Chemical  
=====

cal Properties =====

HCC:D1

Boiling Pt:B.P. Text:N.A.

Evaporation Rate & Reference:N.A.

Solubility in Water:APPRECIABLE

Appearance and Odor:FREE FLOWING,WHITE,GRANULAR,SLIGHT CHLORINE ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

HOUSEHOLD SOAP,PAINT PRODUCTS,SOLVENTS,ACIDS, CHEMICALS,OILS

Stability Condition to Avoid:HEATED ABOVE 350F IT DECOMPOSES & EVOLVES  
OXYGEN & HEAT.

Hazardous Decomposition Prod

ucts:DECOMPOSES RAPIDLY WITH

FUMING,EVOLVING OXYGEN & HEAT,CL2

===== Disposal Considerations =====

Waste Disposal Methods:USE VAST VOLUME OF CONCENTRATED SOLUTION OF  
REDUCING AGENT (BISULFITES OR FERROUS SALTS WITH 3M-H2SO4 OR HYPO).  
NEUTRALIZE WITH SODA ASH OR DILUTE HCL.DRAIN INTO AN APPROVED  
DISPOSAL AREA WITH ABUNDANT WATER.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by el

ements of the Department

of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.