View NSN Online: https://aerobasegroup.tw/nsn/8030-00-291-8380

COURTAULDS AEROSPACE INC -- PR-1321 CLASS A -- 8030-00-291-8380

========= Product Identification ============

Product ID:PR-1321 CLASS A

MSDS Date:01/01/1985

FSC:8030

NIIN:00-291-8380

Kit Part:Y

MSDS Number: BDVMW === Responsible Party ===

Company Name: COURTAULDS AEROSPACE INC

Address:757 CALIFORNIA ST

City:GLENDALE

State:CA ZIP:91203 Country:US

Info Phone Num:818-549-7973

Emergency Phone Num:818-549-7973

CA

GE:83574

=== Contractor Identification ===

Company Name: PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA ZIP:91209 Country:US

Phone:818-240-2060

CAGE:83574

======= Composition/Information on Ingredients ========

Ingred Name:LEAD PEROXIDE (LEAD DIOXIDE), (OSHA PEL FROM 29CFR

1910.1025) CAS:1309-60-0

RTECS #:OG0700000 Fraction by Wt: 7%

OSHA PEL:0.05 MG/M3 (PB)

ACGIH TLV:0.15 MG/M3(PB); 8990

Ingred Name:METHYL

Fraction by Wt: 8% Other REC Limits:NONE RECOMMENDED OSHA PEL:200 PPM
ACGIH TLV:200 PPM/300STEL;9394 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS
========= Hazards Identification ===========
Effects of Overexposure:PRODUCT MAY BE IRRITATING TO SKIN. ACCELERATOR CONTNS A LEAD COMPD WHICH MAY ABSORB THRU BREAKS(SUPP
======================================
First Aid:SK IN:WASH THOROUGHLY WITH SOAP & WATER. EYES:WASH OUT THOROUGHLY W/LG AMTS OF WATER; SEE A PHYSICIAN.
======================================
Flash Point:>100F-TOC(>38C) Extinguishing Media:FOAM, CO*2, DRY CHEMICAL. Unusual Fire/Explosion Hazard:CAN EMIT TOXIC VAPORS.
======== Accidental Release Measures =========
Spill Release Procedures:WIPE UP W/RAGS; WASH AREA W/MEK.
======================================
Handling and Storage Precautions:KEEP IN CLOSED CONTNRS IN SHELTERED AREA
Other Precautions:KEEP AWAY FROM HEAT, SPARKS & OPEN FLAME. AVOID PROLONGED OR REPEATED SKIN CONTACT.
====== Exposure Controls/Personal Protection =======
Ventilation:ADEQ TO MINIMIZE SOLVENT VAPORS Protective Gloves:GLOV/HNDCR RECO Eye Protection:CHEM GOGGLES RECOMMENDED Supplemental Safety and Health EFF. OF OVEREXPOS: IN THE SKIN
========= Physical/Chemical Properties ========

ETHYL KETONE (2-BUTANONE) (MEK) (SARA III) CAS:78-93-3 RTECS #:EL6475000

====

HCC:F4

Spec Gravity:1.51

Appearance and Odor:BROWN SYRUP; SLIGHT KETONE ODOR.

Percent Volatiles by Volume:14

======== Stability and Reactivity Data =========

Stability Indicator/Materials to Avoid:YES
CAN REACT WITH REDUCING MATERIALS.
Hazardous Decomposition Products:OXIDES OF SULFER; HYDROGEN SULFIDE;
FORMIC ACID.

====== Disposal Considerations ==========

Waste Disposal Methods:CLOSED CONTAINERS IN NORMAL TRASH ROUTE. DO NOT INCINE

RATE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.