

ERNEST F. FULLAM, INC. -- EFFA DUSTER -- 6830-00-424-9580

=====
Product Identification
=====

Product ID:EFFA DUSTER

MSDS Date:01/01/1987

FSC:6830

NIIN:00-424-9580

MSDS Number: BDYPG

=== Responsible Party ===

Company Name:ERNEST F. FULLAM, INC.

Address:900 ABANY SHAKER ROAD

City:LATHAM

State:NY

ZIP:12110-1416

Country:US

Info Phone Num:302-774-2549

Emergency Phone Num:302-774-2549

CAGE:LO356

=== Con

tractor Identification ===

Company Name:ERNEST F. FULLAM, INC.

Address:900 ABANY SHAKER ROAD

Box:City:LATHAM

State:NY

ZIP:12110-1416

Country:US

Phone:302-774-2549

CAGE:LO356

Company Name:FULLAM ERNEST F INC

Address:900 ALBANY SHAKER RD

Box:City:LATHAM

State:NY

ZIP:12110-1416

Country:US

Phone:518-785-5533

CAGE:22741

=====
Composition/Information on Ingredients
=====

Ingred Name:DICHLORODIFLUOROMETHANE (SARA III)

CAS:75-71-8

RTECS #:PA8200000

Fraction by Wt: 100%

OSHA PEL:1000

PPM
ACGIH TLV:1000 PPM; 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS
Ozone Depleting Chemical:1

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:ACUTE:IRRITATION OF EYES,SKIN AND
RESPIRATORY TRACT;MAY CAUSE DIZZINESS AND FAINTING. CHRONIC:NO DATA
AVAILABLE.
Effects of Overexposure:DIZZINESS AND FAINTING
Medical Cond Aggravated by Exposure:PRE-EXISTING CONDITIONS MAY BE
W
ORSEN.

=====
===== First Aid Measures =====

First Aid:INHALATION-REMOVE PERSON TO FRESH AIR,BREATHE DEEPLY.CONTACT
WITH LIQUID-TREAT FOR FROST BITE.

=====
===== Fire Fighting Measures =====

Flash Point:NONE
Extinguishing Media:EXTINGUISH W. AGENT SUITABLE FOR SURROUNDING FIRE.
Fire Fighting Procedures:WEAR SCBA;DO NOT INCINERATE CANS.
Unusual Fire/Explosion Hazard:CAN PACKED UNDER PRESSURE SHOULD NOT BE
STORED OVER 130 F

==
=====
===== Accidental Release Measures =====

Spill Release Procedures:EVACUATE AREA. WEAR SCBA, PROTECTIVE CLOTHING.
STOP LEAK. NOTIFY SUPPLIER AND AUTHORITIES. LIMIT ENTRIES TO SHORT
TIME. REMOVE TO FUME HOOD IF POSSIBLE UNTIL LEAK STOPPED. VENTILATE
ROOM

=====
===== Handling and Storage =====

Handling and Storage Precautions:CONTRS HAZ WHEN EMPTY. ALL HAZ PRECS
MUST BE OBSERVED. PROT. CONTRS AGAINST PHYS. DAMAGE KEEP CONTRS

CLOSED.AVOID FIRE HAZ. STG IN COOL, DRY PLACE.

Other Precautions:DO NOT STORE ABOVE 130F/54C.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED UNDER NORMAL USE

Ventilation:NORMAL ROOM VENTILATION

Protective Gloves:IMPERVIOUS

Eye Protection:CHEM SPLASH GOGGLES

Other Protective Equipment:FULL WORK CLOTHING TO PREVENT REPEATED OR
PROLONGED CONTACT.

Supplemental Safety and Health

MSDS UNDATED. THIS ITEM IS NON-FLAMMABLE,HOWEVER,MIXTURES
WITH

FLAMMABLE LIQ OR GASES MAY BE FLAMMABLE & SHOULD BE HANDLED WITH
CAUTION.

=====
===== Physical/Chemical Properties =====

HCC:G3

Boiling Pt:B.P. Text:-21.6F/-29C

Vapor Pres:70 PSI

Vapor Density:UNK

Spec Gravity:1.3

Solubility in Water:NEGLIGIBLE

Appearance and Odor:COLORLESS GAS,CLEAR LIQUID,ODORLESS

Percent Volatiles by Volume:100

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING

AGENTS.

Stability Condition to Avoid:DO NOT STORE ABOVE 130 F

Hazardous Decomposition Products:IN PRESENCE OF HIGH HEAT SOURCE OR OP
FLAME HCL,HF,CL*2

=====
===== Disposal Considerations =====

Waste Disposal Methods:VENT CONTENT OF CANS OUTSIDE TO RELIEVE ALL
PRESSURE.DISPOSE CAN IN ACCORDANCE WITH LOCAL,STATE AND FEDERAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elemen

ts of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.