

PROPPER MFG CO INC -- PT-426-PT-428 -- 8010-00-432-7130

===== Product Identification =====

Product ID:PT-426-PT-428

MSDS Date:01/01/1985

FSC:8010

NIIN:00-432-7130

Kit Part:Y

MSDS Number: BDYSS

=== Responsible Party ===

Company Name:PROPPER MFG CO INC

Address:36-04 SKILLMAN AVE

City:LONG ISLAND CITY

State:NY

ZIP:11101-1730

Country:US

CAGE:49198

=== Contractor Identification ===

Company Name:PRODUC

TS/TECHNIQUES INC

Address:3271 S RIVERSIDE AVE

Box:City:RIALTO

State:CA

ZIP:92376

Country:US

Phone:909-877-3951

CAGE:06341

Company Name:PROPPER MFG CO INC

Address:36-04 SKILLMAN AVE

Box:City:LONG ISLAND CITY

State:NY

ZIP:11101-1730

Country:US

Phone:718-392-6650

CAGE:49198

===== Composition/Information on Ingredients =====

Ingred Name:POLYAMIDE RESIN

Ingred Name:EPOXY RESIN

Ingred Name:GLYCOL ETHER

ACGIH TLV:200 PPM

Ingred Name:N-BUTYL ALCOHOL (SARA III)

CAS:71-36-3

RTECS

#:EO1400000
OSHA PEL:100 PPM
ACGIH TLV:S, C 50 PPM; 9293
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

=====
Hazards Identification
=====

Effects of Overexposure:EYE,THROAT,SKIN,LUNG IRRITANT

=====
First Aid Measures
=====

First Aid:WASH SKIN THOROUGHLY FLUSH EYES WITH WATER,REMOVE TO FRESH AIR,REMOVE CONTAMINATED CLOTHING GIVE ARTIFICIAL RESPIRATION IF NEEDED,CALL DOCTOR

=====
Fire Fighting Measures
=====

Flash Point:106F,41C TOC
Lower Limits:1.0
Extinguishing Media:FOAM,CARBON DIOXIDE
Unusual Fire/Explosion Hazard:AVOID FIRE,HEAT,SPARKS,IGNITION SOURCES,STORAGE IN DIRECT SUNLIGHT

=====
Accidental Release Measures
=====

Spill Release Procedures:VENTILATE AREA MECHANICALLY,KEEP FROM FLAME,FIRE,SPARKS,IGNITION SOURCES;DO NOT BREATHE VAPORS; CLEAN UP WITH ABSORBENT MATERIAL/SWEEPING COMPOUND

=====
Handling and Storage
=====

Handling and Storage Precautions:KEEP FROM HEAT,SPARKS,FIRE,SOURCES OF IGNITION;STORAGE IN DIRECT SUNLIGHT;AVOID PROLONGED SKIN CONTACT;STORE CONTAINERS CLOSED AND UPRIGHT
Other Precautions:AVOID EYE AND SKIN CONTACT

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:SELF-CONTAINED BREATHING-APPARATUS,ORGANIC MASK
Ventilation:LOCAL,MECHANICAL,CLASS D
Protective Gloves:RECOMMENDED
Eye Protection:SAFETY WITH SIDE SHIELDS

Supplemental Safety and Health
KEY1:J1.

===== Physical/Chemical Properties =====

HCC:F4
Boiling Pt:B.P. Text:240F,116C
Spec Gravity:1.1
Solubility in Water:NEGLIGIBLE
Appearance and Odor:SLIGHT BUTYL ALCOHOL ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

===== Disposal Considerations =====

Waste Disposal Methods:EVAPORATE OR FLUSH WITH WATER TO OPEN, WELL
VE
NTILATED AREA; USE OIL SEWER IF AVAILABLE REMOVE TO INCINERATOR

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for
the suitability of this information to their
particular situation.