View NSN Online: https://aerobasegroup.com/nsn/8030-00-515-2251

BAKER SEALANTS & COATINGS -- GOLDBOND ANTISEIZE -- 8030-00-515-2251

Product ID:GOLDBOND ANTISEIZE

MSDS Date:01/01/1985

FSC:8030

NIIN:00-515-2251

MSDS Number: BFCDK === Responsible Party ===

Company Name: BAKER SEALANTS & COATINGS

Emergency Phone Num:201-333-6986

CAGE:FO833

=== Contractor Identification ===

Company Name: BAKER SEALANTS & COATINGS CO., INC.

Address:

234 SUYDAM AVENUE

Box:B

City: JERSEY CITY

State:NJ

ZIP:07304-3306

Phone:(201) 333-6986

CAGE:FO833

Company Name: BAKER SEALANTS AND COATINGS CO

Address:234 SUYDAM AVE Box:City:JERSEY CITY

State:NJ

ZIP:07304-3306 Country:US

Phone:201-333-6986

CAGE:34094

======= Composition/Information on Ingredients ========

Ingred Name:TALC RTECS #:VV8790000

Ingred Name: CARBON BLACK

CAS:1333-86-4

RTECS #:FF5800000 OSHA PEL:3.5 MG/M3

ACGIH TLV:3.5 MG/M3; 9192

Ingred Name: NAPHTHENIC OIL

Ingred Name:

PETROLATUM, NAPHTHENIC OIL & PETROLATUM ARE 53% OF PROD
======================================
Effects of Overexposure:MFR STATES NOT KNOWN, BELIEVE NO ILL EFFECTS
======================================
Flash Point:>200F Extinguishing Media:PROD IS NON FLAMMABLE
========= Accidental Release Measures =========
Spill Release Procedures:NORMAL CLEANING METHODS FOR OILY MATLS
======================================
Handling and Storage Precautions:STORE BETWEEN 40-90F
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NOT REQ Ventilation:LOCAL EXH, YES Protective Gloves:IF NECESSARY Eye Protection:IF NECESSARY Supplemental Safety and Health
========= Physical/Chemical Properties =========
HCC:N1 Spec Gravity:1.32 Solubility in Water:NEGLIGIBLE Appearance and Odor:BLACK PASTE, NO ODOR Percent Volatiles by Volume:0
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES NONE
======== Disposal Considerations ==========
Waste Disposal Methods:DISPOSE IAW LOCAL, STATE, FED REG
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this inform

ation to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.