

AMERICAN WRITING INK CO.,INC. -- METHYLCHLOROFORM,INHIBITED -- 6810-00-664-0387  
===== Product Identification =====

Product ID:METHYLCHLOROFORM,INHIBITED  
MSDS Date:01/01/1987  
FSC:6810  
NIIN:00-664-0387  
MSDS Number: BFKJT  
=== Responsible Party ===  
Company Name:AMERICAN WRITING INK CO.,INC.  
Emergency Phone Num:617 482-9167  
CAGE:82956  
=== Contractor Identification ===  
Company Name:AMERICAN INK AND OIL  
CORP  
Address:33 ENDICOTT STREET  
Box:City:NORWOOD  
State:MA  
ZIP:02062-3006  
Country:US  
Phone:781-762-0026 / FAX: 781-762-1617  
CAGE:82956

===== Composition/Information on Ingredients =====

Ingred Name:SOLVENTS  
Fraction by Wt: 94.5%

Ingred Name:ADDITIVES  
Fraction by Wt: 3.5%

===== Hazards Identification =====

Effects of Overexposure:SKIN,EYE IRRITANT,CARDIAC IRRITABILITY

===== First Aid Measures =====

Fi

First Aid:SKIN,EYE CONTACT:FLUSH WITH PLENTY OF WATER.INHALATION:REMOVE TO FRESH AIR.ADMINISTER OXYGEN.AVOID SYMPATOMIMETIC AMINES SUCH AS EPINEPHRINE WHICH MAY PRECIPITATE ARRHYTHMIAS.INGESTION:INDUCE VOMITING . CALL DOCTOR IMMEDIATLY

=====  
Fire Fighting Measures  
=====

Flash Point:NONE  
Lower Limits:8.0  
Upper Limits:10.5  
Extinguishing Media:WATER/FOG  
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS

=====  
Accidental Release Measures  
=====

Spill Release Procedures:USE PROPER PROTECTIVE EQUIPMENT.SMALL LEAKS:MOP UP OR SOAK UP IMMEDIATELY.REMOVE TO OUT OF DOORS.LARGE SPILLS:EVACUATE AREA.CONTAIN LIQUID,TRANSFER TO CLOSED METAL CONTAINER,KEEP OUT OF WATER SUPPLY

=====  
Handling and Storage  
=====

Handling and Storage Precautions:HANDLE WITH CARE,AVOID BREATHING VAPORS.STORE IN COOL DRY AREA.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:SELF-CONTAINED BREATHING APPARATUS IF N.A.C. EXCEEDS 350 PPM  
Ventilation:LOCAL EXHAUST  
Protective Gloves:NOT REQUIRED  
Eye Protection:SAFETY GLASSES  
Other Protective Equipment:EYE BATH AND SAFETY SHOWER  
Supplemental Safety and Health  
PRODUCT IS CONSIDERED NONFLAMMABLE UNDER NORMAL INDUSTRIAL CONDITIONS,HAS NO FLASH POINT MAXIMUM ALLOWABLE CONCENTRATION (M.A.C.) IS 500 PPM.NO KNOWN ANTIDOTE FOR INGESTION.TREAT SYMPTOMS.

=====  
Physical/Chemical  
=====

Physical Properties =====

HCC:T4

Boiling Pt:B.P. Text:86.3F 30F

Vapor Pres:100

Vapor Density:4.55

Spec Gravity:1.321

Solubility in Water:NEGLIGIBLE

Appearance and Odor:COLORLESS LIQUID

Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

WATER

Stability Condition to Avoid:OPEN FLAME WELDING AREAS.OTHER HIGH TEMP.

Hazardous Decomposition Products:HYDROGEN CHLORIDE,PHOSGENE AND  
CHLORINE

==

===== Disposal Considerations =====

Waste Disposal Methods:SEND SOLVENT TO RECLAIMER. IN SOME CASES IT CAN  
BE TRANSPORTED TO AN AREA WHERE IT CAN BE PLACED ON THE GROUND AND  
ALLOWED TO EVAPORATE SAFELY.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.