View NSN Online: https://aerobasegroup.com/nsn/8040-00-831-3403 DEXTER CORR, HYSOL DIV. -- CURING AGENT B-1 -- 8040-00-831-3403 Product ID:CURING AGENT B-1 MSDS Date:01/01/1985 FSC:8040 NIIN:00-831-3403 Kit Part:Y MSDS Number: BFRQK === Responsible Party === Company Name: DEXTER CORR, HYSOL DIV. Emergency Phone Num:415-687-4201 CAGE:12405 === Contractor Identification === Company Name: DEXTER CORP DEXTER ELECTRONIC MATERIALS DIV Address:15051 E DON JULIAN RD Box:City:LA PUENTE State:CA ZIP:91746 Country:US Phone:818-968-6511 CAGE:12405 Company Name: DEXTER CORPORATION ADHESIVE & COATING SYSTEMS Address:2850 WILLOW PASS ROAD Box:312 City:BAY POINT State:CA ZIP:94565-3299 Country:US Phone:202-483-7616 CAGE:33564 ======= Composition/Information on Ingredients ======== Ingred Name: VEHICLE Fraction by Wt: 100% Ingred Name: MODIFIED POLYAMIDE

TO EYES.
======================================
First Aid:IF CONTACT OCCURS,WASH SKIN W/SOAP AND WATER.FLUSH EYES IMMEDIATELY PLENTY OF WATER FOR AT LEAST 15 MINUTES.REMOVE CONTAMINATED CLOTHING.GET MEDICAL ATTENTION.
=========== Fire Fighting Measures ===========
Flash Point:>200F TCC >93C Extinguishing Media:CHEMICAL FOAM,CO*2,DRY CHEMICALS
===== Accidental Release Measures ===========
Spill Release Procedures:REMOVE EXCESS. EMULSIFY WITH 5% ACETIC ACID.RINSE THOROUGHLY. REPEAT IF NECESSARY.
========== Handling and Storage ===========
Handling and Storage Precautions:STORE AT 90F BELOW
====== Exposure Controls/Personal Protection ========
Ventilation:LOCAL EXHAUST RECOMMENDED Protective Gloves:RUBBER Eye Protection:SAFETY GLASSES/GOGGLES Other Protective Equipment:SPECIAL EYE W ASH FOUNTAIN. Supplemental Safety and Health PART B-PROCURED UNDER EA 901B1.KEY1:N1
========= Physical/Chemical Properties ==========
HCC:T6 Boiling Pt:B.P. Text:DECOMPOSES Spec Gravity:0.96 Solubility in Water:SLIGHTLY SO Appearance and Odor:AMBER LIQUID W/AMMONICAL ODOR.
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES Hazardous Decomposition Products:COMPOUNDS OF CARBON AND NITROGEN Conditions to Avoid Polyme

Effects of Overexposure:STRONG SENSITIZER (SPI CLASS 4) AND CORROSIVE

=======================================	Disposal Considerations	

Waste Disposal Methods:LANDFILL OR CONTROLLED BURNING AS REGULATED BY ALL GOVERNMENTAL AGENCIES.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims al

rization: WILL EXOTHERM WITH EPOXIES.

I liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.