

R&D ELECTRONICS(PREVIOUSLY OMNI-WAVE ELECTRONICS) -- MPT-22 -- 5960-00-897-5744

===== Product Identification =====

Product ID:MPT-22

MSDS Date:01/01/1985

FSC:5960

NIIN:00-897-5744

MSDS Number: BFVFS

=== Responsible Party ===

Company Name:R&D ELECTRONICS(PREVIOUSLY OMNI-WAVE ELECTRONICS)

Country:US

Info Phone Num:508-281-2800/978-281-2460(FAX)

Emergency Phone Num:508-281-2800/978-281-2460(FAX)

Prep

arer's Name:DSCR-VBA(LEVIEN)

CAGE:LO868

=== Contractor Identification ===

Company Name:OMNI-WAVE ELECTRONICS CORP

Address:BLACKBURN INDUSTRIAL PARK

Box:660

City:GLOUCESTER

State:MA

ZIP:01930

Country:US

CAGE:08040

Company Name:R&D ELECTRONICS(PREVIOUSLY OMNI-WAVE ELECTRONICS)

Country:US

Phone:508-281-2800/978-281-2460(FAX)

CAGE:LO868

===== Composition/Information on Ingredients =====

Ingred Name:COBALT 60

CAS:7440-48-4

RTECS #:GF8750000

OSHA PEL:0.1 MG/M3;AS CO

ACGIH TLV:0.05

MG/M3;DUST 9293

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 ORAL RAT HAS NOT BEEN ESTABLISHED

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:THIS ITEM IS AN INSTRUMENT.COBALT 60

IS A BETA AND GAMMA EMITTER;HALF-LIFE=5.27 YEARS;SPECIFIC

ACTIVITY=1.13X10<sup>9</sup> UCI/GM;EXEMPT AMOUNT IS 1 UCI;TRANSPORT GROUP III.

Explanation of Carcinogenicity:THIS ITEM

DOES NOT CONTAIN ANY  
INGREDIENT AT 0.1% OR GREATER WHICH IS A CARCINOGEN.

Effects of Overexposure:NONE

Medical Cond Aggravated by Exposure:NONE

===== First Aid Measures =====

First Aid:SEEK MEDICAL ADVICE FOLLOWING ANY POSSIBLE EXPOSURE.

===== Fire Fighting Measures =====

Flash Point:NONE

Extinguishing Media:USE MEDIA APPROPRIATE FOR SURROUNDING FIRE.

Fire Fighting Procedures:HMIS SUGGESTS THE USE OF A SELF-CONTAINED

BREATHING APPARATUS WHENEVER FIGHT A FIRE INVOLVING CHEMICALS.

Unusual Fire/Explosion Hazard:POSSIBLE LOW LEVEL RELEASE OF  
RADIOACTIVITY.

===== Accidental Release Measures =====

Spill Release Procedures:HANDLE BROKEN DEVICE WITH GLOVES & FORCEPS.

Neutralizing Agent:NOT APPLICABLE.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL-VENTILATED  
PLACE.KEEP CONTAINER CLOSED WHEN NOT IN USE.

Other Precautions:FOLLOW MFR INSTRUCTIONS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SHOULD BE NECESSARY UNDER NORMAL  
CIRCUMSTANCES.

Ventilation:NO SPECIAL REQUIREMENTS.

Protective Gloves:COTTON FOR BROKEN GLASS.

Eye Protection:SAFETY GLASSES FOR BROKEN GLASS.

Other Protective Equipment:NONE

Work Hygienic Practices:USE REASONABLE CARE WITH THIS ITEM.

Supplemental Safety and Health

THIS MSDS CONTAINS THE BEST AVAILABLE INFORMATION

TION.RAY TARR OF R&D  
ELECTRONICS STATED THAT OMNI-WAVE WAS ACQUIRED BY R&D  
ELECTRONICS,AND THAT R&D HAS NO RECORDS FOR THIS ITEM AT THIS TIME.

===== Physical/Chemical Properties =====

HCC:A2  
Solubility in Water:INSOLUBLE  
Appearance and Odor:ELECTRON TUBE  
Percent Volatiles by Volume:NIL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NONE  
Stability Condition to Avoid:PHYSICAL ABUSE,BREAKAGE.  
Haz  
ardous Decomposition Products:COBALT 60 IS A BETA AND GAMMA EMITTER.

===== Disposal Considerations =====

Waste Disposal Methods:CONTROLLED DISPOSALIN ACCORDANCE WITH  
FEDERAL,STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information  
to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.