

THREE BOND OF AMERICA,INC -- GRADE N,FORM R,COLOR CODE GREEN -- 8030-00-900-2373  
===== Product Identification =====

Product ID:GRADE N,FORM R,COLOR CODE GREEN

MSDS Date:01/01/1987

FSC:8030

NIIN:00-900-2373

MSDS Number: BFVJM

=== Responsible Party ===

Company Name:THREE BOND OF AMERICA,INC

Emergency Phone Num:213-320-3342

CAGE:DO698

=== Contractor Identification ===

Company Name:GENERAL SERVICES A

DMINISTRATION FEDERAL SUPPLY SVC

Address:CRYSTAL MALL BLDG 4 1941 JEFFERSON DAVIS

Box:HWY

City:WASHINGTON

State:DC

ZIP:20406

Country:US

CAGE:80244

Company Name:THREE BOND OF AMERICA, INC

Address:20815 HIGGINS COURT

Box:City:TORRANCE

State:CA

ZIP:90501

Phone:800-424-9300 CHEMTREC

CAGE:DO698

===== Composition/Information on Ingredients =====

Ingred Name:METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (SARA III)

CAS:71-55-6

RTECS #:KJ2975000

Fraction by Wt: 90.0%

OSHA PEL:350 PPM/450 S

TEL

ACGIH TLV:350 PPM/450STEL;9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ozone Depleting Chemical:1

Ingred Name:METHYL ALCOHOL (METHANOL) (SARA III)

CAS:67-56-1

RTECS #:PC1400000

Fraction by Wt: 7.2%

OSHA PEL:S,200PPM/250STEL

ACGIH TLV:S,200PPM/250STEL; 93

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:PEROXIDE(TYPE NOT SPECIFIED)

Fraction by Wt: 0.3%

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)

CAS:78-93-3

NONE RECOMMENDED  
OSHA PEL:200 PPM  
ACGIH TLV:200 PPM/300STEL;9394  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

=====  
Hazards Identification  
=====

Effects of Overexposure:EYE AND SKIN IRRITANT.EFFECT CAN BE DELAYED.  
POTENTIAL SENSITIZER.

=====  
First Aid Measures  
=====

First Aid:IN CASE OF CONTACT,FLUSH SKIN WITH WATER; FORY EYES,FLUSH  
WITH WATER FOR 15 MIN. AND SEEK MEDICAL ATTENTION.WASH CONTAMINATED  
CLOTHING BEF  
ORE REUSE.DISCARD CONTAMINATED SHOES.

=====  
Fire Fighting Measures  
=====

Flash Point:200 F CC 93 C  
Extinguishing Media:FOAM,CARBONDIOXIDE OR DRY CHEMICAL,WATER SPRAY  
Fire Fighting Procedures:EVACUATE AREA OF ALL NON EMERGENCY  
PERSONNEL.FIRE FIGHTERS M

=====  
Accidental Release Measures  
=====

Spill Release Procedures:AVOID EYE OR SKIN CONTACT OR ORAL INGESTION.  
WEAR PROTECTIVE EQUIPMENT AS DESCRIBED IN SECTION VIII BELOW.WAS  
H  
AREA THOROUGHLY AND COLLECT MATERIAL FOR IN CINERATION.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE IN A COOL PLACE IN ORIGINAL  
CONTAINER; KEEP OUT DIRECT SUNLIGHT THE EMPLOYER SHOULD PROVIDE A  
CHANGE OF CLOTHING AND SHOES WHICH ARE TO BE AIRED

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NO SPECIAL VENTILATION REQUIRED  
Ventilation:LOCAL EXHAUST PREFERRED MECHANICAL(GEN)

,NORMAL VENT

ADEQUATE

Protective Gloves:IMPERVIOUS GLOV

Eye Protection:CHEM.SAFETY GOGGLES

Other Protective Equipment:IMPERVIOUS OVERSHOES AND PROTECTIVE CLOTHING

Supplemental Safety and Health

EVACUATE AREA OF ALL NON-EMERGENCY PERSONNEL.FIRE FIGHTERS MUST WEAT

SELF CONTAINED BREATHING APPARATUS SUCH AS SCOTTAIR PAK KEEP ALL

EXPOSED CONTAINERS,WHICH ARE NOT IGNITED, COOLED DOWN WITH

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:85

C 185 F

Percent Volatiles by Volume:99%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:NO

Hazardous Decomposition Products:CARBON MONOXIDE,CARBON DIOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:CHEMICAL INCINERATOR

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United S

tates of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.