View NSN Online: https://aerobasegroup.tw/nsn/9160-00-926-2124 OCTAGON PROCESS, INC. -- UNIVOLT 60-1830 -- 9160-00-926-2124 ============= Product Identification ======================== Product ID:UNIVOLT 60-1830 MSDS Date:01/01/1987

FSC:9160

NIIN:00-926-2124

MSDS Number: BFWTM === Responsible Party ===

Company Name: OCTAGON PROCESS, INC.

Address:596 RIVER ROAD

City:EDGEWATER

State:NJ ZIP:07020 Country:US

Info Phone Num:201-945-9400

Emergency Phone Num:201-945-9400

CAGE:DO973 === Contract

or Identification ===

Company Name: OCTAGON PROCESS INC.

Address:596 RIVER ROAD Box:City:EDGEWATER

State:NJ ZIP:07020 Country:US

Phone:201-945-9400

CAGE:82925

Company Name: OCTAGON PROCESS, INC.

Address:596 RIVER ROAD

City:EDGEWATER

State:NJ

ZIP:07020-1105

Country:US

Phone:201-945-9400

CAGE:DO973

======= Composition/Information on Ingredients ========

Ingred Name: COMPLEX MIXTURE OF PETROLEUM HYDROCARBONS. (PER MSDS, PRODUCT DOES NOT CONTAIN ANY PCB'S) Other REC Limits:5MG/CUM,AS OI

L MIST		
======================================		
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Health Hazards Acute and Chronic:ACUTE:SKIN IRRITATION ON PROLONGED CONTACT;OIL MIST,MAY CAUSE RESPIRATORY IRRITATION OR EYES IRRITATION. CHRONIC:NOT KNOWN.		
Explanation of Carcinogenicity:NOT SPECIFIED Medical Cond Aggravated by Exposure:NO DATA IS AVAILABLE		
======================================		
First Aid:SKIN:WASH W.SOAP & H*2O. EYES:FLUSH W. H*2O. INGESTED:DON'T INDUCE VOMITING. INHALED:REMOVE TO FRESH AIR. GIVE CPR/OXYGEN IF NEED. KEEP WARM & QUIET. REMOVE CONTAMINATED CLOTHING. NEVER GIVE ANYTHING BY MOUTH TO UNCONSCIOUS PERSON.		
======================================		
Flash Point Method:COC Flash Point:320F/160C Lower Limits:1 Upper Limits:7		
Extinguishing Media:CO*2, FOAM, DRY CHEM & H*2O FOG. Fire Fighting Procedures:WEAR SELF-CNTD BRTHG,APP H*20 SPRAY TO COOL		
CONTR. Unusual Fire/Explosion Hazard:DO NOT MIX WITH OR STORE NEAR STRONG OXIDIZERS.LIKE LIQUID CHLORINE OR CONCENTRATED OXYGEN.		
======== Accidental Release Measures ==========		
Spill Release Procedures:ELIMINATE IGNITION SOURCES. STOP LEAK. EVACUATE AREA.DO NOT TOUCH SPILLAGE. SM SPILL:ABSORB W. INERT ABSORBENT. PLACE IN CLOSED CONTAINER. FLUSH AREA W. WATER. LG SPILL: DIKE AHEAD FOR LATER DISPOSAL. NOTIFY AUTHORITIES.		

======= Handling and S

torage	

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENT,LOW FIRE RISK AREA. PROTECT CONTRS FROM PHYS DAMAGE.KEEP OUT OF DIR RAYS OF SUN AWAY FR ORG PROD & OTHER EASILY OXID MATL

Other Precautions:AVOID BREATHING OIL MIST.REMOVE CONTAMINATED CLOTHING,LAUNDER BEFORE RE-USE.DISCARD OIL SOAKED SHOES.WASH WITH SOAP & WATER AFTER HANDLING.

====== Exposure Controls/Personal Protection ========

Respiratory Protection: SCBA IN ENCLOSED

AREAS.

Ventilation:LOCAL EXHAUST TO ELIMINATE MISTS/FUMES/GASES.

Protective Gloves: IMPERVIOUS

Eye Protection: GOGGLES/FACE SHIELD

Other Protective Equipment: EYE WASH STATION. APRONS. SPECIAL IMPERVIOUS

CLOTHING.

Supplemental Safety and Health

======== Physical/Chemical Properties ==========

HCC:N1
Boiling Pt:B.P. Text:550F/288C
Vapor Pres: