

UNIVAC CORP (FM: SHELL CHEMICAL CO) -- ISOPROPYL ALCOHOL -- 6810-00-926-8993
===== Product Identification =====

Product ID:ISOPROPYL ALCOHOL

MSDS Date:01/01/1985

FSC:6810

NIIN:00-926-8993

MSDS Number: BFWXM

=== Responsible Party ===

Company Name:UNIVAC CORP (FM: SHELL CHEMICAL CO)

Address:8201 S 212TH ST

City:KENT

State:WA

ZIP:98031

Country:US

Emergency Phone Num:NONE

CAGE:MO254

=== Contractor Id

entification ===

Company Name:UNIVAC CORP (FM: SHELL CHEMICAL CO)

Address:8201 S 212TH ST

Box:City:KENT

State:WA

ZIP:98031

Country:US

CAGE:MO254

Company Name:VW AND R HOME FURNISHINGS DIVISION OF UNIVAR CORP

Address:8201 S 212TH ST

Box:City:KENT

State:WA

ZIP:98031

Country:US

CAGE:6F749

===== Composition/Information on Ingredients =====

Ingred Name:ISOPROPYL ALCOHOL (SARA III)

CAS:67-63-0

RTECS #:NT8050000

Fraction by Wt: 100%

OSHA PEL:400 PPM/500 STEL

ACGIH TLV:400 PPM/500ST

EL;9192

=====
Hazards Identification
=====

Effects of Overexposure:IRRITATION OF EYES, NOSE & THROAT. HEADACHE,
NAUSEA, & DIZZINESS

=====
First Aid Measures
=====

First Aid:REMOVE VICTIM TO FRESH AIR. GIVE ARTIFICIAL RESPIRATION IF
BREATHING HAS STOPPED

=====
Fire Fighting Measures
=====

Flash Point:53F,11.7C TCC
Lower Limits:2.5
Upper Limits:12.0
Extinguishing Media:FOG,CARBON
DIOXIDE, DRY CHEMICAL, ALCOHOL FOAM

=====
Accidental Release Measures
=====

Spill Release Procedures:FLUSH SPILL AWAY WITH WATER, AVOID CONTACT
WITH FIRE OR SPARKS. WEAR RESPIRATORY PROTECTION

=====
Handling and Storage
=====

Handling and Storage Precautions:HANDLE AS FLAMMABLE SOLVENT
Other Precautions:MAY ATTACK ALUMINUM AT ELEVATED TEMPERATURES. AVOID
SKIN CONTACT TO PREVENT DEFATTING ACTION.

=====
Exposure
Controls/Personal Protection
=====

Respiratory Protection:AIR PACK OR ORGANIC CANISTER
Ventilation:TO KEEP VAPOR CONCENTRATION BELOW TLV
Protective Gloves:IMPERVIOUS/RUBR
Eye Protection:GOGGLES
Supplemental Safety and Health
GRADE B OF TT-I-735

=====
Physical/Chemical Properties
=====

HCC:F2
Boiling Pt:B.P. Text:181F,82.8C
Vapor Pres:33
Vapor Density:2.07
Spec Gravity:0.789
Evaporation Rate & Reference:1.44 (NBAC=1)
Solubility in Water:COMPLETE
Appears

nce and Odor:COLORLESS & MOBILE LIQUID; MILD UNPLEASANT ODOR
Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS
Stability Condition to Avoid:FIRE,SPARKS

===== Disposal Considerations =====

Waste Disposal Methods:MAY BE BURNED UNDER CONTROLLED
CONDITIONS.HANDLING & DISPOSAL MUST BE IN FULL ACCORD WITH
APPLICABLE INTERNATIONAL,FEDERAL,STATE
,& LOCAL REGS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
pa
rticular situation.