View NSN Online: https://aerobasegroup.tw/nsn/4210-00-965-1108

BUCKEYE FIRE EQUIPMENT CO. -- PURPLE K DRY CHEMICAL -- 4210-00-965-1108

Product ID: PURPLE K DRY CHEMICAL MSDS Date:03/20/1989 FSC:4210 NIIN:00-965-1108 MSDS Number: BFZNJ === Responsible Party === Company Name: BUCKEYE FIRE EQUIPMENT CO. Address:102 INDUSTRIAL DR **City:KINGS MOUNTAIN** State:NC ZIP:28086 Country:US Info Phone Num:704-739-7415 **Emergency Phone Num:704-**739-7415 CAGE:57658 === Contractor Identification === Company Name: BUCKEYE FIRE EQUIPMENT CO Address:110 KINGS RD Box:428 **City:KINGS MOUNTAIN** State:NC ZIP:28086 Country:US Phone:704-739-7415 CAGE:57658 Ingred Name: POTASSIUM BICARBONATE Fraction by Wt: >92% Ingred Name: PROPELLENT UNKNOWN, BUT MOST LIKELY TO BE NITROGEN OR CARBON DIOXIDE. RTECS #:9999992Z

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: MAY SLIGHTLY IRRITATE EYES, SKIN, AND REPIRATORY TRACT. INGESTION- LARGE QUANTITIES MAY CAUSE ALKALOSIS (PH INBALANCE)(THIS CAUSES MUSCLE SPASMS). CHRONIC:NONE KNOWN.
Explanation of Carcinogenicity:NONE Effects of Overexposure:EYE/SKIN/INHALATION: COUGHING, ITCHING, REDNESS OF EYES. INGESTION: MUSCLE CRAMPS, NAUSEA.
Medical Cond Agg ravated by Exposure:NONE SPECIFIED BY MANUFACTURER.
======================================
First Aid:INHALATION: REMOVE TO FRESH AIR. EYES: FLUSH WITH PLENTY OF WATER. SKIN: WASH WITH SOAP AND WATER. INGESTION: RINSE MOUTH AND DRINK LOTS OF WATER.
======================================
Extinguishing Media:USE MEDIA APPROPRIATE FOR SURROUNDING FIRE. Fire Fighting Procedures:USE PROTECTIVE GEAR FOR SUUROUNDING FIRE/CHEMICA L CONDITIONS.
Unusual Fire/Explosion Hazard:NONE
======================================
Spill Release Procedures:SWEEP UP AND PLACE IN CONTAINER FOR DISPOSAL. Neutralizing Agent:NONE
======================================
Handling and Storage Precautions:STORE IN COOL,DRY WELL VENTED AREA. Other Precautions:DO NOT MIX WITH ANY OTHER EXTINQUISHING AGENTS.
======== Exposure Controls/Personal Protection ====================================

Respiratory

=

Protection:DUST MASK. Ventilation:USE ADEQUATE MECHANICAL VENTILATION. Protective Gloves:RUBBER, RUBBER BLENDS Eye Protection:SAFETY GLASSES/CHEMICAL SPLASH GOGGLES Other Protective Equipment:NONE Work Hygienic Practices:PRACTICE GOO PERSONAL, HYGENE AFTER USE. DO SMOKE, EAT DRINK IN AREA OF USE. Supplemental Safety and Health MSDS UNDATED.

HCC:G3

Spec Gravity:0.88 Appearance and Odor:WATER REPELLANT POWDER.LIGHT PURPLE IN COLOR. NO ODOR.

Stability Indicator/Materials to Avoid:YES STRONG MINERAL ACIDS. Stability Condition to Avoid:NONE Hazardous Decomposition Products:OXIDES OF CARBON

Waste Disposal Methods:CONTACT LOCAL ENVIRONMENTAL MANAGER. DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the comp iling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.