

PHILIP A HUNT CHEMICAL CORP -- 810929,FLASH-O-GRAPH FIXER,PART B -- 6750-00-965-4952

===== Product Identification =====

Product ID:810929,FLASH-O-GRAPH FIXER,PART B

MSDS Date:01/01/1985

FSC:6750

NIIN:00-965-4952

Kit Part:Y

MSDS Number: BFZWG

=== Responsible Party ===

Company Name:PHILIP A HUNT CHEMICAL CORP

City:PALISADES PARK

State:NJ

ZIP:07650

Info Phone Num:201-944-4000

Emergency Phone Num:201-

944-4000

CAGE:GO841

=== Contractor Identification ===

Company Name:FUJI HUNT PHOTOGRAPHIC CHEMICALS INC

Address:W 115 CENTURY RD

Box:988

City:PARAMUS

State:NJ

ZIP:07653-0988

Country:US

Phone:201-967-9603

CAGE:73877

Company Name:PHILIP A HUNT CHEM CORP

CAGE:GO841

===== Composition/Information on Ingredients =====

Ingred Name:ALUMINUM SULFATE

===== Hazards Identification =====

Effects of Overexposure:IRRITANT BECAUSE OF ITS ACIDIC NATURE

===

===== First Aid Measures =====

First Aid:SKIN: REMOVE CONTAMINATED CLOTHING; WASH WITH SOAP AND WATER.
EYES:FLUSH EYES WITH WATER FOR AT LEAST 15 MIN.- GET MEDICAL
ATTENTION

===== Fire Fighting Measures =====

Flash Point:YES
Fire Fighting Procedures:USE WATER TO KEEP FIRE-EXPOSED CONTAINERS COOL

===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILL TRANSFER TO CO
NTAINERS FOR
DISPOSAL

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL LOCATION; KEEP
CONTAINERS SECURELY CLOSED AND WELL MARKED
Other Precautions:AVOID CONTACT WITH EYES; WASH THOROUGHLY AFTER
HANDLING

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NORMALLY NOT NEEDED
Ventilation:LOCAL EXHAUST
Protective Gloves:RECOMMENDED
Eye Protection:RECOMMENDED
Supplemental Safety a
nd Health
CAT NR.810929, PART B OF 2-PART KIT. KEY1:C1.

===== Physical/Chemical Properties =====

HCC:C1
Boiling Pt:B.P. Text:212F
Vapor Pres:15
Spec Gravity:1.3
Solubility in Water:COMPLETE
Appearance and Odor:NEARLY COLORLESS AQUEOUS LIQUID; ODORLESS
Percent Volatiles by Volume:70

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG ALKALIES
Stability Condition to Avoid:EXCESSIVE HEAT AND COLD
Haza

rdous Decomposition Products:OXIDES OF SULFUR PRODUCED AT VERY HIGH
TEMPERATURES

===== Disposal Considerations =====

Waste Disposal Methods:CONSULT LOCAL REGULATIONS; SMALL QUANTITIES MAY
BE DILUTED WITH WATER AN FLUSHED TO DRAIN

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or imp
lied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.