

OCTAGON PROCESS, INC. -- PRESERVSTIVE OIL -- 9150-00-985-7293

===== Product Identification =====

Product ID: PRESERVSTIVE OIL

MSDS Date: 08/21/1984

FSC: 9150

NIIN: 00-985-7293

MSDS Number: BGBWW

=== Responsible Party ===

Company Name: OCTAGON PROCESS, INC.

Address: 596 RIVER RD

City: EDGEWATER

State: NJ

ZIP: 07020

Info Phone Num: 201-945-9400

Emergency Phone Num: 201-945-9400

Preparer's Name: IRIS CHARMS

CAG

E: DO973

=== Contractor Identification ===

Company Name: OCTAGON PROCESS INC.

Address: 596 RIVER ROAD

Box: City: EDGEWATER

State: NJ

ZIP: 07020

Country: US

Phone: 201-945-9400

CAGE: 82925

Company Name: OCTAGON PROCESS, INC.

Address: 596 RIVER ROAD

City: EDGEWATER

State: NJ

ZIP: 07020-1105

Country: US

Phone: 201-945-9400

CAGE: DO973

===== Composition/Information on Ingredients =====

Ingred Name: PETROLEUM OIL

Fraction by Wt: 100%

Other REC Limits: ACGIH STEL 10 MG/M3

OSHA PEL: 5 MG/M3 OIL MIST

ACGI

H TLV:5 MG/M3 OIL MIST

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Health Hazards Acute and Chronic:PRODUCT MAY CAUSE MILD IRRITATION,POSSIBLE DERMATITIS. VERY LOW HAZARD UNLESS MISTED. ASSUMMED NOT CARCINOGENIC.(SEE BELOW).
Explanation of Carcinogenicity:MFR MAKES NO STATEMENT CONCERNING CARCINOGENITY. HMIS HAD INSUFFICIENT INFORMATION TO IDENTIFY & CHECK COMPOUND ON LISTS
Effects of Overexposure:EYE /SKIN CONTACT:MILD IRRITATION, INHALED:(MIST)RESPIRATORY IRRITATION,LIGHT HEADERNESS.(THIS EXPOSURE UNLIKELY) INGESTEDING.
Medical Cond Aggravated by Exposure:NONE REPORTED.

===== First Aid Measures =====

First Aid:EYE:FLUSH WITH WATER 15 MIN. SKIN:WASH WITH SOAP & WATER. INHALED:REMOVE TO FRESH AIR. GIVE ARTIFICIAL RESPIRATION OR OXYGEN AS NEEDED. INGESTED:DO NOT INDUCE VOMITING.(NOTHING BY MOUTH IF UNCONSCIOUS NES.) GET IMMEDIATE MEDICAL ATTENTION. IF ANY IRRITATION PERSISTS OR IS SEVERE,GET PROMPT MEDICAL CARE.

===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:310F/154C
Lower Limits:1%
Upper Limits:7%
Extinguishing Media:CARBON DIOXIDE,DRY CHEMICAL ,FOAM,WATER FOG
Fire Fighting Procedures:WEAR SELF CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:RECOVER AS LIQUID IF POSSIBLE. ADSORB REMAINDER ON INERT MATERIAL. DO NOT ALLOW TO ENTER DRAINS,STREAMERS,OR WATERWAYS.
Neutralizing Agent:NONE

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL,DRY,WELL VENTILATED AREA. STORE AWAY FROM IGNITION SOURCES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE EXPECTED TO BE NECESSARY. USE NIOSH/MSHA APPROVED RESPIRATOR FOR OIL MIS

T IF EXPOSURE EXCEEDS PEL/TLV.

Ventilation:NORMAL ROOM VENTILATION.

Protective Gloves:RUBBER,PLASTIC,OTHER IMPERVIOUS

Eye Protection:SAFETY GLASSES.OR SOLASH GOGGLES

Other Protective Equipment:OIL IMPERVIOUS APRON IF NEEDED.

Work Hygienic Practices:USE GOOD INDUSTRIAL HYGIENE PRACTICE. AVOID
UNNECESSARY CONTACT.

Supplemental Safety and Health

MIL-P-46002,GRADE I

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:550F/288C

Vapor Pres: