View NSN Online: https://aerobasegroup.tw/nsn/6810-01-018-6726

E.I.DUPONT DE NEMOURS & COMPANY,INC. -- AMMONIUM HYDROXIDE-REAGENT GRADE

6810-01-018-6726

============= Product Identification =================

Product ID:AMMONIUM HYDROXIDE-REAGENT GRADE

MSDS Date:01/01/1985

FSC:6810

NIIN:01-018-6726

MSDS Number: BGDVZ === Responsible Party ===

Company Name: E.I.DUPONT DE NEMOURS & COMPANY, INC.

Address:1007 MARKET STREET

Box:1635

City:WILMINGTON

State:DE ZIP:19899 Country:US

Info

Phone Num:800-441-7515

Emergency Phone Num:800-441-7515

CAGE:DO229

=== Contractor Identification ===

Company Name: E.I. DUPONT DE NEMOURS & CO

Address:1007 MARKET STREET

Box:City:WILMINGTON

State:DE ZIP:19898 Country:US

Phone:800-441-7515;800-441-9442

CAGE:18873

Company Name: E.I.DUPONT DE NEMOURS & CO INC

Address:549 ALBANY STREET

Box:1635 City:BOSTON State:MA ZIP:02118

Phone:800-441-7515

CAGE:DO229

======= Composition/Information on Ingredients ========

Ingred Name: AMMONIUM HYDRO

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS ============= Hazards Identification ======================== Effects of Overexposure: CAUSES SEV EYE/SKIN BURNS. MAY CAUSE PERMANET INJURY TO EYE; VAPOR IS EXTREMELY IRRITATING. First Aid:GET MED ATTN, ANY CASE. ============ Fire Fighting Measures ========================= Flash Point:NONE Lower L imits:16.0 Upper Limits:25.0 Extinguishing Media:WATER,FOAM,DRY POWDER,CARBON DIOXIDE(CO*2) Fire Fighting Procedures: USE H*20 TO COOL EXPD CONTRS. USE SCBA & FULL PROT.CLTHG. Unusual Fire/Explosion Hazard: GIBES FLAMMABLE NH*3 AT ALL TEMP WHICH CAN BE EXPLOSIVE UNDER SOME CONDITIONS; KEEP PERSONS UPWIND. ======== Accidental Release Measures =========== Spill Release Procedures: ELIMINATE IGN SOURCES. USE PROTECTV EQUIP. KEEP UPWIND OF LEAK; EVACUATE AREA IF THERE IS PO TENTIAL FOR EXCEEDING EXPOSURE LIMITS.FLUSH AREA WITH WATER SPRAY.AFTER DILUTION, WATER MAY BE NEUTRALIZE WITH D ILUTE HCL. ============ Handling and Storage =========================== Handling and Storage Precautions: STOREIN WELL VENTILATED AREA. KEEP

CONTAINERS TIGHTLY CLOSED.KEEP AWAY FROM HEAT, SPARKS, FLAME.WASH

Other Precautions: LOOSEN CLOSURES CAUTIOUSLY BEFORE OPENING. DO NOT GET

THOROUGHLY AFTER HANDLING.STORE AWAY FM HALOGN ACID

IN EYES, ON SKIN, OR CLOTHING. DO NO

XIDE (SARA III) CAS:1336-21-6

RTECS #:BQ9625000 Fraction by Wt: 59.3%

INCOMPATA
BILITY:AVOID HALOGENS,GOLD,MERCURY,SILVER,THEIR
SALTS,DIMETHYLSULFATE;FIRS AID:IF SWALLOWD,GIVE LARGE AMT OF WATE
BUT DO NOT INDUCE VOMITG.GIVE AT LEAST 1 OZ OF VINEGE W/1 OZ OF

======== Physical/Chemical Properties ===========

HCC:B1

H*20.

Boiling Pt:=28.C, 82.4F B.P. Text:82.4F(28C)

Vapor Pres:646 Vapor Density:0.6

Spec Gravity:0.9000

Evaporation Rate & Description Rate & Reference:>1(BU-ACETATE=1)

Solubility in Water: COMPLETE

Appearance and Odor: CLORLESS CLEAR LIQUID, VERY PU

NGENT ODOR(CHOKING).
Percent Volatiles by Volume:100

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS, HALOGENS, CAL HYPO BLEACHES, :SEE SUPP DATA Stability Condition to Avoid:INSTABLE W/HEAT.RELEASES NH*3 GAS; ALSO AVOID HALOGNTD ACIDS.

Hazardous Decomposition Products: MAY RELEASE WH*32 &/OR OXIDES OF N.

======= Disposal Considerations ============

Waste Disposal Methods:MFR SPECIFIES IF A

PPROVED DILUTE SOLUTIONS MAY BE FLUSHED TO WASTEWATER TREATMENT SYSTEM.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume respon sibility for the suitability of this information to their particular situation.