

EASTMAN KODAK COMPANY -- 100 1866,COLOR DEVELOPER REPLENISHER,PROCES --  
6750-01-041-8683

===== Product Identification =====

Product ID:100 1866,COLOR DEVELOPER REPLENISHER,PROCES

MSDS Date:02/13/1991

FSC:6750

NIIN:01-041-8683

Kit Part:Y

MSDS Number: BGHDP

=== Responsible Party ===

Company Name:EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZIP:14650

Country:US

Info Phone Nu

m:800-242-2424

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

Company Name:EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES

Address:800 LEE RD

Box:City:ROCHESTER

State:NY

ZIP:14650-3129

Country:US

Phone:800-828-6203

CAGE:5K871

===== Composition/Information on Ingredients ==

=====

Ingred Name:WATER  
CAS:7732-18-5  
RTECS #:ZC0110000  
Fraction by Wt: 75-80%

Ingred Name:4-(N-ETHYL-N-2-METHANESULFONYLAMINOETHYL)-2-METHYLPHENYLENEDIAMINE SESQUISULFATE MONOHYDRATE; CD-3 (DISSOCITES TO H2SO4  
CAS:25646-71-3  
RTECS #:PB4310000  
Fraction by Wt: 15 - 20%

Ingred Name:SODIUM BISULFITE (SASA III)  
CAS:7631-90-5  
RTECS #:VZ2000000  
Fraction by Wt: TLV.  
Ventilation:GOOD GENERAL VENTILATION IS SUFFICIENT FOR MOST CONDITIONS (10 ROOM VOLUMES PER HOUR).  
Protective Gloves  
:IMPERVIOUS  
Eye Protection:GOGGLES/FACE SHIELD  
Other Protective Equipment:ROUTINE USE OF ACID TYPE CLEANSER & GLOVES WILL MINIMIZE ALLERGIC SKIN REACTION. HAVE EYE WASH STATION & SHOWER NEARBY.  
Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.  
Supplemental Safety and Health  
THIS DATA DESCRIBES PART B OF A TWO PARTS KIT. THIS REPLACES OLD FORMULATION OF CAT #180 5209 WHICH IS UNDER PNI "B" OF THIS NSN.  
PART A IS UNDER PNI "C"; KODAK

===== Physical/Chemical Properties =====

HCC:C1  
Boiling Pt:B.P. Text:>100C/>212F  
Vapor Pres:18 @ 20C  
Vapor Density: 0.6  
Spec Gravity:1.08  
pH: 1.4  
Evaporation Rate & Reference:0.4 (N-BUTYL ACETATE=1)  
Solubility in Water:COMPLETE  
Appearance and Odor:CLEAR, LIGHT AMBER SOLUTION; SULFUR DIOXIDE ODOR.  
Percent Volatiles by Volume: 80

===== Stability and Reactivity Data =====

Stability Indicat

or/Materials to Avoid: YES

STRONG ALKALI

Stability Condition to Avoid: EXCESSIVE HEAT

Hazardous Decomposition Products: THERMAL DECOMPOSITION MAY PRODUCE  
OXIDES OF CARBON, NITROGEN AND SULFUR.

===== Disposal Considerations =====

Waste Disposal Methods: DISCHARGE, TREATMENT OR DISPOSAL MAY BE SUBJECT  
TO LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elem

ents of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.