

ALLIED CHEMICAL CORP. -- SODIUM HYDROXIDE SOLUTION,50% SOLUTION -- 6810-01-051-3050

===== Product Identification =====

Product ID:SODIUM HYDROXIDE SOLUTION,50% SOLUTION

MSDS Date:01/01/1985

FSC:6810

NIIN:01-051-3050

MSDS Number: BGJCF

=== Responsible Party ===

Company Name:ALLIED CHEMICAL CORP.

Address:COLUMBIA RD & PARK AVE

Box:1087R

City:MORRISTOWN

State:NJ

ZIP:07960

Country:US

Emergency Phone N

um:800-522-8001

CAGE:1L168

=== Contractor Identification ===

Company Name:ALLIED CHEMICAL COMPANY

Box:1087R

CAGE:1L168

Company Name:ALLIED-SIGNAL INC

Address:Box:2332R

City:MORRISTOWN

State:NJ

ZIP:07962-2332

Country:US

Phone:201-455-4414

CAGE:1L164

===== Composition/Information on Ingredients =====

Ingred Name:SODIUM HYDROXIDE (SARA III)

CAS:1310-73-2

RTECS #:WB4900000

Fraction by Wt: 50%

OSHA PEL:2 MG/M3

ACGIH TLV:C 2 MG/M3; 9293

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
Fraction by Wt: 50%

===== Hazards Identification =====

Effects of Overexposure:SEVERE IRRITNT TO EYES,SKIN,BY INHAL,
INGESTION.MATL IS EXTREMELY CORROSIVE.SOME EFFECTS DELAYED.

===== First Aid Measures =====

First Aid:EYES:IMMEDIATELY FLUSH W/H2O 15 MIN.SKIN: IMMED FLUSH UNDER
SAFETY SHOWER.REMOVE CONTAMINTED CLOTHES.INHALED:REMOVE TO FRESH
AIR.INGEST:DO NOT IN
DUCE VOMITING.GIVE LG AMTS H2O OR MILK.FOLLOW
WITH DILU TE VINEGAR OR FRUIT JUICE.GET MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Extinguishing Media:FLOOD W WATER,TAKE CARE NOT TO SPLASH THIS MATERIAL
Fire Fighting Procedures:IF MISTY,WEAR SELF-CNTND BRTHG APPARATUS, FULL
PROTECTV CLOTH
Unusual Fire/Explosion Hazard:WILL REACT WITH METALS TO GENERATE H2
WHICH IS EXPLOSIVE AND FLAMMABLE.

===== Accidental Release Measures =
=====

Spill Release Procedures:PICK UP SPILL W ALKAL:RESISTNT EQUIP FOR
DISPOSAL OR FLUSH TO HOLDING AREA W H2O.NEUTRALIZE WITH DILUT ACID
& RINSE W H2O.PERSONNEL MUST WEAR FULL PROTECTV CLOTHING TO PREVENT
CONTAC. ABUNDANT RNNING WATER SHOULD BE AVAILABLE FOR
EMERGENCYUSE.

===== Handling and Storage =====

Handling and Storage Precautions:PROTECT AGAINST PHYSICAL DAMAGE.STORE
IN DRY PLACE;PROTECT AGAINST MOISTURE & H2O.SEPERA
TE FROM

ACIDS,METALS,EXPLOSVS, PEROXIDES,COMBUSTIBLES.
Other Precautions:IMPORTANT TO TRAIN WORKERS PROPERLY.UNUSUAL
PRECAUTIONS TO PREVENT SPILLS,LEAKAGE,EJECTIONS & MIST
FORMATION.AVOID SKIN CONTAC WHEN HANDLING,WEAR GOGGLES OR FACE
SHIELD.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF MISTY:SELF-CNTND BRTHG APP W FULL FACE PIECE;
SUPPLIED AIR RESPIR.

Ventilation:ALL HANDLING SHOULD BE DONE IN AN EXHAUSTED HOOD.
Protective G

loves:RUBBER/NEOPRENE

Eye Protection:SAFETY GLASSES,FACE SHLD

Other Protective Equipment:FACE SHIELD,EYE WASH,SAFETY SHOWER,FULL
PROTECTIVE CLOTHING.

Supplemental Safety and Health

SYNONYM:CAUSTIC LYE SOLN,SODA LYE,SODIUM HYDROXIDE LIQUID.

===== Physical/Chemical Properties =====

HCC:B1

Boiling Pt:B.P. Text:298F,148C

Spec Gravity:1.525

Solubility in Water:COMPLETE

Appearance and Odor:COLORLESS, VISCOUS LIQUID. ODORLESS.

===== Stability and Reactivi
ty Data =====

Stability Indicator/Materials to Avoid:YES

AVOID ACIDS,METALS,OXIDIZERS,ORGANICS,WATER RACTV MATL.

Hazardous Decomposition Products:AT BP(148C)HAZARDOUS MIST,AT DRYNESS
CAUSTIC RESIDUE LEFT.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSAL SUBJECT TO FEDERAL,STATE & LOCAL
REGULATIONS.USERS SHOULD REVIEW OPERATIONS FOR REGULATORY
COMPLIANCE. CONSULT WITH APPROPRIATE AGENCY BEFORE DISPOSAL.

Disclaimer (p

rovided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.