FLAMEMASTER CORPORATION -- CS 3300 CLASS A,PART A -- 8030-01-065-0306

Product ID:CS 3300 CLASS A, PART A MSDS Date:01/01/1985 FSC:8030 NIIN:01-065-0306 MSDS Number: BGJZG === Responsible Party === **Company Name: FLAMEMASTER CORPORATION** Address:11120 SHERMAN WAY City:SUN VALLEY State:CA ZIP:91352-4949 Country:US Info Phone Num:818-982-1650 **Emergency Phone Num:818-98** 2 - 1650CAGE:13422 === Contractor Identification === **Company Name: FLAMEMASTER CORPORATION** Address:11120 SHERMAN WAY Box:City:SUN VALLEY State:CA ZIP:91352-4949 Country:US Phone:818-982-1650 CAGE:13422 

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III) CAS:78-93-3 RTECS #:EL6475000 Fraction by Wt: 7.5% OSHA PEL:200 PPM/300 STEL ACGIH TLV:200 PPM/300STEL 9192 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

\_\_\_\_\_

Flash Point:90F/32C Lower Limits:> **Upper Limits:90** Extinguishing Media:NO SPECIAL MEDIA REQUIRED. Spill Release Procedures: NO SPECIAL STEPS REQUIRED Handling and Storage Precautions: NO SPECIAL PRECAUTIONS. Ventilation:MECHANICAL Supple mental Safety and Health PART A OF A TWO PART KIT. CONTAINER SIZE: 1 GAL. HCC:F3 Vapor Density:3.1 Spec Gravity:1.45 Evaporation Rate & amp; Reference: 0.02 Solubility in Water:NEGLIGIBLE Appearance and Odor: RED PASTE, CHARACTERISTIC POLYSULFIDE ODOR. Percent Volatiles by Volume:10 Stability Indicator/Materials to Avoid:YES ====== Disposal Cons Waste Disposal Methods: BY METHODS CONSISTENT WITH LOCAL, STATE AND FEDERAL REGULATIONS. Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this

document should seek competent

professional advice to verify and assume responsibility for the suitability of this information to their particular situation.