View NSN Online: https://aerobasegroup.tw/nsn/6850-01-134-7137

CORPORATION, PEROXYGEN CHEMICAL DIV -- SP-4G SODIUM PERSULFATE

6850-01-134-7137

============= Product Identification ==================

Product ID:SP-4G SODIUM PERSULFATE

MSDS Date:01/22/1991

FSC:6850

NIIN:01-134-7137

MSDS Number: BGNJX === Responsible Party ===

Company Name: FMC CORPORATION, PEROXYGEN CHEMICAL DIV

Address:2000 MARKET STREET

City:PHILADELPHIA

State:PA ZIP:19103 Country:US

Info Phone Num:716-876-83

00, 215-299-6000

Emergency Phone Num:303-595-9048,800-424-9300(CHEMTREC)

Preparer's Name: CHRIS WILLIAMS

CAGE:97583

=== Contractor Identification ===

Company Name: A-1 CONSOLIDATED INC

Address: COEUR D ALENE INDUSTRIAL PARK

Box:City:COEUR D ALENE

State:ID

ZIP:83814-8937 Country:US

Phone:208-765-3280

CAGE:2P655

Company Name: FMC CORP CHEMICAL PRODUCTS GROUP

Address: 2000 MARKET ST. Box:City:PHILADELPHIA

State:PA

ZIP:19103-3230 Country:US

Phone:215-200-6000

CAGE:93090

Company Name: FMC CORPORATION, INDUS

TRIAL CHEMICAL GROUP CAGE:97583 Company Name:KEPRO CIRCUIT SYSTEMS INC Address:630 AXMINISTER DR Box:City:FENTON State:MO ZIP:63026-2906 Country:US Phone:314-343-1630 CAGE:52519
======= Composition/Information on Ingredients ========
Ingred Name:DISODIUM PEROXYDISULFATE CAS:7775-27-1 RTECS #:SE0525000 Fraction by Wt: 99% Other REC Limits:5 MG/M3 (MFR)
Ingred Name:ACTIVATOR Other REC Limits:NONE RECOMMENDED
=========== Hazards Identification ============
LD5 0 LC50 Mixture:ORAL LD50 (RAT) IS 895 MG/KG Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYES: CONTACT IS NOT IRRITATING. DUST MAY BE IRRITATING. SKIN: CONTACT IS NOT IRRITATING. MAY BE SENSITIZER TO ALLERGIC PERSONS. ALLERGIC PERSON MAY DEVELOP DERMATITIS. INHALATION: NO SIGNIFICANT HAZA RD. ALLERGIC PERSON MAY DEVELOP ASTHMA.INGESTION: SLIGHTLY HAZARDOUS. Effects of Overexposure:EYES: IRRITATION. SKIN: ALLERGIC PERSONS MAY DEVELOP DERMITITIS. INHALATION: ALLERGIC PERSON MAY DEVELOP ASTHMA. INGESTION: SLIGHTLY HAZARDOUS. Medical Cond Aggravated by Exposure:ALLERGIC PERSONS MAY DEVELOP DERMATITIS AND ASTHMA.

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER. IF IRRITATION OCCURS AND PERSISTS GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS GET MEDICAL ATTENTI

ON. INHALATION: MOVE TO FRES H AIR. IF DISCOMFORT OCCURS AND PERSISTS GET MEDICAL ATTENTION. INGESTION: DRINK WATER. GET MEDICAL ATTENTION.
======================================
Flash Point:NONCOMBUSTABLE Extinguishing Media:DELUGE WITH WATER.DO NOT USE CARBON DIOXIDE OR OTHER GAS-FILLED EXTINGUISHER.THEY HAVE NO EFFECT ON DECOMPOSING PRODUCT. Fire Fighting Procedures:NONCOMBUSTIBLE. CONSIDER MATERIAL AS A STRONG
OXIDIZER WITH ACIDIC MIST ALSO BEING PRESENT. Unusual Fire/Explosion Hazard:DECOMPOSES WHEN HEATED WITH LIBERATION OF
OXYGEN WHICH MAY INTENSIFY FIRE IN COMBUSTIBLE SURROUNDINGS. ===================================
Spill Release Procedures:MATERIAL SHOULD BE PUT INTO AN APPROVED DOT CONTAINER THEN DILUTED WITH LARGE QUANTITY OF WATER FOR DISPOSAL. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
========== Handling and Storage ===========
Handling and Stor age Precautions:STORE IN CLOSED CONTAINERS IN A COOL, CLEAN, DRY PLACE AWAY FROM HEAT SOURCES. AVOID CONTAMINATION OF OPENED PRODUCT. AVOID PROLONGED SKIN CONTACT. Other Precautions:USE CLEAN PLASTIC OR STAINESS STEEL SCOOPS, SHOVELS FOR REMOVAL OF PRODUCT FROM SHIPPING CONTAINER. METALS OTHER THAN STAINLESS STEEL ARE APT TO CAUSE DECOMPOSITION OF PERSULFATE SOLUTIONS. TAKE CARE THAT PRODUCT IS NOT CONTAMINATED.
===== Exposure Controls/Personal Protection ======
Respiratory Protection:WHEN EXPOSURE ABOVE ESTABLISHED STANDARD IS LIKELY, RESPIRATORY EQUIPMENT SUCH AS A DUST MASK APPROVED BY NIOSH/MSHA SHOULD BE IMPLEMENTED. Ventilation:USE ONLY IN WELL VENTILATED AREAS. CONTROL DUST IN WORK PLACE AREA AT OR BELOW PROPOSED TLV (5 MG/M3). Protective Gloves:GENERAL PURPOSE OR MEOPRENE GLOVES. Eye Protection:CHEMICAL TYPE GOGGLES FOR SPLAHING. Other Protective Equipment:GENERAL PURPOSE RUBBER OR NEOPRENE FOOTWEAR ARE RECOMMENDED.

Work

Hygienic Practices:WASH AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health MSDS DATED SEPT 1982.

======== Physical/Chemical Properties ===========

HCC:D1

Melt/Freeze Pt:M.P/F.P Text:DECOMPOSES

Vapor Pres:NONE Spec Gravity:2.6 Solubility in Water:43%

Appearance and Odor:WHITE CRYSTALS. NO ODOR.

======== Stability and Reactivity Data ==========

Stability Indicator/Materials

to Avoid:NO

ACIDS, ALKALIS, HALIDES, COMBUSTIBLE MATERIALS, HEAVY METALS, OXIDIZABLE MATERIALS, REDUCING AGENTS, MOISTURE.

Stability Condition to Avoid:HEAT, MOISTURE, REDUCING AGENTS, (DECOMPOSES WITH EXOTHERMIC REACTION).

Hazardous Decomposition Products: FUMES OF SULFURIC ACID MIST, OXYGEN WHICH SUPORTS COMBUSTION, AND OXIDES OF SULFUR AND NITROGEN.

======= Disposal Considerations ==========

Waste Disposal Methods:DISSOLVE IN WATER AND DISPOSE VIA A TREAT MENT

SYTEM IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.