View NSN Online: https://aerobasegroup.tw/nsn/8010-01-157-6925

## E.I. DUPONT DE NEMOURS & CO., INC. -- CENTARI 793S -- 8010-01-157-6925

Product ID:CENTARI 793S MSDS Date:01/01/1987

FSC:8010

NIIN:01-157-6925 MSDS Number: BGPJJ

=== Responsible Party ===

Company Name: E.I. DUPONT DE NEMOURS & CO., INC.

Address:1007 MARKET ST

City:WILMINGTON

State:DE ZIP:19898 Country:US CAGE:19898

=== Contractor Identification ===

Company Name: DU PO

NT E I NEMOURS & CO CHEMICALS & PIGMENTS DEPT

Address:1007 MARKET ST Box:City:WILMINGTON

State:DE ZIP:19898 Country:US

Phone:800-441-7515

CAGE:23037

Company Name: E.I. DUPONT DE NEMOURS & CO., INC.

Box:1635 CAGE:19898

======= Composition/Information on Ingredients ========

Ingred Name:POLYISOCYANATE \*NOTE: 1(SEE SUPPLEMENTAL DATA)

Fraction by Wt: 70% ACGIH TLV:UNK

Ingred Name: ETHER ALCOHOL

Fraction by Wt: 6% ACGIH TLV:UNK

Ingred Name: TOLUENE (SARA III)

CAS:108-88-3 RTECS #:XS525 0000 Fraction by Wt: 3% OSHA PEL:200 PPM/150 STEL ACGIH TLV:50 PPM; 9293 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS Ingred Name: ALIPHATIC ESTER Fraction by Wt: 10% ACGIH TLV:400PPM Effects of Overexposure: COUGHING, CHEST PAINS, & BREATHING DIFFICULTY MAY OCCUR. EARLY SIGNS MAY BE MISTAKEN FOR A COLD. First Aid: INHAL-MOVE TO FRESH AIR TO IMPROVE BREATHING .SKIN CONCT-WASH W/SOAP & WATER. REMOVE CONTAMINATED CLOTHING.EYE CONTCT-FLUSH W/WATER FOR AT LEAST 15 MINUTES, CALL A DR. Flash Point:20-73F CC -7-23 Lower Limits:.90 Upper Limits:11.2 Extinguishing Media:FOAM CO\*2, DRY CHEMICAL Fire Fighting Procedures: WATR FRM FOG NOZZ MAY BE USED TO COOL CLOS CONTNRS TO PRE(SU Unusual Fire/Explosion Hazard: WARNING- VAPOR & SPRAY MISTS ARE HARMFUL. ====== Accident al Release Measures ========= Spill Release Procedures: AVOID BREATING VAPS & SPRAY MIST. REMOVE IGNITION SOURCES.ABSORB W/INERT MATERIAL. VENTILATE AREA.

============ Handling and Storage ===========================

Handling and Storage Precautions: KEEP AWAY FROM HEAT SPARKS & OPEN FLAME. KEEP CONTAINERS CLOSED WHEN NOT IN USE. DO NOT STORE

Other Precautions: ALLERGY-PRONE INDIVIDUALS MAY BECOME SENSITIZED &

120F.GROUND CONTNR WHEN POURING.

SHOULD NOT BE EXPOSED

TO ISOCYANATES. OBSERVE LABEL PRECAUTIONS.
======= Exposure Controls/Personal Protection =========
Respiratory Protection:USE NIOSH/MSHA TC-19C AIRLN UNIT PREFER OR NIOSH/MSHA TC-23C VAP/PAR Ventilation:LOC & MECH-PROV SUFFICIENT VENT TO KP BELOW TLV/LEL. Protective Gloves:YES Eye Protection:SAFETY EYEWEAR Other Protective Equipment:USE APPROPRIATE INDUSTRIAL HYGIENE PRACTICES Supplemental Safety and Health *NOTE 1-FREE HEXAMETHYLENE DIISOCYANATE-LESS THAN 0.7%: ON STORAGE MAY
RISE TO MAX. OF 1.6%. SPEC. FIRE FIGHT:VENT PRESSURE BUILD-UP. ITEM PROCURED UNDER CENTARI 793S
======================================
Boiling Pt:B.P. Text:168-473 Vapor Pres:100 Vapor Density:3.00 Spec Gravity:1.068 Evaporation Rate & Reference:SLOWER THAN ETHER Solubility in Water:MODERATE Percent Volatiles by Volume:22
======================================
Stability Indicator/Materials to Avoid:YES  NONE REASONABLY FO  RESEEABLE  Hazardous Decomposition Products:CO, CO*2, SMOKE, NITROGEN, & OXIDES OF  NITROGEN
========== Disposal Considerations ==============
Waste Disposal Methods:DISPOSAL METHOD MUST COMPLY W/LOC, STATE & FEDERAL REGULATIONS.
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants t

his information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.