

CASTROL INC.BRAY PRODUCTS DIV -- BRAYCO MICRONIC 782-2 -- 9150-01-272-4689

=====  
Product Identification  
=====

Product ID:BRAYCO MICRONIC 782-2

MSDS Date:12/30/1987

FSC:9150

NIIN:01-272-4689

MSDS Number: BGSHP

=== Responsible Party ===

Company Name:CASTROL INC.BRAY PRODUCTS DIV

Address:16715 VON KARMAN AVE,SUITE 230

City:IRVINE

State:CA

ZIP:92714

Country:US

Info Phone Num:714-660-9414

Emergency Pho

ne Num:714-660-9414

CAGE:NO344

=== Contractor Identification ===

Company Name:CASTROL INC.BRAY PRODUCTS DIV

Address:16715 VON KARMAN AVE,SUITE 230

City:IRVINE

State:CA

ZIP:92714

Country:US

Phone:714-660-9414

CAGE:NO344

Company Name:CASTROL INDUSTRIAL NORTH AMERICA INC SPECIALTY PRODUCTS  
DIV

Address:1001 WEST 31ST STREET

Box:City:DOWNERS GROVE

State:IL

ZIP:60515-1280

Country:US

Phone:800-621-2661/ FAX: 630-241-4140

CAGE:2R128

=====  
Composition/Information on Ingredients  
=====

==

Ingred Name:LUBRICATING OIL  
Other REC Limits:5MG/CUM,AS OIL MIST

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:UNKNOWN Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE:SLIGHT IRRITATION TO SKIN AND EYES. CHRONIC:IRRITATION OR DERMATITIS.  
Effects of Overexposure:MAY CAUSE SLIGHT IRRITATION TO SKIN AND EYES;DERMATITIS ON PROLONGED CONTACT.  
Medical Cond Aggravated by  
Exposure:PRE-EXISTING CONDITIONS MAY BE WORSEN.

=====  
===== First Aid Measures =====

First Aid:INHALATION:REMOVE TO FRESH AIR. EYES:FLUSH EYES WITH PLENTY OF WATER,CALL MEDICAL HELP IF NEEDED. SKIN:WASH WITH SOAP AND WATER. INGESTION:DO NOT INDUCE VOMITING,CALL A PHYSICIAN.

=====  
===== Fire Fighting Measures =====

Flash Point Method:COC  
Flash Point:400F/204C  
Extinguishing Media:DRY CHEMICAL,CO\*2,FOAM,WATERFOG  
Fire Fighti  
ng Procedures:USE WATER AS FOG OR SPRAY TO COOL FIRE-EXPOSED CONTNRS. USE SLF-CONTND BREATH APPARATUS IN CONFINED AREA  
Unusual Fire/Explosion Hazard:NONE NOTED;USE REASONABLE CARE.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;WIPE UP OR ABSORB WITH INERT MATERIAL AND RECOVER FOR PROPER DISPOSAL.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN CO

OL, DRY AND WELL VENTILATED

AREA; KEEP AWAY FROM HEAT, OPEN FLAME OR SOURCES OF IGNITION.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: IF NEEDED, CHEM CARTRIDGE RESPIRATOR OR SUPPLIED AIR RESPIR EQUIPMENT.

Ventilation: LOCAL/GENERAL TO MAINTAIN ADEQUATE VENTILATION.

Protective Gloves: OIL RESISTANT GLOVES

Eye Protection: CHEMICAL GOGGLES

Other Protective Equipment: APRON; FULL SKIN & EYES PROTECTION

Work Hygienic Practices: AVOID CONTACT WITH SKIN AN

D EYES; WASH

THOROUGHLY AFTER EACH USE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC: V6

Boiling Pt: B.P. Text: >500F/260C

Spec Gravity: 0.877

Evaporation Rate & Reference: