

CLAYTON CHEMICAL COMPANY -- 471-090; 418-94A; SUPERSTRENGTH SHORT STOP --  
6750-00-577-4624

=====  
===== Product Identification =====

Product ID:471-090; 418-94A; SUPERSTRENGTH SHORT STOP

MSDS Date:07/27/1992

FSC:6750

NIIN:00-577-4624

MSDS Number: BGSTL

=== Responsible Party ===

Company Name:CLAYTON CHEMICAL COMPANY

Address:13310 S. FIGUEROA ST.

City:LOS ANGELES

State:CA

ZIP:90061

Country:US

Info Phone Nu

m:213-538-9530

Emergency Phone Num:213-538-9530

Preparer's Name:JOHN B. TAYLOR

CAGE:61803

=== Contractor Identification ===

Company Name:CLAYTON CHEMICAL CO.

Address:13310 S. FIGUEROA STREET

Box:City:LOS ANGELES

State:CA

ZIP:90061

Country:US

Phone:310-538-9530/800-424-9300(CHEMTREC)

CAGE:61803

Company Name:CLAYTON CHEMICAL CO., A DIV OF VARICHEM CORP

Address:RR 1

Box:276-Z

City:HEATHSVILLE

State:VA

ZIP:22473

Country:US

Phone:703-759-9399

CAGE:6W820

=====  
===== Composition/Information on Ingr

edients =====

Ingred Name:ACETIC ACID (SARA III)  
CAS:64-19-7  
RTECS #:AF1225000  
Fraction by Wt: 60-65%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:10 PPM  
ACGIH TLV:10 PPM/15 STEL; 9293  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:PRODUCT MAY CAUSE SEVERE IRRITATION  
AND BURNS TO  
BODY TISSUES WHICH IT CONTACTS. INHALATION OF MISTS  
OR VAPORS IS HIGHLY UNLIKELY DURING ANY NORMAL USEAGE. CHRONIC  
EFFECTS:NONE FOUND BY MANUFACTURER.  
Explanation of Carcinogenicity:THIS CHEMICAL IS NOT LISTED BY IARC,  
NTP, OR OSHA AS A CARCINOGEN.  
Effects of Overexposure:EYES:SEVERE IRRITATION OR BURNS. SKIN:POSSIBLE  
IRRITATION, BURNS. INHALED:UNLIKELY EXPOSURE BUT MAY CAUSE  
RESPIRATORY IRRITATION IF MISTS ARE INHALED. INGESTED:SEVERE  
IRRITATION OF THE DIGESTIVE TRAC  
T.  
Medical Cond Aggravated by Exposure:NO INFORMATION GIVEN ON MSDS BY  
MFR.

===== First Aid Measures =====

First Aid:INHALATION:REMOVE TO FRESH AIR. EYES:IMMEDIATELY FLUSH WITH  
PLENTY OF WATER FOR 15 MINUTES. GET PROMPT MEDICAL ATTENTION.  
SKIN:REMOVE CONTAMINATED CLOTHING. WASH WITH PLENTY OF WATER FOR 15  
MINUTES. I NGESTION:DRINK MILK OR WATER. DO NOT INDUCE VOMITING.  
GET IMMEDIATE MEDICAL ATTENTION.

===== Fire Fight

ing Measures =====

Flash Point:NON-FLAMMABLE

Extinguishing Media:ANY EXTINGUISHING MEDIA APPLICABLE TO SURROUNDING AREA.

Fire Fighting Procedures:EVACUATE PERSONNEL TO A SAFE AREA. KEEP PERSONNEL REMOVED AND UPWIND OF FIRE. WEAR SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:WHEN HEATED TO DECOMPOSITION, EMISSION OF TOXIC FUMES IS POSSIBLE.

===== Accidental Release Measures =====

Spill Release Procedures:USE APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT.

DIKE SPILL. PREVENT FROM ENTERING SEWERS, WATERWAYS OR LOW AREAS. SOAK UP WITH SAND, OIL DRY OR OTHER ABSORBENT MATERIAL.

Neutralizing Agent:POWDERED SODIUM BICARBONATE

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN WELL VENTILATED AREA. KEEP CONTAINERS TIGHTLY CLOSED. DO NOT STORE WITH INCOMPATIBLE MATERIALS.

Other Precautions:DO NOT STORE OR CONSUME FOOD, DRINK OR TOBACCO IN AREA WHERE THEY MAY BECOME CONTAMINATED WITH THIS MATERIAL.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NO INFORMATION GIVEN ON MSDS BY MFR. SUFFICIENT ROOM VENTILATION

Ventilation:SUFFICIENT ROOM VENTILATION

Protective Gloves:RECOMMENDED

Eye Protection:EYEGASSES W/ SIDE SHIELDS

Other Protective Equipment:APRON. (SPLASH PROTECTION IS ALL THAT IS RECOMMENDED BY MANUFACTURER.)

Work Hygienic Practices:MFR: ? HMIS:USE GOOD CHEMICAL HYGIENE

PRACTICE. AVOID UNNECESSARY CONTACT. WASH THOROUGHLY BEFORE EATING OR DRINKING.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC:C3

NRC/State Lic Num:NONE

Boiling Pt:B.P. Text:>212F,>100C

Spec Gravity:1.065

pH:1.5

Solubility in Water:100%

Appearance and Odor:YELLOW ORANGE, VINEGAR ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG ALKALIS, OXIDIZERS AND

**REDUCING AGENTS**

Stability Condition to Avoid:NO INFORMATION GIVEN ON MSDS BY MFR.

Hazardous Decomposition Products:CARBON MONOXIDE AND CARBON DIOXIDE

Conditions to Avoid Polymerization:WILL NOT OCCUR

===== Disposal Considerations =====

Waste Disposal Methods:RECOVER NON-USEABLE FREE LIQUID AND/OR  
CONTAMINATED WATER AND DISPOSE OF IN AN APPROVED/PERMITTED  
TREATMENT SYSTEM AND SOLIDS TO AN APPROVED/PERMITTED LANDFILL.  
DISCHARGE TO SEWER REQUIRES APPROVAL OF PERMITTING AUTHORITY AND  
MAY REQUIRE PRETREATMENT

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for t

he suitability of this information to their  
particular situation.