

HOBART BROTHERS COMPANY -- HOBART 10 1/8X14 IN 1 LB AES A5.1 -- 3439-00-262-2670

=====  
Product Identification  
=====

Product ID:HOBART 10 1/8X14 IN 1 LB AES A5.1

MSDS Date:08/01/1985

FSC:3439

NIIN:00-262-2670

MSDS Number: BGTNW

=== Responsible Party ===

Company Name:HOBART BROTHERS COMPANY

Address:600 W. MAIN STREET

City:TROY

State:OH

ZIP:45373

Info Phone Num:513-339-6000

Emergency Phone Num:513-33

9-6000

CAGE:28835

=== Contractor Identification ===

Company Name:HOBART BROTHERS CO

Address:600 W MAIN ST HOBART SQUARE

Box:City:TROY

State:OH

ZIP:45373

Country:US

Phone:513-339-6000

CAGE:28835

=====  
Composition/Information on Ingredients  
=====

Ingred Name:IRON

CAS:7439-89-6

RTECS #:NO4565500

Other REC Limits:NONE

OSHA PEL:10MG/M\*3(DUST,FUME)

ACGIH TLV:5MG/M\*3(DUST,FUME)

Ingred Name:MANGANESE (SARA III)

CAS:7439-96-5

RTECS #:OO9275000

Other REC Limits:NONE

OSHA PEL:(C) 5 MG

/M3 DUST  
ACGIH TLV:5 MG/M3 DUST 9293

Ingred Name:TITANIUM DIOXIDE  
CAS:13463-67-7  
RTECS #:XR2275000  
Other REC Limits:NONE  
OSHA PEL:15 MG/M3 TDUST  
ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:MAGNESIUM OXIDE  
CAS:1309-48-4  
RTECS #:OM3850000  
Other REC Limits:NONE  
OSHA PEL:15 MG/M3 PARTICULATE  
ACGIH TLV:10 MG/M3;TDUST; 9293

Ingred Name:POTASSIUM SILICATE  
CAS:1312-76-1  
Other REC Limits:NONE

Ingred Name:SODIUM SILICATE  
CAS:1344-09-8  
Other REC Limits:NONE

=====  
===== Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE:METALLIC TASTE,NAUSEA,TIGHTNESS  
OF CHEST,FEVER,DIZZINESS,DRYNESS,IRRITATION OF EYES,NOSE,THROAT.  
CHRONIC:EXCESSIVE LEVELS MAY CAUSE BRONCHIAL ASTHMA,LUNG  
FIBROSIS,PNEUMOCONIOSIS. ARC RAYS CAN IN JURE EYES & BURN SKIN.  
ELECTRIC SHOCK CAN KILL.  
Effects of Overexposure:SEE HEALTH HAZARDS.  
Medical Cond Aggravated b  
y Exposure:AGGRAVATION OF EXISTING RESPIRATORY  
OR ALLERGIC CONDITIONS.HIGHER LEVEL OF LUNG RELATED PROBLEMS AMONG  
SMOKERS.

=====  
===== First Aid Measures =====

First Aid:REMOVE FROM EXPOSURE AND OBTAIN PROMPT MEDICAL ATTENTION. IF  
NOT BREATHING,GIVE CPR.IF UNCONSCIOUS,GIVE OXYGEN. EMPLOY FIRST AID  
TECHNIQUES RECOMMENDED BY AMERICAN RED CROSS.

=====  
===== Fire Fighting Measures =====

Extinguishing Media:USE MEDIA APPR

OPRIATE FOR SURROUNDING FIRE.

Unusual Fire/Explosion Hazard:WELDING ARCS AND SPARKS CAN IGNITE  
CONBUSTIBLE PRODUCTS.

===== Accidental Release Measures =====

Spill Release Procedures:CLEAN UP ANY GRINDING DUST OR WASTE RESIDUE  
AND PLACE IN APPROPRIATE DOT APPROVED DISPOSAL CONTAINER.

===== Handling and Storage =====

Other Precautions:TRAIN WELDER TO KEEP HIS HEAD OUT OF THE FUMES.  
MONITOR AIR TO ENSURE ACCEPTABLE EXPOS  
URES.AVOID ELECTRICAL SHOCK  
BY MAINTAINING DRY WORK AREA.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:FUME RESPIRATOR OR AIR SUPPLIED RESPIRATOR IN  
CONFINED SPACES OR WHERE VENTILATION DOES NOT KEEP EXPOSURE BELOW  
TLV.

Ventilation:LOCAL EXHAUST TO MAINTAIN BELOW TLV.

Protective Gloves:WELDER'S GLOVES.

Eye Protection:HELMET OR FACE SHIELD WITH FILTER LENS.

Other Protective Equipment:SUBSTANTIAL DARK CLOTH,ARM  
PROTECTOR,APRON,HAT,SHOUL  
DER PROTECTION.

Work Hygienic Practices:WASH HANDS THOROUGHLY BEFORE  
EATING,SMOKING,USING SANITARY FACILITIES.

Supplemental Safety and Health  
NONE.

===== Physical/Chemical Properties =====

HCC:N1

Solubility in Water:INSOLUBLE

Appearance and Odor:WELDING ROD.NO ODOR. 1/8 INCH DIAMETER BY 14 INCHES  
LONG.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Hazardous Decomposition Products:FUMES OF MET

ALS AND METAL  
OXIDES,CO,NO\*2,O\*3.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF FUMES,FLUX OR WELD GRINDING RESIDUE  
FROM THE WORK AREA OR FROM FILTERS IAW ALL APPLICABLE FEDERAL,STATE  
AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly o  
r implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.