View NSN Online: https://aerobasegroup.com/nsn/9150-01-232-7667

GENERAL ELECTRIC CO., SILICONE PRODUCT DIV. -- G322L SILICONE GREASE COMPOUND -- 9150-01-232-7667

============= Product Identification ==================

Product ID:G322L SILICONE GREASE COMPOUND

MSDS Date: 10/30/1990

FSC:9150

NIIN:01-232-7667

MSDS Number: BHCHD === Responsible Party ===

Company Name: GENERAL ELECTRIC CO., SILICONE PRODUCT DIV.

Address: HUDSON RIVER ROAD

City:WATERFORD

State:NY ZIP:12188 Country:US

In

fo Phone Num:518-237-3330

Emergency Phone Num:518-237-3330 Preparer's Name:DA POLSINELLI

CAGE:01139

=== Contractor Identification ===

Company Name: GENERAL ELECTRIC CO, SILICONE PRODUCTS BUSINESS DEPT

Address: 260 HUDSON RIVER RD

Box:City:WATERFORD

State:NY ZIP:12188 Country:US

Phone:518-237-3330/800-332-3390

CAGE:01139

Company Name: INLAND PACKAGING INC

Address: 209 PETERSON DR

Box:644

City:ELIZABETHTOWN

State:KY

ZIP:42701-9804

Country:US

Phone:502-737-6757

CAGE:66172

====== Composition/In

formation on Ingredients ========
Ingred Name:ZINC CHROMATE CAS:13530-65-9 RTECS #:GB3290000 Fraction by Wt: 1-5% OSHA PEL:0.1 MG/M3 (CRO3) ACGIH TLV:0.01MG/M3(CR)A1;9192
Ingred Name:LITHIUM STEARATE CAS:4485-12-5 RTECS #:WI4370000 Fraction by Wt: 10-30% Other REC Limits:NONE RECOMMENDED
======================================
LD50 LC50 Mixture:LD50 (ORAL RAT) IS NOT AVAILABLE Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity :NTP:YES IARC:YES Health Hazards Acute and Chronic:ACUTE: EYE:MAY IRRITATE THE EYES. SKIN:SKIN IRRITATION IS NOT EXPECTED BUT MAY OCCUR IN SOME INDIVIDUALS. INHALATION:DUST HAZARD MAY BE CREATED IF, UNDER CONDITIONS OF USE, SOLID PARTICLES ARE SEPARAT ED FROM THE POLYMER MATRIX. INGESTION: LOW LEVEL OF TOXICITY. Explanation of Carcinogenicity:CHROMIUM OR CHROMIUM COMPOUDS ARE LISTED AS HUMANS OR ANIMAL CARCINOGENS Effects of Overexposure:SEE HEALTH HAZARDS DATA. Medical Co nd Aggravated by Exposure:NONE KNOWN
======================================
First Aid:INHALATION: REMOVE PERSON TO FRESH AIR. EYE: FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP & WATER. INGESTION: RINSE MOUTH WITH WATER SEVERAL TIMES. GET MEDICAL ATTTENTION ID ANY IRRITATION PERSISTS OR IS SEVEEERE.
======================================
Flash Point Method:C

OC Flash Point:>400F,>204C Extinguishing Media:ALL STANDARD FIRE FIGHTING MEDIA. Fire Fighting Procedures:NONE KNOWN
Unusual Fire/Explosion Hazard:NO INFORMATION GIVEN ON MSDS BY SUPPLIER
========= Accidental Release Measures ==========
Spill Release Procedures:WIPE, SCRAPR OR SOAK UP IN AN INERT MATERIAL AND PUT INTO CONTAINER FOR DISPOSAL. WASH WALKING AREAS WITH DETERGENT AND WATER TO REDUCE SLIPPING HAZARD. WEAR PROPER PROTECTIVE EQUIPMENT AS SPECIFIED BY M FR.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
======================================
Handling and Storage Precautions:AVOID CONTACT WITH EYES. Other Precautions:NONE
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE KNOWN Ventilation:A WELL VENTILATED AREA TO CONTROL DUST LEVELS. Protective Gloves:CLOTH GLOVES Eye Protection:SAFETY GLASSES
Other Protective Equipment:EYE-WASH FACILITIES Work Hygienic Practices
:HMIS:USE GOOD INDUSTRIAL HYGIENE PRACTICE. WASH AFTER USING THE PRODUCT AND BEFORE EATING, DRINKING, ETC.
Supplemental Safety and Health MSDS RECEIVED FROM NAVY (FOCAL POINT N). NAVY IDENTIFIED NSN.
========= Physical/Chemical Properties ==========
HCC:V6 Spec Gravity:0.93 Solubility in Water:NEGLIGIBLE Appearance and Odor:YELLOW TO PURPLE,ODORLESS Percent Volatiles by Volume: