

THE TEXACONE CO. INC. -- EASE OFF 990 -- 8030-00-778-4277

=====  
Product Identification  
=====

Product ID:EASE OFF 990  
MSDS Date:03/14/1989  
FSC:8030  
NIIN:00-778-4277  
MSDS Number: BHDVY  
=== Responsible Party ===  
Company Name:THE TEXACONE CO. INC.  
Address:4111 FORNEY ROAD  
City:MESQUITE  
State:TX  
ZIP:75149  
Country:US  
Info Phone Num:214-288-4404  
Emergency Phone Num:214-363-1891 OR 214-381-7032  
Preparer'  
s Name:JOHN H. WHEELER  
CAGE:DO694  
=== Contractor Identification ===  
Company Name:TEXACONE CO THE  
Address:4111 FORNEY RD  
Box:City:MESQUITE  
State:TX  
ZIP:75149-2722  
Country:US  
Phone:800-235-2727  
CAGE:87889  
Company Name:THE TEXACONE CO. INC.  
Address:4111 FORNEY ROAD  
City:MESQUITE  
State:TX  
ZIP:75149  
Phone:214-288-4404  
CAGE:DO694

=====  
Composition/Information on Ingredients  
=====

Ingred Name:RED LEAD  
CAS:1314-41-6  
Fraction by Wt: 19%  
OSHA PEL:0.05 MG/M3  
ACGIH TLV:0.15 MG/M3

Ingred

Name:DIBUTYL PHTHALATE (SARA III)  
CAS:84-74-2  
RTECS #:TI0875000  
Fraction by Wt: 33%  
OSHA PEL:5 MG/M3  
ACGIH TLV:5 MG/M3; 9192  
EPA Rpt Qty:10 LBS  
DOT Rpt Qty:10 LBS

Ingred Name:MOLYBDENUM DISULFIDE  
CAS:1317-33-5  
RTECS #:QA4697000  
Fraction by Wt: 25%  
OSHA PEL:10 MG/M3 TDUST (MO)  
ACGIH TLV:10 MG/M3 (MO); 8990

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Haz  
ards Acute and Chronic:ACUTE: ENCEPHALOPATHY DEVELOPS QUICKLY  
TO SEIZURES, COMA & DEATH. CHRONIC: SEVERDAMAGES TO BLOOD FORMING,  
NERVOUS, URINARY & REPRODUCTIVE SYSTEMS  
Effects of Overexposure:LOSS OF APETITE, METALLIC TASTE IN MOUTH,  
ANXIETY, CONSTIPATION, NAUSEA, PALLOR,INSOMMIA, HEADACHE, ABDOMINAL  
PAIN  
Medical Cond Aggravated by Exposure:TARGET ORGANS: GASTROINTESTINAL,  
CENTRAL NERVOUS SYSTEM, KIDNEYS, BLOOD, GINGIVAL TISSUE

=====  
First Aid Measures =  
=====

First Aid:EYE: IRRIGATE IMMEDIATELY. SKIN: SOAP FLESH PROMPTLY. BREATH:  
CPR, IF NEEDED AND IF SWALLOWED: WATER, VOMIT. REPORT TO  
PHYSICIAN FOR HEAVY METAL

=====  
Fire Fighting Measures  
=====

Flash Point:310 F 154 C  
Lower Limits:NA  
Upper Limits:NA  
Extinguishing Media:CO2 OR DRY CHEMICAL  
Fire Fighting Procedures:NONE  
Unusual Fire/Explosion Hazard:NONE

=====  
Accidental Release Measures  
=====

Spill Re

Release Procedures:TREAT AS IF AN OIL SPILL: KEEP AWAY FROM  
FLAMES

=====  
Handling and Storage  
=====

Handling and Storage Precautions:NO SPECIAL REQUIREMENTS-INDEFINITE  
SHELF LIFE  
Other Precautions:NONE

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:APPROPRIATE RESPIRATORY PROTECTION MAY BE  
REQUIRED  
Ventilation:LOCAL EXHAUST, VENTED FAN  
Protective Gloves:NO  
Eye Protection:NO  
Other Protective Equipment:NO  
Work Hygienic Practices:NO SPECIAL PRACTICES UNLESS EXPOSURE TO LEAD  
ABOVE PEL  
Supplemental Safety and Health  
NK

=====  
Physical/Chemical Properties  
=====

Boiling Pt:B.P. Text:NA  
Melt/Freeze Pt:M.P/F.P Text:> 125 F  
Vapor Pres:NA  
Vapor Density:NA  
Spec Gravity:1.67  
Evaporation Rate & Reference:NA  
Solubility in Water:NO  
Appearance and Odor:BROWN PASTE, PAINT-LIKE ODOR

=====  
Stability and Reactivity Data  
=====

Stability Indicator/Materials to Avoid:YES  
HYDROGEN PEROXIDE, ACTIVE METALS (SODIUM POTASSIUM) STRONG OXIDIZERS  
Stability Condition to Avoid:NONE  
Hazardous Decomposition Products:CO, CO2 AND HEAVY METAL OXIDES

=====  
Disposal Considerations  
=====

Waste Disposal Methods:SECURE LAND BURIAL OR INCINERATED

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in

no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.