

3M -- SPRAY TRIM ADHESIVE -- 8040-00-995-7080

=====
Product Identification
=====

Product ID:SPRAY TRIM ADHESIVE

MSDS Date:11/01/1980

FSC:8040

NIIN:00-995-7080

MSDS Number: BHFVG

=== Responsible Party ===

Company Name:3M

Address:3M CENTER

City:ST. PAUL

State:MN

ZIP:55144-1000

Country:US

Info Phone Num:612-733-1110

Emergency Phone Num:612-733-1110

CAGE:76381

=== Contractor Identification ===

Compan

y Name:MINNESOTA MINING AND MFG CO, DBA 3M

Address:3M CENTER BLDG 224-5S-04

Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:866-556 5712 / 612-733-1110

CAGE:76381

=====
Composition/Information on Ingredients
=====

Ingred Name:HEXANE

Fraction by Wt: -41%

ACGIH TLV:100 PPM

Ingred Name:CYCLOHEXANE

CAS:110-82-7

Fraction by Wt: -14%

ACGIH TLV:300 PPM

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:STYRENE/BUTADIENE ELASTOMER, TERPENE RESINS & AN
ANTIOXIDA

NT
Fraction by Wt: -22%
Ingred Name:PROPANE/ISOBUTANE PROPELLANT
Fraction by Wt: -23%

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Effects of Overexposure:EYES: LIQUID SPRAY IRRITATING TO THE EYES.
SKIN: PROLONGED OR REPEATED CONTACT MAY DEFAT SKIN. INHALATION:
VAPORS IRRITATING TO THE UPPER RESPIRATORY SYSTEM. INGESTION:
NONE KNOWN

=====
===== First Aid Measures =====

First Aid:EYES: IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER AND CALL A
PHYSICIAN. SKIN: WASH THOROUGHLY WITH SOAP AND WATER. AND
INHALATION: PROVIDE FRESH AIR

=====
===== Fire Fighting Measures =====

Flash Point:NR
Lower Limits:1
Upper Limits:7.0
Extinguishing Media:CO2, FOAM, DRY CHEMICAL
Fire Fighting Procedures:TREAT AS PRESSURIZED CONTAINER
Unusual Fire/Explosion Hazard:TREAT AS PRESSURIZED CONTAIN
R

=====
===== Accidental Release Measures =====

Spill Release Procedures:WIPE UP RELEASED MATERIAL AND PLACE IN METAL
CONTAINER WITH TOP CLOSURE

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM HEAT, SPARKS AND OPEN
FLAME. USE ONLY IN AREAS ADEQUATELY VENTILATED TO PREVENT
VAPORBUILD UP. AVOID EYE CONTACT. FOLLOW PRECAUTIONS
Other Precautions:AVOID PROLONGED BREATHING OF VAPOR OR OVERSPRAY AN

D

PROLONGED OR REPEATED SKIN CONTACT. DELIBERATELY INHALING VAPORS
CAN BE HARMFUL OR FATAL. KEEP OUT OF REACH OF CHILDREN

=====
===== Exposure Controls/Personal Protection =====

Ventilation:LOCAL EXHAUST
Eye Protection:SAFETY GLASSES
Supplemental Safety and Health
NK

=====
===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:COMPRES GAS
Vapor Pres:COMPRES GAS
Vapor Density:> 1
Spec Gravity:< 1
pH:NA
Evaporation Rate & Reference:> 1
Solubility in Water:NIL
Appearance and Odor:CLEAR LIQUID
Percent Volatiles by Volume:78

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NK
Stability Condition to Avoid:PRESSURIZED CONTAINER. AVOID STORAGE ABOVE
120 F
Hazardous Decomposition Products:CO, CO2 AND SMOKE PARTICLES

=====
===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE IN MUNICIPAL OR COMMERCIAL
INCINERATOR ALONG WITH OTHER REFUSE. EMPTY CONTAINERS MAY BE
DEPOSITED IN SANITARY LANDFILL IN ACCORDANCE WITH LOCAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice

vice to verify and
assume responsibility for the suitability of this information to their
particular situation.