

Product ID:NUTS N' BOLTS 236

MSDS Date:10/01/1989

FSC:8030

NIIN:00-081-2331

MSDS Number: BHYGS === Responsible Party ===

Company Name: HERNON MANUFACTURING INC.

Address:865 ESSEX STREET

City:BROOKLYN

State:NY

ZIP:11208-5220 Country:US

Info Phone Num:718-649-3000

Emergency Phone Num:718-649-3000

CAGE:DO346

=== Contractor Identification === Company Name: HERNON MA

NUFACTURING

Address:121 TECH DRIVE

Box:City:SANFORD

State:FL ZIP:32771 Country:US

Phone:407-322-4000/800-255-3924

CAGE:61603

Company Name: HERNON MANUFACTURING INC.

Address:865 ESSEX STREET

City:BROOKLYN

State:NY

ZIP:11208-5220 Phone:718-649-3000

CAGE:DO346

======= Composition/Information on Ingredients ========

Ingred Name: SACCHARIN (SARA III)

CAS:81-07-2

RTECS #:DE4200000 Fraction by Wt: 3% EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Ingred Name:TRIALKYLAMINE

Fraction by Wt: 3%

==

======================================
Routes of Entry: Inhalation:UNKNOWN Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:NONE Explanation of Carcinogenicity:NOT LISTED IN ANY OF THE ABOVE Effects of Overexposure:MAY CAUSE DERMATITIS ON PROLONGED CONTACT IN SENSITIVE INDIVIDUALS Medical Cond Aggravated by Exposure:MAY CAUSE DERMATITIS ON PROLONGED CONTACT IN SENSITIVE INDIVIDUALS
======================================
First Aid:EYE AND SKIN CONTACT FLUSH WITH WATER. INGESTION: DO NOT INDUCE VOMITING. KEEP INDIVIDUAL CALM. OBTAIN MEDICAL ATTENTION.
======================================
Flash Point Method:TCC Flash Point:200F/93C Lower Limits:DNA Upper Limits:DNA Extinguishing Media:FOAM, DRY CHEMICAL, CO2 Fire Fighting Procedures:SELF CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING SHOULD BE WORN IN FIGHTING FIRES INVOLVING CHEMICALS Unusual Fire/Explosion Hazard:NONE
======================================
Spill Release Procedures:SOAK UP IN AN INERT ABSORBENT. STORE IN PARTLY FILLED, CLOSED CONTAINER UNTIL DISPOSAL.
======================================
Handling and Storage Precautions:STORE BELOW 110F TO PRESERVE SHELF-LIFE. AVOID PROLONGED SKIN CONTACT.
====== Exposure Controls/Personal Protection

 	 	 	_

Respiratory Protection:NOT NECESSARY
Ventilation:MECHANICAL (GENERAL) REQUIRED
Protective Gloves:RUBBER OR PLASTIC GLOVES RECOMMENDED
Eye Protection:SAFETY GLASSES OR GOGGLES RECOMMENDED
Other Protective Equipment:NONE LISTED
Work Hygienic Practices:NONE LISTED

Work Hygienic Practices:NONE LISTED
Supplemental Safety and Health

NK

======== Physical/Chemical Properties ==========

HCC:V4

Boiling Pt:B.P. Text:300F Vapor Pres:5@80F Spec Gravity:1.054@80F

Evaporation Rate & Dry Reference:>1 (BUTYL

ACETATE=1)

Solubility in Water:SLIGHT

Appearance and Odor:BLUE LIQUID - ODOR MILD

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES

NONE

Stability Condition to Avoid: EXCESS HEAT AND STRONG OXIDIZING AGENTS

Hazardous Decomposition Products:NONE

Conditions to Avoid Polymerization: POLYMERIZATION IRRITATORS

======= Disposal Considerations ===========

Waste Disposal Methods:BURY OR INCINERATE IN ACCORDANCE WITH E PA AND

LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this infor

mation to their particular situation.