View NSN Online: https://aerobasegroup.tw/nsn/6850-00-437-6583

Product ID:NICKEL SULFAMATE SOLUTION #10/#20/#24/#28 MSDS Date:08/22/1989 FSC:6850 NIIN:00-437-6583 MSDS Number: BHYJG === Responsible Party === Company Name: CP CHEMICALS INC Address:1 PARKER PLZ City:FT LEE State:NJ ZIP:07024 Country:US CAGE:HO912 === Contractor Identification === Company Name: CP CHEMICALS INC Address:1 PARKER PLAZA, SUITE 1400 City:FORT LEE State:NJ ZIP:07024 Country:US Phone:803-481-8528 CAGE:HO912 Company Name: CP CHEMICALS, INC Address:1 PARKER PLZ Box:City:FT LEE State:NJ ZIP:07024 Country:US Phone:800-424-9300(CHEMTREC) CAGE:8C813

Ingred Name:NICKEL SULFAMATE CAS:13770-89-3 RTECS #:QR9275000 Fraction by Wt: 26-56% OSHA PEL:1 MG(NI)/CUM, 8H TWA ACGIH TLV:0.1 MG(NI)/CUM TWA

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:MAY CAUSE IRRITATION. Effects of Overexposure: INHALE: MAY CAUSE IRRITATION OF THE UPPER RESPIRATORY TRACT, COUGHING, SORE THROAT, AND SHORTNESS OF BREATH. SENSITIVE INDIVIDUALS MAY DEVELOP ASTHMA, BRONCHITIS, DYSPNEA AND WHEEZING. INGEST: MAY CAUS E NAUSEA, VOMITING, ABDOMINAL PAIN AN D DIARRHEA, LARGE AMOUNT MAY LEAD TO CONVULTION. SKIN: IRRITATION, **REDNESS & PAIN.** Medical Cond Aggravated by Exposure:NONE STATED. First Aid:INHALATION:REMOVE TO FRESH AIR. RESUSCITATE IF NOT BREATHING. GET MEDICAL ATTENTION. EYES: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN:REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. **INGESTION:IN** DUCE VOMITING BY GIVING TWO GLASSES OF WATER OR MILK & STICK FINGER IN THROAT. NOTHING GIVEN TO AN UNCONSCIOUS PERSON. Flash Point:NONE Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:NONE STATED. Spill Release Procedures: REMOVE COMBUSTIBLES AND SOURCES OF HEAT OR IGNITION. VACUUM UP SPILLED MATERIAL. AVOID MISTING. PACKAGE FOR RECLAMATION OR RECOVERY. WHATEVER CAN NOT BE SAVED MAY BE NEUTRALIZED WITH SODA ASH AND DISP OSE OF IN AN APPROVED LANDFILL. Neutralizing Agent:NOT APPLICABLE. Handling and Storage Precautions: STORE IN A COOL, DRY, WELL VENTILATED

AREA. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. PROTECT CONTAINERS FROM PHYSICAL DAMAGE. Other Precautions:PROTECT FROM PHYSICAL DAMAGE.

Respiratory Protection: USE NIOSH/MSHA APPROVED RESPIRATOR IF EXPOSURE EXCEEDS THE LIMIT. Ventilation:LOCAL EXHAUST IS RECOMMENDED. Protective Gloves: RUBBER GLOVES. Eye Protection: SAFETY GOGGLES WITH OPTIONAL FACE SHIELD Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER. INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED. Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR. Supplemental Safety and Health HCC:C3 Boiling Pt:B.P. Text:215-220F Spec Gravity:1.25-1.6 pH:4.5

Solubility in Water:COMPLETE Appearance and Odor:ODORLESS, GREEN SOLUTION. Percent Volatiles by Volume:44-74

Stability Indicator/Materials to Avoid:YES AVOID CONTACT WITH INCOMPATIBLE MATERIALS. Stability Condition to Avoid:DO NOT BOIL SOLUTION OR EVAPORATE TO DRYNESS. Hazardous Decomposition Products:OXIDES OF SULFUR AND NITROGEN.

Waste Disposal Methods:DISPOSE OF IN AN APPROVED LANDFILL. DO NOT FLUSH INTO SEWER OR STREAM. DISPOSAL SHOULD BE MADE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formu

lated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.