View NSN Online: https://aerobasegroup.tw/nsn/1630-00-592-7865

ALLIED-SIGNAL AEROSPACE COMPANY/BENDIX -- CERAMETALIX AIRCRAFT BRAKE LINING - 1630-00-592-7865

Product ID:CERAMETALIX AIRCRAFT BRAKE LINING MSDS Date:01/04/1988 FSC:1630 NIIN:00-592-7865 MSDS Number: BJCQL === Responsible Party === Company Name: ALLIED-SIGNAL AEROSPACE COMPANY/BENDIX Box:10 **City:SOUTH BEND** State:IN ZIP:46624 Info Phone Num:(219) 237-2800 Emergenc y Phone Num:(219) 237-2800 Preparer's Name: J.L. WOOD CAGE:06848 === Contractor Identification === Company Name: ALLIED-SIGNAL AEROSPACE CO Address:717 N BENDIX DRIVE Box:10 **City:SOUTH BEND** State:IN ZIP:46620 Country:US Phone:219-231-4385 CAGE:06848 Company Name: HONEYWELL INTL INC, AIRCRAFT LANDING SYSTEM ALS Address:3520 WESTMOOR STREET Box:City:SOUTH BEND State:IN ZIP:46628-1373 Country:US Phone:219-231-2201 CAGE:55284

Ingre

d Name:MOLYBDENUM (INSOLUBLE) CAS:1439-98-7 OSHA PEL:10 MG/CUM ACGIH TLV:10 MG/CUM

Ingred Name:MOLYBDENUM CAS:7439-98-7 RTECS #:QA4680000 OSHA PEL:15 MG/M3 TDUST ACGIH TLV:10 MG/M3; 9293

Ingred Name:SILICATE OSHA PEL:10 MG/CUM ACGIH TLV:10 MG/CUM

Ingred Name:GRAPHITE, SYNTHETIC CAS:7440-44-0 RTECS #:FF5250100 OSHA PEL:15 MG/M3 TDUST ACGIH TLV:2 MG/M3 TDUST; 9293

Ingred Name:ALPHA-ALUMINA (ALUMINUM OXIDE) (EPA LISTS ONLY FIBROUS FORMS) (SARA III) CAS:1344-28-1 RTECS #:BD1200000 OSHA PEL :15 MG/M3 TDUST ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:COPPER (SARA III) CAS:7440-50-8 RTECS #:GL5325000 Other REC Limits:1 MG(CU)/M3 (DUST) OSHA PEL:0.1MG/M3 FUME/1 DUST ACGIH TLV:0.2MG/M3 FUME; 9192 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:SILICA, CRYSTALLINE - QUARTZ CAS:14808-60-7 RTECS #:VV7330000 Other REC Limits:0.05 MG/CUM NIOSH OSHA PEL:SEE TABLE Z3 ACGIH TLV:0.1 MG/M3 RDUST;9293

Routes of Entry:

Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHALATION: METAL DUSTS CAN CAUSE IRRITATION TO THE UPPER RESPIRATORY SYSTEM & SILICA CAN CAUSE DISABLING LUNG FUNCTION, SCARRING (SILICOSIS), COUGHING, & SHORTNESS OF BREATH. EYES/SKIN: DUST MAY CAUS E IRRITATION. INGESTION: POSSIBLE GASTROINTESTINAL DISTURBANCES.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:INHALATION: METAL DUSTS CAN CAUSE IRRITATION TO
THE UPPER RESPIRATORY SYSTEM, SILICA CAN CAUSE DISABLING LUNG FUNCTION, SCARRING SILICOSIS, COUGHING, & SHORTNESS OF BREATH. SKIN/EYES: DUST MAY CAUSE I RRITATION. INGESTION: POSSIBLE GASTROINTESTINAL DISTURBANCES.
======================================
First Aid:SHOULD NOT BE NECESSARY WHEN PRODUCT IS PROPERLY HANDLED.
======================================
Respiratory Protection:RESPIRATORS APPROVED B Y NIOSH FOR PROTECTION FROM DUST & MIST EXPOSURE CAN BE USED WHERE NECESSARY TO LIMIT DUST
EXPOSURE. Ventilation:DUST SHOULD BE CONTROLLED BY LOCAL VENTILATION OR OTHER ENGINEERING TECHNIQUES. Protective Gloves:RECOMMENDED
Eye Protection:SAFETY GLASSES Supplemental Safety and Health
======================================
Spec Gravity:4.25-4.65 Evaporation Rate & amp; Reference:0 Solubility in Water:NO Appearance and Odor:SOLID SHINY DARK COPPER MATRIX/W HITE PARTICLES OF
MULLITE/CHOPPED STEEL FIBERS
======================================
Stability Indicator/Materials to Avoid:YES
======================================
Waste Disposal Methods:DISPOSE IN PROPER RECEPTACLES APPROPRIATELY LABELED IN ACCORDANCE W/APPLICABLE, STATE, & LOCAL LAWS & REGULATIONS. THE RECOMMENDED EXPOSURE LIMITS ARE THOSE FOR THE MOST HAZARDOUS SUBSTANCE IN A CLASS OF SUBSTANCES.
Disclaimer (

provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.