

DEXTER ELECTRONIC MTLS DIV.,THE DEXTER CORP. -- HYSOL PC12 007M -- 5970-01-063-1200

===== Product Identification =====

Product ID:HYSOL PC12 007M

MSDS Date:11/11/1986

FSC:5970

NIIN:01-063-1200

Kit Part:Y

MSDS Number: BJFRF

=== Responsible Party ===

Company Name:DEXTER ELECTRONIC MTLS DIV.,THE DEXTER CORP.

Address:211 FRANKLIN ST.

City:OLEAN

State:NY

ZIP:14760-1297

Country:US

Info Phone Num:716-372

-6300

Emergency Phone Num:716-372-6309

Preparer's Name:JAMES P. HORNBURG

CAGE:04347

=== Contractor Identification ===

Company Name:DEXTER CORP THE DEXTER ELECTRONIC MATERIAL DIV

Address:211 FRANKLIN ST.

Box:City:OLEAN

State:NY

ZIP:14760-1297

Country:US

Phone:716-372-6300/6309

CAGE:04347

===== Composition/Information on Ingredients =====

Ingred Name:REACTIVE POLYAMIDE

CAS:37189-83-6

Fraction by Wt: 60-100%

Other REC Limits:NONE SPECIFIED

===== Hazards Identif

ication =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE-EYES:BURNS. SKIN:BURNS.  
INHALATION:SLIGHTLY IRRITATING. INGESTION:NONE SPECIFIED BY  
MANUFACTURER. CHRONIC-EYES:BURNS. SKIN:DERMATITIS.  
INHALATION:IRRITATION. INGESTION:NONE SPECIFIED BY MANUFACTURER.  
Explanation of Carcinogenicity:NOT CONSIDERED TO BE A CARCINOGEN BY  
NTP, IARC, OR OSHA.  
Effects of Overex  
posure:EYES:BURNING. SKIN:BURNING. INHALATION: SLIGHT  
IRRITATION. INGESTION:NONE SPECIFIED BY MANUFACTURER.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYES:FLUSH WITH WATER FOR 15 MIN WHILE HOLDING LIDS OPEN.  
SEEK MEDICAL ATTENTION. SKIN:WASH WITH SOAP AND WATER. REMOVE  
CONTAMINATED CLOTHING. INHALATION:REMOVE TO FRESH AIR. MATERIAL IS  
A SENSITIZER. IF ALLERGIC MANIFESTATION  
S OCCUR, SEEKMEDICAL  
ATTENTION. INGESTION:NONE SPECIFIED BY MANUFACTURER.

===== Fire Fighting Measures =====

Flash Point Method:COC  
Flash Point:338F,170C  
Lower Limits:0.6  
Upper Limits:2.5  
Extinguishing Media:USE CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.  
Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA &  
FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER  
SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.  
Unusual Fire/Ex  
plosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE  
PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB LIQUID WITH AN INERT ABSORBENT AND PUT  
IN A PROPER CONTAINER FOR DISPOSAL. WASH RESIDUE WITH WATER.  
Neutralizing Agent:NONE

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER TIGHTLY CLOSED.  
Other Precautions:NONE

=====

= Exposure Controls/Personal Protection =====

Respiratory Protection:NONE

Ventilation:LOCAL EXHAUST-PREFERRABLE; MECHANICAL-ACCEPTABLE.

Protective Gloves:PLASTIC OR RUBBER.

Eye Protection:SAFETY GLASSES

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:USE GOOD HYGIENE PRACTICES WHEN HANDLING THIS  
PRODUCT.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:634F,334C

Vapor Pres: