

TURCO-PUREX INDUSTRIAL CORP SUB OF PENNWALT CORP -- FLURO-CHEK,E41  
EMULSIFIER,PART B -- 6850-01-266-4550

===== Product Identification =====

Product ID:FLURO-CHEK,E41 EMULSIFIER,PART B

MSDS Date:01/08/1987

FSC:6850

NIIN:01-266-4550

Kit Part:Y

MSDS Number: BJJMK

=== Responsible Party ===

Company Name:TURCO-PUREX INDUSTRIAL CORP SUB OF PENNWALT CORP

Address:7300 BOLSA AVENUE

City:WESTMINISTER

State:

CA

ZIP:92684-3600

Country:US

Info Phone Num:714-890-3647

Emergency Phone Num:614-387-6200

CAGE:KO898

=== Contractor Identification ===

Company Name:TURCO PUREX INDUSTRIES SUB OF PENNWALT CORP

Address:7300 BOLSA AVENUE

Box:City:WESTMINISTER

State:CA

ZIP:92683-5211

Country:US

Phone:614-387-6200

CAGE:1JD46

Company Name:TURCO-PUREX INDUSTRIAL CORP SUB OF PENNWALT CORP

Address:7300 BOLSA AVENUE

Box:City:WESTMINISTER

State:CA

ZIP:92684-3600

Country:US

Phone:714-890-3600

CAGE:KO898

===== Comp

osition/Information on Ingredients =====

Ingred Name:NONYL PHENOL POLYETHYLENE GLYCOL  
CAS:26027-38-3  
RTECS #:MD0906000  
Fraction by Wt: 35%  
Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE: EYES:SEVERE IRRITATION/BURNS.  
SKIN:SEVERE IRRITATION. INHALATION:IRRITATION. INGESTION:SEVERE

IRRITATION. CHRONIC: NONE SPECIFIED BY MANUFACTURER.  
Effects of Overexposure:EYES: BURNING. SKIN:IRRITATION.  
INHALATION:IRRITATION. INGESTION:IRRITATION  
Medical Cond Aggravated by Exposure:PERSONS WITH A SKIN DISORDER SHOULD  
USE CAUTION WHEN HANDLING OR USING THIS PRODUCT. PREEXISTING  
LIVER/KIDNEY DYSFUNCTION.

===== First Aid Measures =====

First Aid:SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER.  
GET MEDICAL ATTENTION IF I  
RRITATION PERSISTS. INHALATION: REMOVE TO  
FRESH AIR & RESTORE BREATHING IF NECESSARY. GET MEDICAL ATTENTION.  
EYE : IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING  
EYELIDS OPEN. GET MEDICAL ATTENTION. INGESTION: GET IMMEDIATE  
MEDICAL ATTENTION. DO NOT INDUCE VOMITING. NOTHING BY MOUTH IF  
UNCONSCIOUS.

===== Fire Fighting Measures =====

Extinguishing Media:USE EXTINGUISHING MEDIA APPROPRIATE FOR SURROUNDING  
FIRE  
Fire Fighting Pro  
cedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA &  
FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER  
SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.  
Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE  
PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

===== Accidental Release Measures =====

Spill Release Procedures:MINOR: ABSORB MATERIAL WITH CLAY, VERMICULITE,  
OR SIMILAR ABSORBENT MATERIAL. PLACE IN DISPOSAL CONTAINERS.

ELIMINATE SOURCES OF IGNITION. WEAR APPROPRIATE PROTECTIVE CLOTHING.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN DRY PROTECTED AREA AWAY FROM FROM STRONG OXIDIZERS ACIDS, AND BASES.

Other Precautions:CLEAN CONTAMINATED EQUIPMENT BY SOLVENT FLUSHING AND COLLECT RINSES FOR DISPOSAL. BE CAREFUL TO AVOID SPLATTERING. STORE IN DRY PROTECTED AREA.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR. AIR-SUPPLIED OR FILTERING TYPE WITH ORGANIC VAPOR CARTRIDGES ARE RECOMMENDED. SCBA MAY BE NEEDED IN HIGH CONCENTRATION.

Ventilation:MAINTAIN SUFFICIENT MECHANICAL VENTILATION TO KEEP CONCENTRATION BELOW TLV.

Protective Gloves:NEOPRENE

Eye Protection:USE CHEMICAL SAFETY GOGGLES & FACESHIELD

Other Protective Equipment:EYE WASH STATION, SAFETY SHOWER, BOOTS AND APRONS

Work Hygienic Practices:DO NOT TAKE INTERNALLY. AVOID SKIN CONTACT.

WASH SKIN AFTER USING PRODUCT. DO NOT EAT, DRINK OR SMOKE IN WORK AREA.

Supplemental Safety and Health

KEY1:N1. DISCARD CONTAMINATED SHOES, LAUNDRY CLOTHING AT WORK SITE. PART B OF A TWO-PART KIT; PART A LISTED AS PART A UNDER THIS NSN.

=====  
===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:230F,110C

Vapor Pres:10

Vapor Density: