

DOW CORNING CORPORATION -- 3451 CHEM RESIST BEARING GREASE -- 9150-00-482-6884

=====  
Product Identification  
=====

Product ID:3451 CHEM RESIST BEARING GREASE

MSDS Date:04/24/1990

FSC:9150

NIIN:00-482-6884

MSDS Number: BJVZQ

=== Responsible Party ===

Company Name:DOW CORNING CORPORATION

Address:3901 SOUTH SAGINAW ROAD

City:MIDLAND

State:MI

ZIP:48686-5601

Country:US

Info Phone Num:517-496-6000

Emerge

ncy Phone Num:517-496-5900

Preparer's Name:JACK L. SHENEBERGER

CAGE:5D028

=== Contractor Identification ===

Company Name:DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997

Country:US

Phone:517-496-6000/517-496-6315

CAGE:5D028

Company Name:MCKEOWN ROBERT CO. INC.

Address:111 CHAMBERS BROOK RD.

Box:City:SOMERVILLE

State:NJ

ZIP:08876

Country:US

Phone:908-218-9000

CAGE:7B953

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ETHYLE

NE, TETRAFLUORO- POLYMER (POLYTETRAFLUOROETHYLENE),  
PTFE, TEFLON

CAS:116-14-3

RTECS #:KX4025000

Fraction by Wt: 38%

Ingred Name:FLUOROSILICONE OIL

CAS:63148-56-1

Other REC Limits:NONE RECOMMENDED

OSHA PEL:NOT ESTABLISHED.

ACGIH TLV:NOT ESTABLISHED.

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES: TEMPORARY DISCOMFORT. ING  
ESTION

OF LARGE AMOUNTS: DIGESTIVE DISCOMFORT.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:EYES: MILD REDNESS & DRYNESS SIMILAR TO  
WINDBURN.

Medical Cond Aggravated by Exposure:MAY ENHANCE ALLERGIC CONDITIONS.

=====  
===== First Aid Measures =====

First Aid:EYES: FLUSH W/WATER. SKIN: WIPE OFF & FLUSH W/WATER. OBTAIN  
MEDICAL ATTENTION IN ALL CASES.

=====  
===== Fire Fighting Measures =====

Flash Point Method

:CC

Flash Point:200F/93C

Extinguishing Media:WATER FOG, CO2, DRY CHEMICAL, FOAM

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS & FULL  
PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:HAZARDOUS FLUORINE GASES MAY FORM.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE PRODUCT & USE ABSORBENT MATERIAL TO  
TAKE CARE OF ANY OIL-LIKE RESIDUES.

=====  
===== Handling and Storage =====

Handling a

nd Storage Precautions:USE REASONABLE CARE & CAUTION. AVOID  
TEMPERATURES >300F. USE W/ADEQUATE VENTILATION. AVOID UNNECESSARY  
EXPOSURE & CONTACT W/SKIN.

===== Exposure Controls/Personal Protection =====

Ventilation:MECHANICAL (GENERAL): RECOMMENDED.

Eye Protection:SAFETY GLASSES

Work Hygienic Practices:WASHING AT MEALTIME & END OF SHIFT IS ADEQUATE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

NRC/State L

ic Num:NOT RELEVANT

Vapor Pres: