

LAROCHE CHEMICALS INC -- DICHLORODIFLUOROMETHANE, R-12, CFC-12, REFRIG

=====  
MSDS Safety Information  
=====

FSC: 6830  
NIIN: 00-935-9895  
MSDS Date: 09/01/1992  
MSDS Num: BKCGB  
Product ID: DICHLORODIFLUOROMETHANE, R-12, CFC-12, REFRIGERANT 12  
MFN: 01  
Responsible Party  
Cage: 0RAU5  
Name: LAROCHE CHEMICALS INC  
Address: AIRLINE HWY  
Box: 1031  
City: BATON ROUGE LA 70821  
Info Phone Number: 800-528-4963  
Emergency Phone Number: 800-528-4963/800-424-9300(CHEMTREC)  
Review Ind: Y  
Published: Y

=====  
Preparer Co. when other than Responsible Party Co.  
=====

Cage: 0RAU5  
Name: LAROCHE CHEMICALS INC  
Address: AIRLINE HWY  
Box: 1031  
City: BATON ROUGE LA 70821

=====  
Contractor Summary  
=====

Cage: MO428  
Name: KAISER CHEMICALS  
Address: UNKNOWN  
City: UNKNOWN NK 00000  
Phone: UNKNOWN  
Cage: 0RAU5  
Name: LAROCHE CHEMICALS INC  
Address: AIRLINE HWY  
Box: 1031  
City: BATON ROUGE LA 70821  
Phone: 504-356-8467

=====  
Item Description Information  
=====

Item Manager: S9G  
Item Name: DICHLORODIFLUOROMETHANE, TECHNICAL  
Specification Number: BB-F-1412  
Type/

Grade/Class: TYPE 12  
Unit of Issue: CY  
Quantitative Expression: 00000000030LB  
UI Container Qty: 1  
Type of Container: CYLINDER

=====  
Ingredients  
=====

Cas: 75-71-8  
RTECS #: PA8200000  
Name: DICHLORODIFLUOROMETHANE (SARA 313) (CERCLA)  
% Wt: &gt;99.9  
Other REC Limits: NONE RECOMMENDED  
OSHA PEL: 1000 PPM  
ACGIH TLV: 1000 PPM; 9495  
EPA Rpt Qty: 5000 LBS  
DOT Rpt Qty: 5000 LBS  
Ozone Depleting Chemical: 1

=====  
Health Hazards Data  
=====

LD50 LC50 Mixture: UNKNOWN  
Route Of Entry Inds - Inhalation: YES  
Skin: YES  
Ingestion: YES  
Carcinogenicity Inds - NTP: NO  
IARC: NO  
OSHA: NO  
Effects of Exposure: MAY CAUSE FROSTBITE IF EXPO TO SPRAY. MAY CAUSE UNCONSC OR PARALYSIS IF EXPO TO HIGH CONCEN. NOT READILY ABSORBED THRU SKIN/MUC MEMBRANE OR TISSUE OF EYE. INHAL:NARCOSIS IN CONCEN &gt;1000PPM. MAY CAUSE ASPHYXIATION IN HIGH CONCEN. INGEST:NOTLIKELY DUE TO LOW TOXICITY & EXISTENCE AS GAS. IRRIT LUNGS @HIGH CONCEN.  
Explanation Of Carcinogenicity: PER MSDS:CARCINOGENICITY:NTP/IARC/OSHA:NO.  
Signs And Symptoms Of Overexposure: FROSTBITE. NARCOSIS, ASPHYXIATION. LUNGS IRRITATION.  
Medical Cond Aggravated By Exposure: PERSONS WITH CARDIAC ARRHYTHMIA MAY BE AT INCREASED RISK IN SEVERE EXPOSURES.  
First Aid: EYE:FLUSH W/WATER FOR 15MINS. GET MED ATTN IF IRRIT PERSISTS.  
SKIN:FLUSH W/WATER.

GET MED ATTN IF REDDENING OF SKIN DEVELOPS. INHAL:REMOVE  
FRM CONTAMIN AREA. APPLY OXY IF BREATHING IS DIFFICULT. GIVE ART RESP IF  
BREATH HAS STOPPED. GET MEDATTN. INGEST:COMPOUND NOT NORMALLY CONSIDERED HAZ  
BY INGEST. GET MED ATTN AS NECESSARY.

=====  
Handling and Disposal  
=====

Spill Release Procedures: STOP DISCHARGE IF POSSIBLE.KEEP PEOPLE AWAY.SPILL  
INTO AIR/WATER/LAND NOTIFY NATL RESP  
CNTR 800-424-8802 IF SPILL EXCEEDS THE  
ESTABLISHED REPORTABLE QUANT VALUE FOR SUBSTANCE(5000LBS).TRANSPORTATION E  
MERCENCY CALL 800-424-9300(CHEMTREC)R

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: R-12 AS COMMERCIALY PRODUCED IS LISTED HAZ  
WASTE(U075).DISPOSAL OF PROD MUST BE IAW APPROPRIATE LOC/STATE/FED ENVIRON  
LAWS/REGS.COLLECT WASTE FOR POSSIBLE RECYLCE/RECLAMATION;IF NOT SEND TO  
APPROVED EPA INCINERATOR.(SEE OTHER PRECAUTIONS).

Handling And Stora

ge Precautions: STORE IN WELL VENTILATED DRY AREA (BELOW  
125F). CONTACT WITH FLAMES OR HIGH TEMPERATURES SHOULD BE AVOIDED. DO NOT  
VENT TO ATMOSPHERE.

Other Precautions: MAY DECOMPOSE TO HALOGEN ACID &/OR PHOSGENE @TEMP  
>600C.CHEM ADDNS/PROCESSING/OTHERWISE ALTERING MATL MAY MAKE WASTE  
MANAGEMENT INFO IN MSDS INCOMPLETE,INACCURATE,OTHERWISE INAPPROPRIATE.SEC 313  
TOX C HEM:YES;SEC 311/312:IMMED HEAL/PRESS HAZ

=====  
Fire and Explos

ion Hazard Information  
=====

Flash Point Text: NONE

Lower Limits: NONE

Upper Limits: NONE

Extinguishing Media: AS APPROPRIATE FOR COMBUSTIBLES IN AREA.

Fire Fighting Procedures: SELF-CONTAINED BREATHING APPARATUS IS RECOMMENEDED IF  
CONTAINERS RUPTURE &; CONTENTS ARE SPILLED UNDER FIRE CONDITIONS.

Unusual Fire/Explosion Hazard: MAY DECOMPOSE TO FORM HALOGEN ACID &/OR  
PHOSGENE AT TEMPERATURES ABOVE 600C.

=====  
Control Measures  
=====

Respiratory Protection: ATM LEVELS SHOULD BE MAINTAINED BELOW EXPO  
GUIDELINE.WHERE EXPO GUIDELINE MAY BE GREATLY EXCEEDED USE APPROVED  
+PRESSURE

SCBA. IN CONFINED OR POORLY VENTILATED AREAS USE APPROVED POSITIVE SCBA.

Ventilation: CNTRL AIRBRONE CONCE BELOW EXPO GUIDELINES.USE ONLY W/ADEQUATE  
VENTI.LOCAL EXHA VENTI MAY BE NECESSARY FOR SOME OPERATIO

Protective Gloves: BUTYL RUBBER GLOVES FOR P

RO/REP CONTACT

Eye Protection: SAFETY GLASSES W/SIDESHIELDS OR MONOGOGG

Other Protective Equipment: BRIEF CONTACT NO PRECAUTIONS OTHER THAN CLEAN BODY-COVERING CLOTHING.

Work Hygienic Practices: WASH HANDS AFTER HANDLING.

Physical/Chemical Properties

HCC: G3

B.P. Text: -22F,-30C

Vapor Pres: 4389 @70F

Vapor Density: 4.2

Spec Gravity: 1.29

Evaporation Rate & Reference: >1, CCL(4)=

1

Solubility in Water: 0.028% NEGLIGIBLE

Appearance and Odor: COLORLESSLIQUIDIED COMPRESSED GAS, FAINT ETHEREAL ODOR.

Percent Volatiles by Volume: 100

Reactivity Data

Stability Indicator: YES

Stability Condition To Avoid: TEMPERATURES ABOVE 600C. AVOID OPEN FLAMES & HIGH TEMPERATURES.

Materials To Avoid: NO KNOWN REACTION W/COMMON MATERIALS.

Hazardous Decomposition Products: MAY DEC

OMPOSES TO HALOGEN ACIDS OR PHOSGENE

@TEMPS ABOVE 600C.

Hazardous Polymerization Indicator: NO

Toxicological Information

Ecological Information

MSDS Transport Information

Regulatory Information

Other Information

Transportation Information

Responsible Party Cage: 0RAU5

Trans ID NO: 93745

Product ID: DICHLORODIFLUOROMETH

ANE, R-12, CFC-12, REFRIGERANT 12

MSDS Prepared Date: 09/01/1992

Review Date: 08/21/1995

MFN: 1

Net Unit Weight: 30 LBS

Multiple KIT Number: 0

Review IND: Y

Unit Of Issue: CY

Container QTY: 1

Type Of Container: CYLINDER

Additional Data: PER MSDS:TRANSP INFO BULK & PGK CNTNRS OF R-12:PROPER SHIPPING NAME:DICHLORODIFLUOROMETHANE, 2.2, UN 1028.

=====  
Detail DOT Information  
=====

DOT PSN Code:

ETJ

DOT Proper Shipping Name: DICHLORODIFLUOROMETHANE OR REFRIGERANT GAS R 12

Hazard Class: 2.2

UN ID Num: UN1028

Label: NONFLAMMABLE GAS

Non Bulk Pack: 304

Bulk Pack: 314,315

Max Qty Pass: 75 KG

Max Qty Cargo: 150 KG

Vessel Stow Req: A

=====  
Detail IMO Information  
=====

IMO PSN Code: FKB

IMO Proper Shipping Name: DICHLORODIFLUOROMETHANE

IMDG Page Number: 2129

UN Number: 1028

UN Hazard Class: 2(2

.2)

IMO Packaging Group: -

Subsidiary Risk Label: -

EMS Number: 2-09

MED First Aid Guide NUM: 350

=====  
Detail IATA Information  
=====

IATA PSN Code: IWJ

IATA UN ID Num: 1028

IATA Proper Shipping Name: DICHLORODIFLUOROMETHANE

IATA PSN Modifier: (R12)

IATA UN Class: 2.2

IATA Label: NON-FLAMMABLE GAS

Packing Note Passenger: 200

Max Quant Pass: 75KG

Max Quant Cargo: 150KG

Packaging Note Cargo: 200

==

=====  
Detail AFI Information  
=====

AFI PSN Code: IWJ  
AFI Proper Shipping Name: DICHLORODIFLUOROMETHANE  
AFI Hazard Class: 2.2  
AFI UN ID NUM: UN1028  
Special Provisions: P5  
Back Pack Reference: A6.3, A6.5  
=====

HAZCOM Label  
=====

Product ID: DICHLORODIFLUOROMETHANE, R-12, CFC-12, REFRIGERANT 12

Cage: 0

RAU5

Company Name: LAROCHE CHEMICALS INC

Street: AIRLINE HWY

PO Box: 1031

City: BATON ROUGE LA

Zipcode: 70821

Health Emergency Phone: 800-528-4963/800-424-9300(CHEMTREC)

Label Required IND: Y

Date Of Label Review: 08/21/1995

Status Code: C

MFG Label NO: UNKNOWN

Label Date: 08/21/1995

Origination Code: F

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: CAUTION

Respiratory Protection IND: YES

Health Hazard: Slight

Contact Hazard: Slight

Fire Hazard: None

Reactivity Hazard: None

Hazard

And Precautions: MAY CAUSE FROSTBITE IF EXPO TO SPRAY.MAY CAUSE UNCONSC  
OR PARALYSIS IF EXPO TO HIGH CONCEN.NOT READILY ABSORBED THRU SKIN/MUC  
MEMBRANE OR TISSUE OF EYE.INHAL:NARCOSIS IN CONCEN >1000PPM.MAY CAUSE ASPH  
YXIATION IN HIGH CONCEN.INGEST:NOT LIKELY DUE TO LOW TOXICITY & EXISTENCE  
AS GAS.IRRIT LUNGS @HIGH CONCEN. FIRST AID: EYE:FLUSH W/WATER FOR 15MINS. GET  
MED ATTN IF IRRIT PERSISTS. SKIN:FLUSH W/WATER. GET MED ATTN IF REDDENING OF  
SKIN DEVELOPS. INHAL:REMOVE FRM

CONTAMIN AREA. APPLY OXY IF BREATHING IS  
DIFFICULT. GIVE ART RESP IF BREATH HAS STOPPED. GET MED ATTN. INGEST:COMPOUND  
NOT NORMALLY CONSIDER RED HAZ BY INGEST. GET MED ATTN AS NECESSARY.

=====  
Disclaimer (provided with this information by the compiling agencies): This  
information is formulated for use by elements of the Department of Defense.  
The United States of America in no manner whatsoever expressly or implied  
warrants, states, or i  
ntends said information to have any application, use or  
viability by or to any person or persons outside the Department of Defense  
nor any person or persons contracting with any instrumentality of the United  
States of America and disclaims all liability for such use. Any person  
utilizing this instruction who is not a military or civilian employee of the  
United States of America should seek competent professional advice to verify  
and assume responsibility for the suitability of this i  
nformation to their  
particular situation regardless of similarity to a corresponding Department  
of Defense or other government situation.