

FLYING J INC -- #1 DIESEL FUEL -- 9140-00-286-5286

=====  
Product Identification  
=====

Product ID:#1 DIESEL FUEL

MSDS Date:05/15/1990

FSC:9140

NIIN:00-286-5286

MSDS Number: BKPHC

=== Responsible Party ===

Company Name:FLYING J INC

Address:48 W 990 S

Box:678

City:BRIGHAM CITY

State:UT

ZIP:84302-3121

Country:US

Info Phone Num:801-298-7733

Emergency Phone Num:801-298-7532, 801-298-7508

CAGE:3R475

===

Contractor Identification ===

Company Name:FLYING J INC

Address:48 W 990 S

Box:678

City:BRIGHAM CITY

State:UT

ZIP:84302-3121

Country:US

Phone:801-298-7733

CAGE:3R475

=====  
Composition/Information on Ingredients  
=====

Ingred Name:KEROSENE

CAS:8008-20-6

RTECS #:OA5500000

Other REC Limits:NONE SPECIFIED

OSHA PEL:100 PPM

ACGIH TLV:100 PPM 9091

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:ORAL LD50 > 10 G/KG (RATS)

Routes of Entry: Inhal

ation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES: NO SIGNIFICANT HAZARD. SKIN:  
REPEATED OR PROLONGED CONTACT CAN CAUSE SKIN IRRITATION.

INHALATION: NO EFFECTS EXPECTED UNDER NORMAL CONDITIONS OF USE.

INGESTION: HARMFULL OR FATAL IF ASPIRATED INTO LUNGS.

Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
First Aid Measu  
res =====

First Aid:EYES: FLUSH EYE WITH PLENTY OF WATER. GET MEDICAL ATTENTION  
IF IRRITATION PERSISTS. SKIN: WASH EXPOSED SKIN WITH SOAP AND  
WATER. REMOVE CONTAMINATED CLOTHING AND THOROUGHLY WASH BEFORE  
REUSE. INHALATION: REMOVE TO UNCONTAMINATED AREA. GIVE  
ARTIFICIAL RESPIRATION IF NOT BREATHING. GET MEDICAL ATTENTION.  
INGESTION: DO NOT INDUCE VOMITING. GET IMMEDIATE MEDICAL ATTENTION.

=====  
Fire Fighting Measures =====  
=====

Flash Point:100F,38C

Extinguishing Media:DRY CHEMICAL, FOAM, CARBON DIOXIDE, OR WATER FOG.

Fire Fighting Procedures:FOR FIRES INVOLVING THIS MATERIAL, DO NOT  
ENTER ANY ENCLOSED FIRE SPACE WITHOUT PROPER PROTECTIVE EQUIPMENT,  
INCLUDING SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:NONE

=====  
Accidental Release Measures =====

Spill Release Procedures:REMOVE OR SHUT OFF ALL SOURCES OF IGNITION.  
PREVENT SPREADING BY DIKING, DITCHIN  
G, OR ABSORBING ON INERT  
MATERIAL. INCREASE VENTILATION, IF POSSIBLE. KEEP OUT OF SEWERS  
AND WATERWAYS.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
Handling and Storage =====

Handling and Storage Precautions:STORE IN COMBUSTIBLE LIQUID STORAGE  
AREA. STORE AWAY FROM HEAT, IGNITION SOURCES, AND OPEN FLAME.

Other Precautions:NONE

=====  
Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SPECIFIED

BY MANUFACTURER.

Ventilation:GENERAL MECHANICAL VENTILATION.

Protective Gloves:NONE SPECIFIED BY MANUFACTURER.

Eye Protection:NONE SPECIFIED BY MANUFACTURER.

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:WASH HANDS AFTER USING THIS PRODUCT.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:=143.3C, 290.F

Spec Gravity:0.78 - 0.80

Solubility in Water:NEGLIGIBLE

Appearance and Odor:CLEAR

LIQUID

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS.

Stability Condition to Avoid:EXCESSIVE HEAT, SPARKS, OR FLAMES.

Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE, AND  
OTHER HAZARDOUS DECOMPOSITION PRODUCTS.

===== Disposal Considerations =====

Waste Disposal Methods:WASTE DISPOSAL MUST BE IN ACCORDANCE WITH  
APPLICABLE FEDERAL, STATE, OR LOCAL REGULATIO  
NS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular si

tuation.