View NSN Online: https://aerobasegroup.com/nsn/9150-00-823-7905

OCTAGON PROCESS INC. FOR SHELL OIL CO. -- COMPROIL IV LUBRICATING OIL, REFRIGERANT CO -- 9150-00-823-7905

Product ID:COMPROIL IV LUBRICATING OIL, REFRIGERANT CO

MSDS Date:09/15/1991

FSC:9150

NIIN:00-823-7905

MSDS Number: BKSSZ === Responsible Party ===

Company Name: OCTAGON PROCESS INC. FOR SHELL OIL CO.

Address:596 RIVER ROAD

City:EDGEWATER

State:NJ ZIP:07020-11

05

Country:US

Info Phone Num:201-945-9400

Emergency Phone Num:201-945-9400, CHEMTREC 800-424-9300

Preparer's Name: J.J. BURGARD

CAGE:82925

=== Contractor Identification ===

Company Name: OCTAGON PROCESS INC.

Address:596 RIVER ROAD Box:City:EDGEWATER

State:NJ ZIP:07020 Country:US

Phone:201-945-9400

CAGE:82925

======= Composition/Information on Ingredients ========

Ingred Name:PETROLEUM DISTILLATES

CAS:64742-52-5

Fraction by Wt: 100% %

Other REC Limits:5 MG/M3 OIL MIST

OSHA PEL:5 MG/M

3 OIL MIST ACGIH TLV:5 MG/M3 OIL MIST

========= Hazards Identification =============== LD50 LC50 Mixture:LD50 (ORAL RAT) IS > 5 G /KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: ACUTE: EYE/SKIN: MAY CAUSE IRRITATION. INHALATION OF MIST OR VAPORS MAY CAUSE IRRITATION TO MUCUS MEMBRANE. INGESTION: NAUSEA, VOMITING. CHRONIC: DERMATITIS, COUGH AND IRRITATION TO MUCUS M EMBRANE. Explanation of Carcinogenicity: PRODUCT CONTAINS NO INGREDIENTS CURRENTLY CLASSIFIED AS CARCINOGENIC BY NTP, IARC OR OSHA PER MANUFACTURER. Effects of Overexposure: INHALATION OF FUMES AND/OR MIST MAY CAUSE IRRITATION OF SKIN. INGESTION: NAUSEA, DIZZINESS AND VOMITING. Medical Cond Aggravated by Exposure: SKIN DISEASE, AND PULMONARY ILLNESSES. First Aid:INHALATION: REMOVE TO FRESH AIR. GIVE OXYGEN IF BRE ATHING IS DIFFICULT, GET MEDICAL ATTENTION, EYE: FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN: WASH WITH D ETERGENT AND HOT WATER. REMOVE CONTAMINATED CLOTHING. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION, INGESTION: DO NOT INDUCE VOMITING, GET MEDICAL ADVICE IMMEDIATELY. Flash Point Method:COC

Flash Point:355F,179C

Extinguishing Media: USE WATER FOG, CARBON DIOX

IDE, FOAM, OR DRY


CHEMICAL. DO NOT USE A DIRECT STREAM OF WATER.

Fire Fighting Procedures: USE NIOSH APPROVED SCBA WITH ORGANIC VAPOR FILTER & FULL PROTECTIVE EQUIPMENT. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard: HAZARDOUS DECOMPOSITION PRODUCTS MAY BE FORMED DURING COMBUSTION.

======== Accidental Release Measures ============

Spill Release Procedures: CONTAIN AND DIKE WITH INERT MATERIAL (FULLERS EARTH, SAND, OI



## **ORGANIC COMPOUNDS**

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE OF IN AN APPROPRIATE DISPOSAL FACILITY IN COMPLIANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.