View NSN Online: https://aerobasegroup.tw/nsn/9150-01-086-4163

Product ID:ALVANIA GREASE 2, 71012

MSDS Date:12/15/1989

FSC:9150

NIIN:01-086-4163

MSDS Number: BLDCB === Responsible Party ===

Company Name: SHELL OIL COMPANY

Box:4320

City:HOUSTON

State:TX ZIP:77210

Info Phone Num:713-241-4819

Emergency Phone Num:713-473-9461 800-424-9300(CHEMTREC)

CAGE:54527

=== Co

ntractor Identification ===

Company Name: SHELL OIL COMPANY

Box:2463

City:HOUSTON

State:TX ZIP:77210 Country:US

Phone:800-231-6950

CAGE:54527

======= Composition/Information on Ingredients ========

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATES, ACID-TREATED HEAVY NAPHTHENIC; (DISTILLATES, ACID-TREATED HEAVY NAPHTHENIC)

CAS:64742-18-3 RTECS #:PY8032000 Fraction by Wt: 72%

OSHA PEL:300 PPM;500 PPM STEL ACGIH TLV:300 PPM;500 PPM STEL

Ingred Name: MINERAL OIL, PETROLEUM DISTILLATES

, HYDROTREATED HEAVY

PARAFFINIC; (DISTILLATES, HYDROTREATED HEAVY PARAFFINIC)

CAS:64742-54-7 RTECS #:PY8035500 Fraction by Wt: 15%

OSHA PEL:300 PPM;500 PPM STEL ACGIH TLV:300 PPM;500 PPM STEL

Ingred Name:LITHIUM 12 HYDROXYSTEARATE

CAS:7620-77-1 Fraction by Wt: 10%

Ingred Name: OTHER COMPONENTS

Fraction by Wt: 3%

Ingred Name:SUPP DATA:EXPTL ANIMALS. HOWEVER, HNDLG PROC & SFTY PREC IN MSDS SHOULD BE FOLLOWED TO MINIMIZE EMPLOYEES'S EXPOS.

RTECS #:9999999ZZ

Ingred Name:FIRST AID PROC:REM
OVE VICTIM TO FRESH AIR & PROVIDE O*2.IF
BRTHG IS DFCLT, GET MED ATTN. INGEST:DO NOT INDUCE(SEE ING 7)
RTECS #:9999999ZZ

Ingred Name:INGRED 6:VOMIT. IN GEN, NO TREATMENT IS NEC UNLESS LRG QTYS OF PROD ARE INGEST. HOWEVERE, GET MED ADVICE. (SEE ING 8) RTECS #:9999999ZZ

Ingred Name:NOTE TO PHYS: IN GEN, EMESIS INDUCTION IS UNNECESSARY IN HIGH VISCOSITY, LOW VOLATILITY PROD. I.E.. MOST OILS & GREASES. RTECS #:9999999ZZ

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO


Health Hazards Acute and Chronic: EYE: MAY BE MILDLY IRRIT TO EYES.

SKIN: PRLNGD/RPTD CONTACT MAY CAUSE VARIOUS SKIN DISORDERS SUCH AS DERM, FOLLICULITIS/OIL ACNE. RELS DURING HIGH PRESS USAGE MAY RSLT IN INJECTION OF OIL INTO SKIN CA USING LOCAL NECROSIS. INHAL:NOT

EXPECTED TO BE RELEVANT ROUTE OF EXPOS. HOWEVER, UNDER

HIGH TEMP (SEE EFTS OF OVEREXP) Explanation of Carcinogenicity: MINERAL OIL, CAS # 64742-18-3, AND 64742-54-7 ARE LISTED BY RTECS AS IARC GROUP 1. Effects of Overexposure: HLTH HAZ: CONDITIONS, VAPS IRRIT TO NOSE, THROAT & UPPER RESP TRACT MAY BE PRODUCED. INGEST:NO SPECIFIC INFORMATION INDENTIFIED. SIGNS AND SYMPTOMS: IRRIT AS NOTED ABOVE. LOCAL NECROSIS IS EVIDENCED BY DELAYED ONSET OF PAIN & TISSUE DAMAGE A FEW HOURS FOLLOWING INJECTION. OTHER HLTH EFTS: THIS **SPECIFIC** (SEE SUPP DATA) Medical Cond Aggravated by Exposure: PREEXISTING SKIN DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT. First Aid:EYE: FLUSH W/H*20 FOR AT LEAST 15 MIN WHILE HOLDING EYELIDS OPEN. GET MD ATTN. SKIN: REMOVE CONTAM CLTHG & WIPE EXCESS OFF. WASH W/SOAP & H*20/WATERLESS HAND CLEANER FOLLOWED BY SOAP & H*20. DO NOT RE USE CLTHG UNTIL THORO CLEANED. IF IRRITPERSISTS, GET MED ATTN. IF MATL IS INJECTED UNDER SKIN, GET MED ATTN PROMPTLY TO PVNT SERIOUS DAMAGE; DO NOT WAIT FOR SYMP TO DEVELOP. INHAL: (SEE INGRED 6) Flash Point Method:PMCC Flash Point:415F,213C Extinguishing Media: USE H*2O FOG, DRY CHEM/CO*2. DO NOT USE IN DIRECT STREAM OF H*20. PROD WILL FLOAT & CAN BE REIGNITED ON SURF OF H*20. Fire Fighting Procedures: DO NOT ENTER CONFINED FIRE SPACE W/OUT PROPER PROT EQUIP INCLUDING A NIOSH/MSHA APPRVD SCBA. COOL FIRE EXPOSED CNTNRS SURROUNDING EQUIP & STRUCTURES W/H*2O. Unusual Fire/Explosion Hazard: NONE SPECIFIED BY MANUFACTURER. ========= Accidental Release Measures ============== Spill Release Procedures: SCOOP UP EXCESS GREASE. CLEAN AREA WITH APPROPRIATE CLEANER. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER. ============= Handling and Storage =================

Handling and Storage Precautions: STORE IN COOL, DRY PLACE WITH ADEQUATE



entilation:NOT ORDINARILY REQUIRED.

Protective Gloves:OIL RESISTANT GLOVES.

Eye Protection: CHEMICAL WORKERS GOGGLES.

Other Protective Equipment:PROTECTIVE CLOTHING AS NEEDED TO MINIMIZE SKIN CONTACT.

Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

HAZ DECOMP PROD:PARTICULATES & GASES WILL EVOLVE WHEN MATL UNDERGOES PYROLYSIS/COMBUST. CO & UNIDENTIFIED ORG COMPOUNDS MAY BE FORMED UPON COMBUST. EFTS OF OVEREXP:PROD HAS NOT BEEN TESTED IN LONG-TER

M, CHRONIC EXPOS TESTS. LUBRICATING GREASES ARE GEN CONSIDERED TO BE OF LOW ORDER TOXICITY TO HUMANS & (SEE INGRED 5)

| ====================================== |
|---|
| Solubility in Water:INSOLUBLE Appearance and Odor:AMBER, SMOOTH, SLIGHT ODOR. |
| ======== Stability and Reactivity Data ========= |

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS.
Stability Condition to Avoid:AVOID HEAT, OPEN FLAME
Hazardous Decomposition Products:T
HERMAL DECOMP PROD ARE HIGHLY
DEPENDENT ON COMBUST CONDITIONS. COMPLEX MIX OF AIRBORNE SOLID, LIQ
(SEE SUPP DATA)

======== Disposal Considerations =============

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.