

ELDORADO CHEMICAL COMPANY, INC. -- ES-10 SOLVENT -- 6850-01-016-3482

=====
Product Identification
=====

Product ID:ES-10 SOLVENT

MSDS Date:05/31/1989

FSC:6850

NIIN:01-016-3482

MSDS Number: BLJLS

=== Responsible Party ===

Company Name:ELDORADO CHEMICAL COMPANY, INC.

Address:14350 LOOKOUT ROAD

Box:34837

City:SAN ANTONIO

State:TX

ZIP:78265

Country:US

Info Phone Num:512-653-9323

Emergency Phone Num:8

00-531-1088

Preparer's Name:PAT E. SMITH

CAGE:55208

=== Contractor Identification ===

Company Name:ELDORADO CHEMICAL COMPANY, INC.

Address:14350 LOOKOUT ROAD

Box:34837

City:SAN ANTONIO

State:TX

ZIP:78265-4837

Country:US

Phone:800-531-1088/ 210-653-2060

CAGE:55208

=====
Composition/Information on Ingredients
=====

Ingred Name:ETHYL ACETATE (SARA III)

CAS:141-78-6

RTECS #:AH5425000

Fraction by Wt: 20%

Other REC Limits:NONE SPECIFIED

OSHA PEL:400 PPM

ACGIH TLV:400 PPM; 9192

EPA

Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)
CAS:78-93-3
RTECS #:EL6475000
Fraction by Wt: 20%
Other REC Limits:NONE SPECIFIED
OSHA PEL:200 PPM/300 STEL
ACGIH TLV:200 PPM/300STEL 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:ISOPROPYL ALCOHOL (SARA III)
CAS:67-63-0
RTECS #:NT8050000
Fraction by Wt: 10%
Other REC Limits:NONE SPECIFIED
OSHA PEL:400 PPM/500 STEL
ACGIH TLV:400 PPM/500STEL;9192

Ingred Name:XYLENES (O-,M-,P- ISO
MERS) (SARA III)
CAS:1330-20-7
RTECS #:ZE2100000
Fraction by Wt: 50%
Other REC Limits:NONE SPECIFIED
OSHA PEL:100 PPM/150 STEL
ACGIH TLV:100 PPM/150STEL;9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: SKIN-IRRITATING. MAY CAUSE
SYSTEMIC DAMAGE. EYES-MODERATELY IRRITATING. C
CHRONIC:
INHALATION-MAY CAUSE LIVER AND KIDNEY DAMAGE. SKIN-MAY CAUSE
SYSTEMIC DAMAGE. EYES-NO CHRONIC EFFECT EXPECTED.
Effects of Overexposure:DIZZINESS, NAUSEA, ASPHYXIATION UPON
INHALATION.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYES- FLUSH WITH WATER FOR 15 MIN. SKIN- WASH WITH SOAP AND
WATER. INHALATION- REMOVE TO FRESH AIR, GIVE OXYGEN.

===== F

Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:24.0F,-4.4C

Autoignition Temp:Autoignition Temp Text:>700F

Lower Limits:2

Upper Limits:15

Extinguishing Media:CARBON DIOXIDE OR FOAM.

Fire Fighting Procedures:SCBA REQUIRED.

Unusual Fire/Explosion Hazard:EXPLOSIVE VAPORS MAY BE FORMED.

===== Accidental Release Measures =====

Spill Release Procedures:ALLOW TO EVAPORATE IF A SMALL AMOUNT IS SPILLED. IF A LARGE AMOUNT IS SPILLED, SOAK UP WITH AN ABSORBENT MATERIAL.

Neutralizing Agent:NONE

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL AREA. KEEP LID CLOSED WHEN NOT IN USE.

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:SCBA REQUIRED IF LIMITS EXCEEDED.

Ventilation:200 FT/MIN FOR A SPILL AND 100 FT/MIN FOR NORMAL USE.

Protective Gloves:POLYETHYLENE

Eye Protection:FACE SHIELD

Other

Protective Equipment:RUBBER APRON AND BOOTS.

Work Hygienic Practices:AVOID SKIN CONTACT. SCBA REQUIRED IN CONFINED SPACES.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC:F2

Boiling Pt:B.P. Text:>170F,>77C

Melt/Freeze Pt:M.P/F.P Text: