

CLAIRE MANUFACTURING CO -- WASP AND HORNET KILLER -- 6840-00-459-2443

=====
Product Identification
=====

Product ID:WASP AND HORNET KILLER

MSDS Date:03/27/1991

FSC:6840

NIIN:00-459-2443

MSDS Number: BLPFN

=== Responsible Party ===

Company Name:CLAIRE MANUFACTURING CO

Address:500 VISTA AVE

City:ADDISON

State:IL

ZIP:60101

Country:US

Info Phone Num:708-543-7600

Emergency Phone Num:800-228-5635

Prepa

er's Name:PHILLIP T MILLER

CAGE:FO815

=== Contractor Identification ===

Company Name:CLAIR MFG CO

Address:500 VISTA

Box:City:ADDISON

State:IL

ZIP:60101

Country:US

Phone:630-543-7600

CAGE:31834

Company Name:CLAIRE MANUFACTURING COMPANY

Address:500 VISTA AVENUE

City:ADDISON

State:IL

ZIP:60101

Phone:(708) 543-7600

CAGE:FO815

=====
Composition/Information on Ingredients
=====

Ingred Name:PARAFFIN-NAPHTAENES; (MEDIUM ALIPHATIC NAPHTHA)

CAS:64742-88-7

Fraction by Wt: 80-90%

ACGIH

TLV:100 PPM (MFR)

Ingred Name: MALATHION (SARA III)

CAS: 121-75-5

RTECS #: WM8400000

Fraction by Wt: 54C-130F)

CNTNRS EXPOSED TO DIRECT FLAME OR HEAT CONTACT SHOULD BE COOLED WITH WATER TO PREVENT WEAKENING OF CONTAINER STRUCTURE.

===== Accidental Release Measures =====

Spill Release Procedures: REMOVE ALL SOURCES OF IGNITION AND VENTILATE AREA. SOAK UP SPILL WITH AN INERT ABSORBENT & PLACE INTO A DESIGNATED DISPOSAL CONTAINER. CONSULT LOCAL REGULATORY AGENCY FOR PROPER DISPOSITION OF MATERIAL.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions: KEEP AWAY FROM HEAT & FLAME. DO NOT PUNCTURE/INCINERATE CNTNRS. DO NOT EXPOSE TO DIRECT SUNLIGHT/STORE AT TEMPS >130F(54C). STORE AT LEVEL (SUPP DATA)

Other Precautions: AVOID BRTHG VAP. USE W/ADEQ VENT. PLEASE READ AND FOLLOW DIRECTIONS ON PRODUCT LABEL; THEY ARE YOUR BEST GUIDE TO

USING THIS PRODUCT IN THE MOST EFFECTIVE WAY, AND GIVE THE NECESSARY SAFETY PRECAUTIONS TO PROTECT YOUR HEALTH.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: NONE REQUIRED IF GOOD VENTILATION IS MAINTAINED. IF EXPOSURE MAY EXCEED OCCUPATIONAL EXPOSURE LIMITS, USE NIOSH/MSHA APPROVED RESPIRATOR TO PREVENT OVEREXPOSURE.

Ventilation: LOCAL EXHAUST IS ADEQUATE UNDER NORMAL CONDITIONS, MECHANICAL VENTILATION IS OPTIONAL.

Protective Glov

es: CHEMICAL RESISTANT GLOVES.

Eye Protection: CHEMICAL WORKERS GOGGLES .

Other Protective Equipment: WEAR IMPERVIOUS CLOTHING TO PREVENT SKIN CONTACT.

Work Hygienic Practices: ENSURE STRICT SANITARY CONDITIONS ARE CONFORMED TO WHEN WORKING AROUND CHEMS. PROT CLTHG & EQUIP SHOULD BE (SUPP DATA)

Supplemental Safety and Health

FIRE FIGHT PROC: TO PROTECT PERS FROM BURSTING/ RUPTURING/VENTING CNTNRS. CNDTNS (STAB): DROPPING OF CNTNRS MAY CAUSE BURSTING. FIRST AID PROC: >2 ML/KG HAS BEEN

INGESTED & VOMIT HAS NOT OCCURRED,
EMESIS SHOULD BE INDUCED W/SUPERVISION.HNDLG/STOR PREC:AEROSOL
(NFPA 30B). HYGIENE PRACT: I/A/W 29 CFR 1910.132 AND CFR 1910.133.

===== Physical/Chemical Properties =====

HCC:V3

Vapor Pres:SEE ING 4

Vapor Density:>1

Spec Gravity: