

UNION CARBIDE CORP INDUSTRIAL CHEMICALS DIV -- UCON FLUOROCARBON 12 --  
6830-00-182-6315

===== Product Identification =====

Product ID:UCON FLUOROCARBON 12

MSDS Date:11/01/1988

FSC:6830

NIIN:00-182-6315

MSDS Number: BMDMZ

=== Responsible Party ===

Company Name:UNION CARBIDE CORP INDUSTRIAL CHEMICALS DIV

Address:39 OLD RIDGEBURY ROAD

City:DANBURY

State:CT

ZIP:06817-0001

Country:US

Info Phone Num:800

-822-4357

Emergency Phone Num:800-822-4357

CAGE:61637

=== Contractor Identification ===

Company Name:UNION CARBIDE CORP

Address:39 OLD RIDGEBURY ROAD

Box:City:DANBURY

State:CT

ZIP:06817-0001

Country:US

Phone:800-822-4357/732-563-5522 (MSDS)

CAGE:61637

===== Composition/Information on Ingredients =====

Ingred Name:DICHLORODIFLUOROMETHANE (SARA III)

CAS:75-71-8

RTECS #:PA8200000

Fraction by Wt: 100%

Other REC Limits:NONE SPECIFIED

OSHA PEL:1000 PPM

ACGIH TLV:1000 PPM; 9192

EPA

Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS  
Ozone Depleting Chemical:1

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE: INHALATION- ASPHYXIATION, CNS  
EFFECTS. EYES- LIQUID MAY CAUSE SEVERE CORNEAL INJURY. SKIN- LIQUID  
MAY CAUSE FROSTBITE. INGESTION- UNLIKELY AVENUE. FROSTBITE OF LIPS  
AND MOUTH. CHRONIC: UNKNOWN.

Explanat

ion of Carcinogenicity:NONE

Effects of Overexposure:INHALATION: DIZZINESS, DISORIENTATION, LOSS OF  
COORDINATION, NAUSEA, VOMITING, CONFUSION, AND STUPOR. SKIN: BURNS,  
BLISTERS (LIQUID). EYES: BURNUNG, TEARING, PAIN (LIQUID).  
INGESTION: BURNS OF LIPS AN D MOUTH, BLISTERS (LIQUID).

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:SKIN/EYES: TREAT FOR FROSTBITE. WARM AREA WITH TOWEL WET W  
ITH

WARM WATER. SEE DOCTOR. INHALATION: REMOVE TO FRESH AIR.  
RESUSCITATE IF NEEDED. SEE DOCTOR. INGESTION: SAME AS SKIN/EYES.

===== Fire Fighting Measures =====

Flash Point:NONE

Extinguishing Media:USE MEDIA APPROPRIATE FOR SURROUNDING FIRE.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND  
FULL PROTECTIVE GEAR. COOL CONTAINERS WITH FLOODING AMOUNTS OF  
WATER.

Unusual Fire/Explosion Hazard:COMPRESSED GAS. MAY EXPLODE IF EXPOSE  
D TO

FIRE. TOXIC FUMES MAY BE PRODUCED IF HEATED.

===== Accidental Release Measures =====

Spill Release Procedures:ISOLATE AREA AND DENY ENRTY. STOP LEAK IF IT  
CAN BE DONE WITHOUT RISK. VENTILATE AREA.

Neutralizing Agent:NONE

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY, WELL VENTILATED  
AREA.

Other Precautions:LIQUIFIED GAS UNDER PRESSURE. CLOSE VALVE WHEN NOT IN  
USE.

=====

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR WITH CARTRIDGE FOR ORGANIC VAPORS. IF IDLH CONDITIONS ARE PRESENT WEAR SELF-CONTAINED BREATHING APPARATUS.

Ventilation:USE ADEQUATE MECHANICAL VENTILATION.

Protective Gloves:WORK GLOVES TO PREVENT FROSTBITE

Eye Protection:SAFETY GLASSES/CHEMICAL SPLASH GOGGLES

Other Protective Equipment:METETARSAL SHOES FOR HANDLING CYLINDERS.

Work Hygienic Practices:WASH GANDS BEFORE EATING, DRINKING, OR SMOKING.

Supplemental Safety and Health

THIS MATERIAL IS A COMPONENT GAS OF A GAS MIXTURE USED IN CALIBRATION DEVICES. FISHER MAKES THE HEXANE; UNION CARBIDE THE REST. THERE ARE A TOTAL OF 6 GASES. THIS IS PART D OF THE UNION CARBIDE GROUP. THE GROUP IS A-E. THERE IS 50 PPM OF THIS MATERIAL IN THE MIXTURE.

===== Physical/Chemical Properties =====

HCC:G3

Boiling Pt:B.P. Text:-22F,-30C

Melt/Freeze Pt:M.P/F.P Text:-252F,-158C

Vapor Pr

es:70.2 @ 21C

Vapor Density:4.2 @ 20C

Spec Gravity:1.49 @ -30C

Solubility in Water:NEGLIGIBLE

Appearance and Odor:COLORLESS LIQUID WITH ETHERAL ODOR

Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

MAGNESIUM AND ALUMINIUM ALLOYS. NATURAL RUBBER.

Stability Condition to Avoid:HIGH TEMPERATURES.

Hazardous Decomposition Products:TOXIC FUMES OF CHLORINE AND FLUORINE.

===== Disposal Considerations =====

Waste Disposal Methods:CONTACT LOCAL ENVIRONMENTAL MANAGER. DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizin

g this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.