View NSN Online: https://aerobasegroup.com/nsn/6810-00-985-7087

Product ID: THYODENE MSDS Date:01/07/1988 FSC:6810 NIIN:00-985-7087 MSDS Number: BMQKB === Responsible Party === Company Name: POLYSCIENCES INC Address:400 VALLEY ROAD **City:WARRINGTON** State:PA ZIP:18976 Country:US Info Phone Num:215-343-6484 Emergency Phone Num:215-343-6484 CAGE:9C365 === Contractor Identification = == Company Name: POLYSCIENCES INC Address:400 VALLEY RD Box:City:WARRINGTON State:PA ZIP:18976 Country:US Phone:215-343-6484 CAGE:32939 Company Name: POLYSCIENCES INC Address: PAUL VALLEY INDUSTRIAL PARK City:WARRINGTON State:PA ZIP:18976 Country:US Phone:215-313-6484 CAGE:9C365

Ingred Name:THYODENE Fraction by Wt: 100%

LD50 LC50 Mixture:NONE SPECIFIED BY MAN

UFACTURER. Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:MATERIAL IS CONSIDERED TO BE NON-TOXIC. INGESTION OF LARGE AMOUNTS MAY CAUSE GI DISTURBANCES. Explanation of Carcinogenicity:NOT RELEVANT Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:SKI

N: WASH AFFECTED AREA WITH COPIOUS AMOUNTS OF WATER. EYE: FLUSH WITH WATER FOR AT LEAST 15 MINUTES. INHAL: REMOVE TO FRESH AIR; GIVE OXYGEN OR ARTIFICIAL RESPIRATION, AS NEEDED. INGEST: LARGE AMOUN TS MAY CAUSE GASTROINTESTINAL DISTURBANCES DUE TO INABILITY OF DIGESTIVE SYSTEM TO PROCESS LARGE AMOUNTS OF CARBOHYDRATES. SEEK MEDICAL TREATMENT IF DISCOMFORT PERSISTS.

Extinguishing Media:WATER, CO*2, DRY CHEM

ICAL POWDER, FOAM.

Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:NO ACUTE HAZARD; AVOID BREATHING VAPORS OR DUST.

Spill Release Procedures:SWEEP-UP AND COLLECT WASTE MATERIAL. WEAR RESPIRATOR, RUBBER BOOTS AND RUBBER GLOVES. AVOID RAISING DUST. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

======== Handling and Storage =======

Handling and Storage Precautions:STORE MATERIAL AT ROOM TEMPERATURE; KEEP STORAGE CONTAINER TIGHTLY CLOSED. Other Precautions:NONE SPECIFIED BY MANUFACTURER.

Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR. Ventilation:USE MATERIAL WITH ADEQUATE VENTILATION. Protective Gloves:RUBBER GLOVES RECOMMENDED. Eye Protection:CHEMICAL WORKERS GOGGLES . Other Protective Equipment:SAFETY SHOWER AND EYE BATH, RU BBER BOOTS. Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health NONE SPECIFIED BY MANUFACTURER.

Melt/Freeze Pt:M.P/F.P Text:DEC. Evaporation Rate & amp; Reference:N/A (BUTYL ACETATE = 1) Solubility in Water:SOLUBLE Appearance and Odor:WHITE POWDERY SOLID; ODORLESS.

Stability Indicator/Materials to Avoid:YES OXIDIZING AGENTS

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:CO; CO*2.

Waste Disposal Methods:BURN WASTE MATERIAL IN A SUITABLY EQUIPPED CHEMICAL INCINERATOR. KEEP WASTE MATERIAL OUT OF SEWERS, WATERWAYS AND OTHER WATER SOURCES. DISPOSE OF RESIDUES IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL R EGULATIONS.

Disclaimer (provided with this information by the compiling agencies): Th

is information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.