

A W CHESTERTON CO -- STYLE 64 -- 5330-00-996-4825

===== Product Identification =====

Product ID:STYLE 64
MSDS Date:01/15/1991
FSC:5330
NIIN:00-996-4825
MSDS Number: BMWKD
=== Responsible Party ===
Company Name:A W CHESTERTON CO
Address:225 FALLON RD
City:STONEHAM
State:MA
ZIP:02180-2999
Country:US
Info Phone Num:617-438-7000
Emergency Phone Num:617-438-7000;617-438-7013
CAGE:71431
=== Contractor I
dentification ===
Company Name:CHESTERTON A W CO
Address:225 FALLON RD
Box:City:STONEHAM
State:MA
ZIP:02180-9101
Country:US
Phone:781-438-7000/800-535-5053
CAGE:71431

===== Composition/Information on Ingredients =====

Ingred Name:ASBESTOS
CAS:1332-21-4
RTECS #:CI6425000
Fraction by Wt: 45-55%
OSHA PEL:0.2 F/CC (MFR)
ACGIH TLV:0.2 FIBERS/CC
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:GRAPHITE
CAS:7782-42-5
RTECS #:MD9659600
Fraction by Wt: 1-5%
OSHA PEL:15 MPPCF RDUST
ACGIH

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES
Health Hazards Acute and Chronic:(ACUTE) GRAPHITE DUST MAY CAUSE
MECHANICAL IRRITATION TO THE SKIN, EYES, AND NASAL PASSAGES.
(CHRONIC) EXPOSURE TO HIGH CONCENTRATIONS OF ASBESTOS DUST
INCREASES RISK OF DEVELOPING LUNG DISEASES.
SMOKERS HAVE A GREATER
RISK.
Explanation of Carcinogenicity:ASBESTOS: GROUP 1 (NTP,IARC), OSHA
REGULATED.
Effects of Overexposure:SEE HEALTH HAZARDS.
Medical Condition Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:INHAL: REMOVE TO FRESH AIR. IF BREATHING HAS STOPPED, PERFORM
ARTificial RESPIRATION. CONTACT MEDICAL. SKIN: WASH SKIN WITH SOAP AND WATER. EYES:
FLUSH EYES FOR AT LEAST 15 MINUTES WITH LARGE AMOUNTS OF
WATER.
CONSULT MEDICAL IF IRRITATION PERSISTS. INGEST: CALL MEDICAL IMMEDIATELY .

===== Fire Fighting Measures =====

Extinguishing Media:CO², DRY CHEMICAL OR FOAM.
Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA & FULL
PROTECTIVE EQUIPMENT .
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:IF PRODUCT IS DRIED OUT, WET WITH WATER, SWEEP
UP OR HEPA VACUUM AND PLACE IN IMPERMEABLE BAGS FOR DISPOSAL.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP IN DRY & VENT AREA. USE
KNIFE-TYPE ACTION TO CUT PACKING. NEVER USE A SAW-TYPE ACTION OR
CUT IN AN ABRASIVE MANNER.
Other Precautions:DURING REMOVAL, ENSURE MATERIAL IS ADEQUATELY WET, CONTAIN &
CAPTURE THE MATERIAL TO ENSURE NO RELEASES OF ASBESTOS EMISSIONS, ENSURE
MATERIAL REMAINS WET UNTIL & AFTER IT IS SEALED INTO

O LEAK TIGHT CNTNR
FOR DISP.NOTIFICAT ION MAY BE REQ PRIOR TO (SUPP DATA)

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORMALLY REQUIRED. USE NIOSH/MSHA ASBESTOS
APPROVED RESPIRATOR IF PEL/TLV IS EXCEEDED.

Ventilation:IF PEL/TLV IS EXCEEDED, PROVIDE ADEQUATE VENTILATION.

Protective Gloves:NOT NORMALLY NEEDED.

Eye Protection:CHEMICAL WORKERS GOGGLES .

Other Protective Equipment:NONE

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

OTHER PREC: REMOVAL, CHECK LOCAL, STATE AND FEDERAL REGULATIONS.

===== Physical/Chemical Properties =====

Appearance and Odor:NONE SPECIFIED BY MANUFACTURER.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:TRACE AMOUNTS OF CO, CO*2, SO*2.

===== Disposal Considerat
ions =====

Waste Disposal Methods:PUT WASTE IN SEALED IMPERMEABLE BAG OR
CONTAINER, PROPERLY LABEL ACCORDING TO LOCAL, STATE AND FEDERAL
REGULATIONS AND DISPOSE IN AN ASBESTOS APPROVED LANDFILL. CHECK
LOCAL, STATE AND FEDERAL REGULATI ONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implie

d, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.