

TEXACONE CO, INC. -- EASE OFF 990 -- 8030-00-784-3475

=====
===== Product Identification =====

Product ID:EASE OFF 990
MSDS Date:08/30/1989
FSC:8030
NIIN:00-784-3475
MSDS Number: BMZJV
=== Responsible Party ===
Company Name:TEXACONE CO, INC.
Address:4111 FORNEY RD
City:MESQUITE
State:TX
ZIP:75149
Country:US
Info Phone Num:214-288-4404
Emergency Phone Num:214-363-1891 / 214-381-7032
Preparer's Name:JOHN
H WHEELER
CAGE:LO980
=== Contractor Identification ===
Company Name:TEXACONE CO THE
Address:4111 FORNEY RD
Box:City:MESQUITE
State:TX
ZIP:75149-2722
Country:US
Phone:800-235-2727
CAGE:87889
Company Name:TEXACONE CO, INC.
Address:4111 FORNEY RD
City:MESQUITE
State:TX
ZIP:75149
Country:US
Phone:214-288-4404
CAGE:LO980

=====
===== Composition/Information on Ingredients =====

Ingred Name:RED LEAD
CAS:1314-41-6
RTECS #:OG5425000
Fraction by Wt: 19%
Other REC Limits:NONE SPECIFIED
OSHA

PEL:0.05 MG/M3
ACGIH TLV:0.15 MG/M3

Ingred Name:DIBUTYL PHTHALATE
CAS:84-74-2
RTECS #:TI0875000
Fraction by Wt: 33%
Other REC Limits:NONE SPECIFIED
OSHA PEL:5 MG/M3
ACGIH TLV:5 MG/M3
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

Ingred Name:MOLYBDENUM DISULFIDE
CAS:1317-33-5
RTECS #:QA4697000
Fraction by Wt: 25%
Other REC Limits:NONE SPECIFIED
OSHA PEL:15 MG/M3
ACGIH TLV:10 MG/M3

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:
YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE:ENCEPHALOPATHY DEVELOPS QUICKLY
TO SEIZURES, COMA & DEATH. CHRONIC: SEVERE DAMAGES TO BLOOD
FORMING, NERVOUS, URINARY & REPRODUCTIVE SYSTEMS.
Effects of Overexposure:LOSS OF APPETITE, METALLIC TASTE IN MOUTH,
ANXIETY, CONSTIPATION, NAUSEA, PALLOR, INSOMNIA, HEADACHE,
ABDOMINAL PAIN.
Medical Cond Aggravated by Exposure:TARGET ORGANS: GASTROINTESTINAL,
CENTRAL NERVOUS SYSTEM, KIDNEY,
BLOOD, GINGIVAL TISSUE.

===== First Aid Measures =====

First Aid:EYE: IRRIGATE IMMEDIATELY. SKIN: SOAP FLESH PROMPTLY. BREATH:
ARTIFICIAL RESPIRATION. SWALLOW: WATER, VOMIT. REPORT TO PHYSICIAN
FOR HEAVY METAL POISONING.

===== Fire Fighting Measures =====

Flash Point:310F,154C
Extinguishing Media:CO2, OR DRY CHEMICAL.
Fire Fighting Procedures:NONE.
Unusual Fire/Explosion Hazard:NONE.

===== Acciden

tal Release Measures =====

Spill Release Procedures:TREAT AS IF AN OIL SPILL: KEEP AWAY FROM FLAMES.

===== Handling and Storage =====

Handling and Storage Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:APPROPRIATE RESPIRATORY PROTECTION MAY BE REQUIRED.

Ventilation:LOCAL EXHAUST: VENTED FAN. MECAHNICAL FAN: NO.

Protective Gloves:NO

Eye Protection:NO

Other Protective Equipmen

t:NO

Work Hygienic Practices:NO SPECIAL PRACTICES UNLESS EXPOSURE TO LEAD ABOVE PEL.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Melt/Freeze Pt:M.P/F.P Text:>125F,>52C

Spec Gravity:1.67 (WATER=1)

Solubility in Water:NO

Appearance and Odor:BROWN PASTE, PAINT-LIKE ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

HYDROGEN PEROXIDE, ACTIVE METALS (SODIUM POTASSIU M).

Hazardous Decomposition Products:CO, CO2, AND HEAVY METAL OXIDES.

===== Disposal Considerations =====

Waste Disposal Methods:SPECIAL REQUIREMENTS-INDEFINITE SHELF LIFE.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all

liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.