View NSN Online: https://aerobasegroup.tw/nsn/5960-00-636-0370

Product ID: ELCTRON TUBE, 2J51A MSDS Date:09/12/1990 FSC:5960 NIIN:00-636-0370 MSDS Number: BNBRT === Responsible Party === Company Name: RAYTHEON CO MICROWAVE & POWER TUBE DIVISION Address:465 CENTRE ST City:QUINCY State:MA ZIP:02169-7530 Country:US CAGE:94144 === Contractor Ide ntification === Company Name: RAYTHEON CO MICROWAVE & POWER TUBE DIVISION Address:465 CENTRE ST Box:City:QUINCY State:MA ZIP:02169-7530 Country:US Phone:617-984-8400 CAGE:94144

======= Composition/Information on Ingredients ==========

Ingred Name:NON HAZARDOUS INGREDIENT, THIS PRODUCT IS CONSIDERED AN ARTICLE AS DEFINED IN 29 CFR 1910.1200(B). Fraction by Wt: 100% Other REC Limits:NONE SPECIFIED

Reports of Car

cinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:NA Explanation of Carcinogenicity:NA Effects of Overexposure:NA Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER. First Aid:NA Flash Point:NA Autoignition Temp: Autoignition Temp Text: NA Lower Limits:NA **Upper Limits:NA** Extinguishing Media: AS APPROPIATE FOR ELECTRICAL E QUIPMENT. Fire Fighting Procedures: AS APPROPIATE FOR ELECTRICAL EQUIPMENT. Unusual Fire/Explosion Hazard:NA Spill Release Procedures:NA Neutralizing Agent:NA Handling and Storage Precautions: CAUTION: THIS IS A HIGH VOLTAGE ELECTRICAL DEVICE REQUIRING PROPER ELECTRICAL HAZARD CONTROL PROCEDURES FOR SAFE INSTALLATION, USE, SERVICE OR REPAIR. Other Prec autions:RETURN TUBE TO MANUFACTURER FOR SERVICE OR REPAIR. THIS DEVICE MUST BE USED TO THE APPROVAL OF THE USER'S ELECTROMAGNETIC ENERGY EXPOSURE CONTROL PROGRAM. ELECTRON TUBE 2J51A CONTAINS NO RADIOACYIVE M ATERIALS. **Respiratory Protection:NA** Ventilation:NA Protective Gloves:NA Eve Protection:NA Other Protective Equipment:NA Work Hygienic Practices: NEVER LOOK INTO AN OPEN WAVEGUIDE OR ANTENNA

WHILE THE DIVICE

IS ENERGIZED. Supplemental Safety and Health PERSONNEL COULD BE EXPOSED TO ELECTROMAGNETIC RADIATION WHICH MAY RESULT FROM THIS DEVICE IF IMPROPERLY USED OR CONNECTED. ALL INPUT & OUTPUT CONNECTIONS, WAVEGUIDE FLANGES & GASKETS MUST BE LEAKPROOF . NEVER OPERATE THIS DEVICE WITHOUT A MICROWAVE ENERGY ABSORBING LOAD ATTACHED.

HCC:N1 Boiling Pt:B.P. Text:NA Melt/Freeze Pt:M.P/F.P Text:NA Vapor Pres:NA Vapor Dens ity:NA Spec Gravity:NA pH:NA Viscosity:NA Evaporation Rate & amp; Reference:NA Solubility in Water:NA Appearance and Odor:NA Percent Volatiles by Volume:NA Corrosion Rate:NA

NA

Stability Condition to Avoid:NA Hazardous Decomposition Products:NA

Waste Disposal Methods:NA

Disclaimer (provided with this information by the compiling agencies): This information

is formulated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.