

FEL-PRO CHEMICAL PRODUCTS DIV OF FELT PRODUCTS -- 51001 FEL-PRO C5-A HIGH TEMPERATURE ANTISEIZE COMPOUND -- 8030-00-734-1546

===== Product Identification =====

Product ID:51001 FEL-PRO C5-A HIGH TEMPERATURE ANTISEIZE COMPOUND

MSDS Date:11/01/1991

FSC:8030

NIIN:00-734-1546

MSDS Number: BNKLG

=== Responsible Party ===

Company Name:FEL-PRO CHEMICAL PRODUCTS DIV OF FELT PRODUCTS

Address:7450 N MCCORM

ICK

City:SKOKIE

State:IL

ZIP:60076-8205

Country:US

Info Phone Num:303-289-5651

Emergency Phone Num:303-289-5651

Preparer's Name:PAT FRASER

CAGE:GO402

=== Contractor Identification ===

Company Name:FEL-PRO CHEMICAL PRODUCTS DIV OF FELT PRODUCTS

Address:7450 N MCCORMICK

Box:1205

City:SKOKIE

State:IL

ZIP:60076-8205

Country:US

Phone:303-289-5651

CAGE:GO402

Company Name:FEL-PRO INC DIV OF FELT PRODUCTS MFG CO

Address:7450 N MCCORMICK

Box:1103

City:SKOKIE

State:IL

ZIP:60076-4046

Country:US

Phone:847-6

74-7700 OR 312-761-4500
CAGE:73165

=====
Composition/Information on Ingredients
=====

Ingred Name:COPPER (DUST & MIST), BRONZE POWDER *96-3*
CAS:7440-50-8
RTECS #:GL5325000
Fraction by Wt: 20-30%
Other REC Limits:1 MG(CU)/M3 (DUST)
OSHA PEL:0.1 MG(CU)/M3 (FUME)
ACGIH TLV:0.2 MG/M3 (FUME)
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:GRAPHITE
CAS:7782-42-5
RTECS #:MD9659600
Fraction by Wt: 10-20%
Other REC Limits:2.5MG/CUM
OSHA PEL:15 MPPCF
ACGIH TLV:2 MG/CUM RESP IC

Ingred Name:PETROLEUM CARRIERS (FOSSIL BASE)

=====
Hazards Identification
=====

LD50 LC50 Mixture:ORAL LD50(RATS): 5 G/KG
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:NO ACUTE/CHRONIC HEALTH HAZARDS KNOWN.
TOXICOLOGICAL STUDIES INDICATE PRODUCT IS NONIRRITATING TO
SKIN/EYES & IS NONTOXIC BY INGESTION.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:INGESTION OF LARGE AMOUNTS MAY RESULT IN
DIARR
HEA.

=====
First Aid Measures
=====

First Aid:EYES: FLUSH W/TEPID WATER FOR 15 MINS. SKIN: WASH W/SOAP &
WATER. TREAT SYMPTOMATICALLY. OBTAIN MEDICAL ATTENTION IN ALL
CASES.

=====
Fire Fighting Measures
=====

Flash Point Method:COC
Flash Point:310F
Extinguishing Media:WATER FOG, DRY CHEMICALS, FOAM, CO2.
Fire Fighting Procedures:WEAR EYE PROTECTION & SCBA WHEN FIGHTING FIRES
IN CONFINED AREAS.
Unusual Fire/Ex

losion Hazard:NONE, EXCEPT AS FOR PETROLEUM GREASE
FIRES.

===== Accidental Release Measures =====

Spill Release Procedures:WIPE UP W/RAGS/ABSORBENT MATERIAL. COMPLETE
CLEAN-UP USING DETERGENT & WATER/CHLORINATED SOLVENT/HIGH FLASH
POINT SOLVENT CLEANER W/ADEQUATE VENTILATION.

===== Handling and Storage =====

Handling and Storage Precautions:USE NORMAL STORAGE & HANDLING. DON'T
EXPOSE TO HEAT, OPEN FLAMES/STRONG O
XIDIZERS. CONTAINS
HYDROCARBONS-DON'T USE IN OXYGEN SERVICE.
Other Precautions:KEEP OUT OF REACH OF CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED W/ADEQUATE VENTILATION.
Ventilation:LOCAL EXHUAST/MECHANICAL (GENERAL): ACCEPTABLE.
Protective Gloves:NONE REQUIRED
Eye Protection:REQUIRED
Other Protective Equipment:NONE REQUIRED
Work Hygienic Practices:USE NORMAL GOOD HOUSEKEEPING PRACTICES.
Supplemental Safety and Health

==

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:>500F
Vapor Pres:NEGLIGIBLE
Spec Gravity:1.26
Solubility in Water:INSOLUBLE
Appearance and Odor:COPPER COLORED PASTE W/SLIGHT PETROLATUM ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS (PEROXIDES, PERMANGANATES, NITRIC ACID, ETC.)
Stability Condition to Avoid:HIGH HEAT, OPEN FLAMES.
Hazardous Decomposition Products

:PYROLYSIS YIELDS: CO, CO2 &
INCOMPLETELY BURNED HYDROCARBONS.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IAW/FEDERAL, STATE & LOCAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
discl
aims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.